WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

1 LOCATIO	N OF WATER	R WELL:	Fraction			Secti	on Number	Townsl	Township Number		Range Number	
	Wyar		1/4	NE ¼	NE	1/4	27	1	<b>11</b> s	R	25	E
Distance and	d direction from	n nearest	town or city street add	ress of well if	located with	nin city?						
North of	Southwest	<b>Bouleva</b>	ırd, between 29 <sup>th</sup>	and 31st St	reets – K	ansas Ci	ty					
2 WATER	WELL OWNE	R: <b>Unic</b>	n Pacific Railro	oad Compa	any							
 RR#, St. Add	dress, Box#	: 1410	Dodge St.					Board of	Agriculture, Divi	ision of Wat	er Resource	es
City, State, 2	ZIP Code	: Oma	ha, NE 68179					Applicati	on Number:			
LOCATE	WELL'S LOC	W NOTA:	TH  <sub>4</sub>			10 (		/A.T.O.L.				
AN "X" IN	SECTION B	OX:	DEPIROF C									
† I		X	Depth(s) Ground									
	NW	- NE	WELL'S STATIC									류
	1	i	Pump	test data: N	/ell water w	as	f	t. after	hours p	oumping	gpı	
₩ W		-	E Est. Yield	gpm: W	Vell water w	as	f	t. after	hours p	oumping _	gpi	M m ft.
7			Bore Hole Diame WELL WATER T 1 Domestic	ter <b>8.25</b>	in. to	19		ft. and	ir	n. to		ft.   👱
	sw	- SE	WELL WATER T	O BE USED A	S: 5 Pub	lic water su	pply	8 Air co	nditioning 1	1 Injection	well	्   ऱ
	i	_i										
<b>Т</b>	<u> </u>		1						itoring well			1
	S		Was a chemical/	pacteriological	sample sub	mitted to D	epartment?	Yes	No <b>X</b> If yes	, mo/day/yr	sample was	s
			submitted				Wa	ter Well Disi	nfected? Yes		√o X	
5 TYPE OF	F BLANK CAS	ING USE	D:	5 Wrought	Iron	8 Concre	te tile	CASING	JOINTS: Glue	d (	Clamped	
1 Ste				6 Asbestos					Weld			
2 PV		7 4 AE	(/					ſ		ded	Flush	$\neg$
				7 Fiberglas				-				_
Blank casing	g diameter	2	in. to <b>8.9</b>	ft., Dia		in. t	0	ft., Dia		in. to	SII 40	π.
Casing heig	ht above land	surface	Flush	in., weight	0.	/03	lbs./ft.	Wall thickne	ess or gauge No.	50	JH. 40	
TYPE OF S	CREEN OR P	ERFORA	TION MATERIAL:						Asbestos-ceme			
1 Ste	el	3 St	inless steel	5 Fiberglas	SS	8	RMP (SR)	11	Other (specify)			<b>-</b> -
2 Bra			Ivanized steel	6 Concrete	tile	9	ABS	12	None used (op	en hole)	/ b-1-\	
			NINGS ARE:						ut halaa	11 None	(open noie)	'
	ntinuous slot		3 Mill slot		6 Wire wr			9 Drilled				
	uvered shutter		4 Key punched		7 Torch c			10 Other	(specify)			
SCREEN-P	ERFORATED	INTERVA		<b>8.9</b> ft.	to	18.9	ft. F	-rom	ft.	to		ft.
				ft.	to		ft. F	From	ft.	to		ft. 70
GR.	AVEL PACK I	NTERVAL	S: From						ft.	to		ft.
			From					From				ft.
6 GROUT	MATERIAL:	1 N	eat cement 2	Cement grout	t	3 Ben	tonite	4 Other			<b>-</b>	
Grout Interv	als From	1	ft. to <b>7</b>	ft. From		ft. t	0	ft. F	rom	ft. to		ft.
			ole contamination:					tock pens		andoned w		
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas w							well					
2 Se	wer lines		5 Cess pool		Sewage la		12 Fertil	lizer storage	16 Ot	her (specify	below)	
3 Wa	tertight sewer	lines	6 Seepage pit	9	Feedyard		13 Insec	cticide storag	е			
Direction fro	m well?						How many	feet?				
FROM	ТО	CODE		OGIC LOG		FROM	TO		PLUGGING I	NTERVALS		
0	0.3		Concrete									
			Fill, Clay, mottle									Ę,
0.3	7.5		to brown, some sa	nd and grave	91							
7.5	9.5		Shale, gray Silt to Sand, ve									
9.5	19	SM	stained gray to bla		ŧu,							
3.5	19	3111	stained gray to bic	- CK								$\neg$
		-					+					_
7 CONTR	ACTOR'S OR	LANDOV	NER'S CERTIFICAT	ION: This water	er well was	(1) construe	cted, (2) reco	onstructed, o	r (3) plugged und	ler my jurisd	iction and w	/as
<del></del>	on (mo/day/yr			5/10					est of my knyewie			l l
	Contractor's l			531					ompleted on (mo			
1	usiness name		Geotechni		es Inc		(signature)	// V	//			
			lanks and circle the cor						nd Environment, E	Bureau of Wa	ter, 1000 S V	N
Jackso	on St., Ste. 420.	Topeka, K	ansas 66612-1367. Tel	ephone: 913-29	96-5545. Se	nd one to W	ATER WELL	OWNER and	retain one for you	r records.		