WATER WELL RECORD		Form V	WWC-5	Di	vision of Wate	r Resources App. No	<sub>).</sub>		
1 LOCATION OF WATER WELL:		Fraction			on Number	Township No.	Range		
County: Shawnee		4 NE'4 1	NE 4 NE 4	ļ	19	T 19 S		<b>Æ</b> E □W	
Street/Rural Address of Well Location; if unknown, distance & direction						System (GPS) in			
from nearest town or in		Latitude: (in decimal degrees)							
				Longitude: (in decimal degrees) Elevation:					
					Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: LASSY TAKS					Collection Method:				
RR#, Street Address, Box #: 3715 5.E. Shr. Whee Heights RE					GPS unit (Make/Model:)				
City, State, ZIP Code : Techmseh Ks. 66542				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					
3 LOCATE WELL		Plugaed	<u> </u>	1 <u>230.71</u>	couracy.	// Ar-/			
		Plugged COMPLETED WE							
SECTION BOX:	- 1   1   1   1   1   1   1   1   1								
WELL'S STATIC WATER LEVELNoneft. below land surface measured on mo/day/yr									
DOM STEEL D Albert 197 11					ft. after hours pumpinggpm				
W   NW - NE -   EST. YIELD. Low gpm. Well water was							gpm		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								well	
Other (Specify below)									
Irrigation   Industrial   Domestic-lawn & garden   Monitoring well \(\text{N.1.9.5e.ol}\)									
Was a chemical/bacteriological sample submitted to Department?   Yes   No									
S If yes, mo/day/yr sample was submitted									
Water well dislinected: 1103									
5 TYPE OF CASING USED: Steel PVC Other N. D Paly & thyle &									
CASING JOINTS:  Glued  Clamped  Welded  Threaded Fusion Casing diameter in. to 250 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface3.6									
TYPE OF SCREEN OR PERFORATION MATERIAL: None									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: None (open hole)									
Louvered shutter Key punched Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From . 2.5.0 ft. to ft., From ft. to ft., From ft., From ft.									
What is the nearest source		- '			,	110111	. 10. 00		
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well									
Direction from well		it leedyard	☐ Fertilizer st		∐ Oil well/ga	s well			
FROM TO	LITHOLOG	IC LOG	FROM	TO		OG (cont.) or PLU	GGING	INTERVALS	
A A A		84.190 Shal				3 ( ( ) <u>3,</u> 1 2 0	301113		
10 14 lime		90-200 lin							
14 25 Shall	e (3	102-224-5h	مآو						
25 36 Sand		24-231 time	250	3	4.250				
		31-250 Sha	KE		Hig	L Solla	BAN	onite	
70 87 line									
87 98 Shall 98 108 lime		- 4444							
				-					
108 158 Shall 158 184 line	<u> </u>								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🔀 constructed, 🗆 reconstructed, or 🗗 plugged									
under my jurisdiction and was completed on (mo/day/year) 12.7.15.1.Q and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 36.1 This Water Well Record was completed on (mo/day/year)									
under the business name of E. Uans. Energy, Dev. Inc									
INSTRUCTIONS: Use typewri (white, blue, pink) to Kansas De									
Telephone 785-296-5522. Send	one copy to WAT								
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212									