	Hωl					
WATER WELL REC		Form W	WC-5		r Resources App. N	
1 LOCATION OF WA	TER WELL: DHE.	Fraction Su) 4NW4SE	145W 14	Section Number	Township No. T 11 S	Range Number R & S ⊠ E □W
Street/Rural Address o	f Well Location	if unknown distance	& direction	Global Positioning	System (GPS) in	nformation:
from nearest town or intersection: If at owner's address, check here				Latitude: 57O.	(551	(in decimal degrees) (in decimal degrees)
from nearest town or intersection: If at owner's address, check here Kerr Male - 2700 Strong Aul. Kansas Uty, K5.				Elevation:75	5.63	••••
2 WATER WELL OWNER: KDHE-BER				Datum: WGS 84 Collection Method:	4, □ NAD 83, □] NAD 27
RR#, Street Address, Box #: 1000 SW Jackson City, State, ZIP Code : Tookka, Ks.					e/Model:)
				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
2 LOCATE WELL					з m, <u></u> з-з m, <u></u>] 3-13 m,
WITH AN "X" IN	4 DEPTH OF COMPLETED WELL35., ft. Depth(s) Groundwater Encountered (1)25., ft. (2)					
SECTION BOX:						
	EST. YIELD	gpm. Well water	r was	ft. after	hours puin	ping gpin
	EST. YIELDgpm, Well water wasft. afterhours pumpinggpm Bore Hole Diameterft., andft.					
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
Domestic Feedlot Oil field water supply Dewatering Other (Specify below Irrigation Industrial Domestic-lawn & garden Monitoring well						
mile	Water well disir	fected? Tyes	No			
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter 2,375 in. to 20 ft., Diameter						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut, Other (specify) SCREEN-PERFORATED INTERVALS: From						
SCREEN-PERFORATED INTERVALS: From						
From						
OKA VEETACE	CINTERVALS.					
From						
Grout Intervals: From						
What is the nearest source of possible Intamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines	Cesspool	Sewage lagoon	Fuel storage	_		iei (specify below)
☐ Watertight sewer li		it 🗌 Feedyard	☐ Fertilizer sto	•	s well	
Direction from well	LITHOLOG	IC I OC	FROM	rom well TO LITHO. LO	OC (2274) 27 DI I	JGGING INTERVALS
A SD Centl		IC LOG	FROM	10 LITHOLE	od (cont.) of FLC	OGING INTERVALS
	ALL WI CLE	shop of many of	A. MOOD			
5,0 10.5 Klay	- OK KISI	BUN CODY, M	DAID	Rt.		
10.5 IS.D DIAL	daytos	Lity clay, fl	minou			
15.D 20.D KLAD	MIGNAC	they clave	ACOL	roust, fum		
26.5 35.D BLA	1 3 y 3 - Ce	ALTURE GLAL		Augusta	A	
210.5 531D XIII	3 rakes ca	Car and	FLOCK DAL	CACO CO CO		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 2/1/10						
Kansas Water Well Contractor's License No. 132 This Water Well Record was completed on (mo/day/year)						
under the business name of HO. COULTIMENTAL						
INSTRUCTIONS: Use typewi	riter or ball point pen	. PLEASE PRESS FIRML	and PRINT clea	rly. Please fill in blanks	and check the correc	t answers. Send three copies
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						