HW6	
WATER WELL RECORD Form WV	-
1 LOCATION OF WATER WELL: Fraction	Section Number Township No. Range Number
County: WHEN ADFRE SW 1/4 WW/4 SE	$\frac{1}{4}$ SW $\frac{1}{4}$ 2D T 11 S R $\frac{1}{4}$ S $\frac{1}{4}$ E $\frac{1}{4}$ W
Street/Rural Address of Well Location; if unknown, distance &	direction Global Positioning System (GPS) information:
from nearest town or intersection: If at owner's address, check	Latitude:
Kew-Misee - 2900 Strong Ave	Elevation:
Kansas City, Ks. 2 WATER WELL OWNER: KDHE-BER RR#, Street Address, Box #: City. State. ZIP Code: 1000 SW Jackson	Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
2 WATER WELL OWNER: KDHE-BER	Collection Method:
City, State, ZIP Code	☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, Land Survey
Topeka, Ks.	Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m
3 LOCATE WELL	
WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered (. 9.9 ft.
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. (3) ft. WELL'S STATIC WATER LEVEL 3.71 ft. below land surface measured on mo/day/yr. 2/10/!!	
Pump test data: Well water wasft. after hours pumping	
W -NW - NE - EST. YIELD	
W E Bore Hole Diameter	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)	
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No	
S If yes, mo/day/yr sample was submitted	
1 mile Water well disinfected? ☐ Yes 🔀 No	
5 TYPE OF CASING USED: Steel PVC Other	
CASING JOINTS: Glued Clamped Welded Threaded	
Casing diameter 2. 2.75. in. to 20	
TYPE OF SCREEN OR PERFORATION MATERIAL: Weight	
Steel Stainless Steel YPVC Other (Specify)	
Brass Galvanized Steel None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:	
☐ Continuous slot	
SCREEN-PERFORATED INTERVALS: From35	to 25 ft., From ft. to ft.
From ft	to
	to
GROUT MATERIAL: Neat cement Cement grout Bentonite Other Office St., From ft., From ft	
What is the nearest source of possible entamination:	tt., 110m
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐	Livestock pens
Sewer lines Cesspool Sewage lagoon	Fuel storage Abandoned water well
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Direction from well	Fertilizer storage Uoil well/gas well Distance from well
FROM TO GAAA, LITHOLOGIC LOG	FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS
D 5.D DK-Med. Ren Clauful, W/Lsnx,	
dry nooder	9
5.0 13.0 Bun Atty Clay from Motor	
and 25.0 there begins and the	to autugana
as, b 55, blorage on fore cause on the	, told to the second se
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, □ reconstructed, or □ plugged	
under my jurisdiction and was completed on (mo/day/year) 2.12.11	
Kansas Water Well Contractor's License No. 732 This Water Well Record was completed on (mo/day/year) 3/1/14	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blank and check the correct answers. Send three copies	
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .	
KSA 82a-1212	