WATER WELL REC	CORD	Form V	VWC-5	Division of Wate	r Resources App. No	o	
1 LOCATION OF WA	TER WELL:	Fraction WW 45E	1/2 SW) 1/2	Section Number		Range Number	
Street/Rural Address of	of Well Location:	if unknown distance	& direction	Global Positioning	System (GPS) in	formation:	
from nearest town or i	owner's address, che	Global Positioning System (GPS) information: Latitude:					
Kerr Mc Bee 2900 Strong Aue				Longitude: 94. (in decimal degrees)			
Kansacity, Ks.				Elevation: 75 4.41			
	4 .	C- RED.		Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: KDHE-BER RR#, Street Address, Box #: (AND SU) TRCKSON				Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box #: 1000 SW TACKSON City, State, ZIP Code: Topeka, Ks.				☐ Digital Map/Photo, ☐ Topographic Map, 🔏 Land Survey			
• • • • • • • • • • • • • • • • • • • •	10,	oeka.Ks.		Est. Accuracy:			
3 LOCATE WELL	4 DEDTH OF	COMPLETED WE	35'	c			
WITH AN "X" IN SECTION BOX:	Depth(s) Group	dwater Encountered	U 21	It.	Δ (2)	
N	Depth(s) Groundwater Encountered (1). 2.1. ft. (2)						
	Pump test data: Well water wasft. after hours pumping						
NW NE	ECT VIELD						
W E	Bore Hole Diameter						
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well							
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted							
Water well disinfected? Yes No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .3.75 in. to							
Casing diameter 11. to							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Other (Specify)							
		None used (open	hole)				
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot							
Louvered shutter							
$\Gamma_{}$ Ω Λ Ω Ω Ω Ω							
GRAVEL PACK INTERVALS: From 35 ft. to 13 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 35 ft. to 13 ft., From ft. to ft. From ft. to ft. Grout Intervals: From 13 ft. Grout Intervals: From 13 ft. Grout Intervals: From 13 ft. Grout Intervals: From 15 ft. Grout Intervals: From 16 ft. Grout Intervals: Grout Intervals: From 16 ft. Grout Intervals: Grout Intervals:							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other Converse							
Grout Intervals: From							
What is the nearest source of possible intamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Found Abandoned water well							
☐ Watertight sewer l			Fertilizer sto		s well		
Direction from S	LITHOLOG			from well 💆 🗸	OC (+) DI II	CODIC DITERVAL C	
FROM TO	Toose	_ ^	FROM	TO LITHO. LO	JG (cont.) or PLU	GGING INTERVALS	
	VI) Bun All	tullau					
5.D II.D DKG	Au-Pla Dr.	May tum.s	ALL Mri	<u> </u>			
11. D 15. D Gray Black sorry Situ clay from 4000							
15,0 35,00KB	04 4 4	sand Fine	agine 2	7.1			
		77	8				
7 CONTRACTORS OF	O I ANDOMNE	DIC CEDTIFICATIO	ON. Thist-	r well was 🕶	uotod 🗆 =====	noted on Duly1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. 132 This Water Well Record was completed on (mo/day/year)							
under the business name of QB. Enjumy Hall by (signature) Jamas Bubas.							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blank and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212				, , , , , , , , , , , , , , , , , , ,			