	ELL RECORD	Form WWC-5	Division of Water Resources App. No.
	ON OF WATER WELL: Vyandotte	Fraction 1/4 SW 1/4 SE 1/4 NW 1/4	Section Number Township No. Range Number T 11 S R 25 VE W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .			Latitude:39.000 (in decimal degrees)
Argentine Rail Yard; northwest of Swartz Road and S 42nd Street		Swartz Road and S 42nd Street	Global Positioning System (GPS) information: Latitude: 39. (in decimal degrees) Longitude: 94. 6 + 80 (in decimal degrees) Elevation: 7+5
2 WATER WELL OWNER: BNSF Railroad			<u>Datum</u> : ☐ WGS 84, M NAD 83, ☐ NAD 27
RR#, Street Address, Box #: 4515 Kansas Ave.			Collection Method: GPS unit (Make/Model:Garmin)
City. Stat			Digital Man/Photo Tonographic Man T Land Survey
	Kan	sas City KS 66106	Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m
3 LOCATE WELL			
WITH AN	"X" IN 4 DEPTH OF	COMPLETED WELL .15	ft.
SECTION	BOX: Depth(s) Groun	ndwater Encountered (1)5	ft. (2) ft. (3) ft
N	WELL'S STA	TIC WATER LEVELfi	below land surface measured on mo/day/yr
	Pum	p test data: Well water was	ft. after hours pumping gpm
NW	NE EST. YIELD	gpm. Well water was	ft. after hours pumping gpm
W Jx	E Bore Hole Dia	R TO BE USED AS: Public wa	ft., andft.
			ter supply
SW SE			
Was a chemical/bacteriological sample submitted to Department? Yes No			
S If yes, mo/day/yr sample was submitted			
1 mi		infected? ☐ Yes 🙀 No	
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter 2 in. to .15 ft., Diameter in. to ft., Diameter ft.			
Casing height above land surface			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)			
Brass Galvanized Steel None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot			
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)			
SCREEN-PERFORATED INTERVALS: From			
From			
GRAVEL PACK INTERVALS: From			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ✔ Bentonite ☐ Other			
Grout Intervals: From			
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)			
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well			
	from well		from well
FROM TO		GIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 2	Rusble		
2 15	Silt w/ Very fine	Sand	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .2/28/2012 and this record is true to the best of my knowledge and belief.			
Kansas Water	Well Contractor's License	No7.10 This Water Well R	ecord was completed on (mo/day/year) 3/5/2012
under the business name of Below Ground Surface, Inc. by (signature)			
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at			
http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			