WATER WELL RECORD			Form W	WC-5	Di	vision of Wate	r Resources App. N	o.	
			Fraction - 1/4 SW 1/4 SW	' ¼ SW ¼	Section	on Number 18	Township No.	Range Number R 25 ☑ E □W	
Stree	Street/Rural Address of Well Location; if unknown, distance & di					Global Positioning System (GPS) information:			
	from nearest town or intersection: If at owner's address, check here					Latitude: .39.08832. (in decimal degrees) Longitude: -94.6863. (in decimal degrees)			
	4600 Kansas Avenue, Kansas City (MW11-3)					Elevation: unknown			
,						<u>Datum</u> : ☑ WGS 84, □ NAD 83, □ NAD 27			
1	El Vol Railway				Collection Method: ☐ GPS unit (Make/Model: Garmin Geko 101)				
RR#, Street Address, Box #: 4200 Deon Ro					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Fort Wo			rth, TX 76106		Est. Accuracy: \mathbb{Z} <3 m, \square 3-5 m, \square 5-15 m, \square >15 m				
3 LOCATE WELL									
1	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1).30 ft. (2)								
SECI	N WELL'S STATIC WATER LEVEL. 30ft. below land surface measured on mo/day/yr.11./16/11								
	Pump test data: Well water wasft. afterhours pumpingg								
- NV	v N	EST. YIELD. <5	0gpm. Well water	gpm. Well water wasft. after hours pumping gpm					
w	` `ì	E Bore Hole Diame	eter 8in. toft., andin. toft. TO BE USED AS: Public water supply Geothermal Injection well						
WELL WATER TO BE USED AS: Publi						ster supply Geothermal Injection well			
1	□ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below) □ Irrigation □ Industrial □ Domestic-lawn & garden ☑ Monitoring well								
X	Was a chemical/bacteriological sample submitted to Department? Yes No								
	S	If yes, mo/o	day/yr sample was sub						
1 mile Water well disinfected? ☐ Yes ☑ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .2 in. to .27 ft., Diameter ft., Diameter ft.									
Casing height above land surface0									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
From									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
				l ,	11. 10	14.,	rioni	11. 10	
What is the nearest source of possible contamination: Septic tank									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well Unknown Distance from well Unknown									
FROM	TO	LITHOLOG		FROM	TO			IGGING INTERVALS	
0	8	Not Logged							
8	20	Lt. brown, fine sand							
20	24	Dk. brown, clayey silt w	/ sand						
24	25	Brown, silty sand					·····		
25	26.5	Brown, fine sand							
26.5 28	28 30	Brown, silty clay Brown, v. fine sand							
30	34	Brown, coarse sand							
34	36	Brown, fine-med. sand							
36 42 Brown, coarse sand									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .1.1/1.6/20.11 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 616 This Water Well Record was completed on mo/day/year) 95/96/2017									
under the business name ofThiele Geotech, Inc									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									
Kon 62a-1212 Check: ☐ white Copy, ☐ Blue Copy, ☐ Pink Copy									