LLOCATIO	N OF WATER	MELL	Fraction	H WELL RECOR	TO FOILI			Township Nur	mher T	Range Number	
			SW 1/4	NE 1/2	NE	14 Secti	33	T 11	1	R 25	E
istance and	I direction from	nearest tow	n or city street ad	dress of well if le	ocated with			1			-
	erree – Kan									NO. W. C.	
			ters of Amer								
R#, St. Add	iress, Box#	: PO Bo	x 2328 / 6949	5 Lasso				•		on of Water Resour	ces
ity, State, Z	IP Code WELL'S LOCA	: Sisters	s, OR 97759		************	The state of the s		Application Nur	nber:		
AN "X" IN	SECTION BO	X:	4 DEPTH OF C	OMPLETED W	ELL	19	ft. ELE\	/ATION:	801.0	7 (TOC)	
			Depth(s) Ground	water Encounte	red 1	11	ft	. 2	ft. 3		
l	NW	N. X	WELL'S STATIC	WATER LEVE	9.	<b>58</b> ft. l	below TOC I	measured on mo/da	y/yr	03/10/12	ft.
								t. after			pm
9 W	_	E	Est. Yield	gpm: W	ell water w	as	f	t. after	hours pur	mpina ai	pm
ī l			Bore Hole Diame	ter 10.25	in. to	19	)	ft. and 8 Air condition 9 Dewatering	in. t	о	ft.
ļ	- sw	SE	WELL WATER T	O BE USED AS	6: 5 Pub	lic water su	ipply	8 Air condition	ing 11	Injection well	
,		!						c) 10 Monitoring		Other (openity belo	(0)
* Electrical	S	AND THE RESIDENCE						Yes No X			
			1	bacteriological s	sample sur	mitted to L		ter Well Disinfected		``	15
TYPE OF	BLANK CAS	NO LISED	submitted	5 Wrought I	ron	9 Conore		CASING JOIN			
1 Ste		3 RMP (	SB)	6 Asbestos					Welded		
2 PVC		4 ABS	•					Tonomic and the second		d Flush	************
THE PERSON NAMED IN COLUMN TWO	NAMES OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER, THE OWNER OF THE OWNER, THE O	prosed		7 Fiberglass				4 Dia	imeaue	d Hear	
siank casing	alameter		in. to	π., Dia		703 in. to	O	ft., Dia Wall thickness or g	li	SCH 40	п.
	nt above land : CREEN OR PI			in., weight		700	DVC	10 Asbe	jauge No. etoe-comon		
1 Stee			ess steel	5 Fiberalas	e						
2 Bras			nized steel	6 Concrete	tile	9	ABS	11 Other 12 None	used (open	i noie)	- 1
SCREEN OF	R PERFORAT	ION OPENIN	IGS ARE:	5	Gauzed	wrapped		8 Saw cut	1	1 None (open hole	∍)
1 Con	ntinuous slot	3	Mill slot	6	Wire wr	apped		9 Drilled holes			
2 Lou	vered shutter	4	Key punched		Torch c			10 Other (speci	fy)		
SCREEN-PE	ERFORATED	INTERVALS:						From			
			From	ft.	to		ft.	From	ft. to		ft.
GRA	AVEL PACK IN	ITERVALS:						From			
<u> </u>				ft.			ft.		ft. to		ft.
6 GROUT	MATERIAL:	1 Neat	cement 2	! Cement grout		3 Ben	tonite	4 Other			
				ft. From		ft. t		ft. From			<sup>ft.</sup>
		•	contamination: 4 Lateral lines	7	Dit priva			stock pens storage		ndoned water well rell/ Gas well	
•	wer lines		5 Cess pool		Sewage la			lizer storage		er (specify below)	
	tertight sewer	lines	6 Seepage pit		Feedvard	.goon		cticide storage	10 01110	(opcomy conomy	
Direction fro	•				,		How many	y feet?			
FROM	TO	CODE		LOGIC LOG		FROM	то	PLU	IGGING IN	TERVALS	
0	0.5		sphalt and co								
0.5	19		<b>ay,</b> with silt, liç own to dark gra		ark						
	13		JWII to dark gra	y							
			**************************************	*					· · · · · · · · · · · · · · · · · · ·		
			,			<u></u>	<del> </del>			Commission of the Commission o	
***************************************	<del> </del>							GPS:		· · · · · · · · · · · · · · · · · · ·	
						<u> </u>	<u> </u>	Latitude: 39-055556			
								Longitude: -9	94.63222	2	
		L		,							
					r well was		The contract of	onstructed, or (3) pl			
	on (mo/day/yr)			04/12				true to the best of n			
				531				Record Was/complet	ed/on (mo/c	lay/yr) <b>04/05/</b>	12
	usiness name			cal Service			y (signature)	ent of Health and Envi	Cowline		14/
								OWNER and retain of			