WATER WEL	L RECORD	Form WWO	C -5	Division of Wate	r Resources App. N	o. L
1 LOCATION OF WATER WELL: County: Wyandotte		Fraction NE 1/4 SE 1/4 NE 1/4	NE ¼		Township No.	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here				Latitude: .N39.099938 (in decimal degrees) Longitude: W94.650086 (in decimal degrees)		
164 South 18th Street, Kansas City, KS 66102				Elevation:		
2 WATER WELL OWNER: Bhatti & Sons, Ltd. RR#, Street Address, Box #: 2909 SW Saddlewood Drive			Collection Method: ☐ GPS unit (Make/Model: Garmin Nuvi 760			
City, State, ZI	IP Code : Lee's Su	ummit, MO 64081			oto, 🔲 Topographi	c Map, Land Survey
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 25 ft.						
SECTION BOX	1					
	WELL'S STATIC WATER LEVEL					
EST. YIELD. N/A gpm. Well water was. N/A ft. after. N/A hours pumping. N/A g						
W Bore Hole Diameter 8.25 in. to .25 ft., and .N/A in. to .N/A ft.						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
SW - SE -						
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No						
S If yes, mo/day/yr sample was submitted. N/A						
1 mile Water well disinfected? ☐ Yes ☑ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .2 in. to .15						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From. 15 ft. to .25 ft., From .N/A ft. to						
GRAVEL PACK INTERVALS: From 12 ft. to 25 ft. From N/A ft. to N/A ft.						
GRAVEL PACK INTERVALS: From12						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete from 0 to 2-feet Grout Intervals: From .2 ft. to .12 ft., From N/A ft. to .14 ft. ft. or .15 ft. to .15 ft. ft. or .15 ft. or .1						
Grout Intervals: From .4						
What is the nearest source of possible contamination: Septic tank Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
□ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well Direction from well Northwest □ Distance from well <50-feet						
FROM TO	LITHOLOG					JGGING INTERVALS
	Grass		KO.	20 21110.20	o (cont.) or 1 De	GGRIG HVIERVALD
	Asphalt					
	Light brown silty clay, d					
	Light brown clayey fine	grained				
	sand, damp Light brown clayey san	d damn				
	Light brown sandy clay					1
- CO	DICOD T LAW STORES	AC OFFICE STATE		11 1-34		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigsize \) constructed, \(\substact \) reconstructed, or \(\substact \) plugged under my jurisdiction and was completed on (mo/day/year) .3-7-12						
Kansas Water Well Contractor's License No7.59 This Water Well Record was completed on (mo/day/year) .4.3-12						
under the business name of RAZEK Environmental LLC by (signature)						
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212				Check: 🔽 Wh	iite Copy, 🔲 Bli	ue Copy, 🔲 Pink Copy

Check: White Copy, Blue Copy, Pink Copy