| WATER WELL RECORD | | Form W | WC-5 | Divisi | ion of Water | Resources App. N | o | |
|--|---|---------------------------------------|---|--|---|------------------|-----------------------|--|
| 1 LOCATION OF WATER WELL: | | Fraction | | Section 1 | | Township No. | Range Number | |
| County: Wyandotte | | NE ¼ SE ¼ NE | | | | T 11 S | R 25 Z E □W | |
| Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information: | | | | | | | | |
| from nearest town or intersection: If at owner's address, check here \square . | | | | Latitude: N39,099938 (in decimal degrees) | | | | |
| 18th Street Stop and Go | | | | Longitude: W94.650086 (in decimal degrees) Elevation: Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 | | | | |
| 164 South 18th Street, Kansas City, KS 66102 | | | | | n: | Ø NAD 83 □ | NAD 27 | |
| 2 WATER WELL OWNER: Bhatti & Sons, Ltd. | | | | Collection | Collection Method: | | | |
| | t Address, Box #: 2909 S | W Saddlewood Drive | ✓ GPS | ☐ GPS unit (Make/Model: Garmin Nuvi 760 | | | | |
| City, State, ZIP Code : Lee's S | | ummit, MO 64081 | | Digi | Digital Map/Photo, Topographic Map, Land Survey | | | |
| Est. Accuracy: | | | | | | | | |
| | WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 25 ft. | | | | | | | |
| SECTION I | BOX: Depth(s) Groun | | | | | | | |
| N | WELL'S STATIC WATER LEVEL20ft. below land surface measured on mo/day/yr3/9/12 | | | | | | | |
| Pump test data: Well water was. N/Aft. after. N/A hours pumping. N/A | | | | | | | | |
| NW | | Agpm. Well water was N/Aft. after N/A | | | | | | |
| w L L | E Bore Hole Dian | | er 8.25 in. to .25 ft., and .N/A in. to .N/A ft. O BE USED AS: Public water supply Geothermal Injection well | | | | | |
| | | | | | | | Other (Specify below) | |
| sw - | SE Irrigation | ☐ Industrial ☐ | Domestic-la | wn & garde | en FI Moi | nitoring well M | W-5 | |
| ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW-5 Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No | | | | | | | | |
| S If yes, mo/day/yr sample was submitted N/A | | | | | | | | |
| Water well disinfected? ☐ Yes ✓ No | | | | | | | | |
| 5 TYPE OF CASING USED: Steel PVC Other | | | | | | | | |
| CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ✔ Threaded | | | | | | | | |
| Casing diameter .2 in. to .15 ft., Diameter .NA in. to .N/A ft., Diameter .N/A ft. | | | | | | | | |
| Casing height above land surface. 0 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40 | | | | | | | | |
| TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) | | | | | | | | |
| ☐ Brass ☐ Galvanized Steel ☐ None used (open hole) | | | | | | | | |
| SCREEN OR PERFORATION OPENINGS ARE: | | | | | | | | |
| ☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) | | | | | | | | |
| Louvered shutter Key punched Wire wrapped Saw cut Other (specify) | | | | | | | | |
| SCREEN-PERFORATED INTERVALS: From | | | | | | | | |
| GRAVEL PACK INTERVALS: From . 13 ft. to . 25 ft., From . N/A ft. to . N/A ft. | | | | | | | | |
| From N/A ft. to N/A ft., From N/A ft. to N/A ft. | | | | | | | | |
| 6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete from 0 to 2-feet | | | | | | | | |
| Grout Intervals: From 2 ft. to 13 ft., From N/A ft. to N/A ft., From N/A ft. to N/A ft. to N/A ft. | | | | | | | | |
| | arest source of possible cont | | | _ | | _ | | |
| Septic tank | | | | | | | | |
| Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well | | | | | | | | |
| Direction from well South West Distance from well <50-feet | | | | | | | | |
| FROM TO | LITHOLOG | GIC LOG | FROM | TO L | LITHO. LO | G (cont.) or PLU | GGING INTERVALS | |
| 0 0.5 | Asphalt | | | | | | | |
| 0.5 1.0 | Gravel sand asphalt | | | | | · | | |
| 1.0 3.0 | Medium brown sandy | | | | | | | |
| 3.0 5.0 | Light reddish brown sa | indy clay | | *************************************** | | | | |
| 50 120 | damp Light reddish brown sil | ty clay dama | | | | | | |
| 5.0 12.0 12.0 19.0 | Light brown clayey fine | | | | | | | |
| 12.0 19.0 | sand damp | granieu | | | | | | |
| 19.0 20.0 | Light reddish brown sa | ndy clay wet | | | | | | |
| 20 25 | Light brown sandy clay | | | | | | | |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sqrt{\omega} \) constructed, \(\sqrt{\omega} \) reconstructed, or \(\sqrt{\omega} \) plugged | | | | | | | | |
| under my jurisdiction and was completed on (mo/day/year) .3-7-12 and this record is true to the best of my knowledge and belief. | | | | | | | | |
| Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day/year) 12-3-12 | | | | | | | | |
| under the business name of RAZEK Environmental LLC by (signature) by (signature) | | | | | | | | |
| INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. | | | | | | | | |
| Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at | | | | | | | | |
| http://www.kdheks.gov/waterwell/index.html. | | | | | | | | |
| KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy | | | | | | | | |