

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: <u>Wyandotte</u>		Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$		Section Number <u>19</u>		Township No. T <u>11</u> S		Range Number R <u>25</u> <input checked="" type="checkbox"/> E <input type="checkbox"/> W																																																																			
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here <input type="checkbox"/> . <u>Fairbanks House Plant</u> <u>3601 Fairbanks Ave; Kansas City, Ks.</u>					Global Positioning System (GPS) information: Latitude: <u>39.05.07.2</u> (in decimal degrees) Longitude: <u>094.40.08.1</u> (in decimal degrees) Elevation: Datum: <input type="checkbox"/> WGS 84, <input type="checkbox"/> NAD 83, <input type="checkbox"/> NAD 27 Collection Method: <input checked="" type="checkbox"/> GPS unit (Make/Model <u>Garmin Etrex</u>) <input type="checkbox"/> Digital Map/Photo, <input type="checkbox"/> Topographic Map, <input type="checkbox"/> Land Survey Est. Accuracy: <input type="checkbox"/> <3 m, <input type="checkbox"/> 3-5 m, <input type="checkbox"/> 5-15 m, <input type="checkbox"/> >15 m																																																																						
2 WATER WELL OWNER: <u>SPX Corporation - FMPC</u> RR#, Street Address, Box #: <u>13515 Ballantyne Corporate Place</u> City, State, ZIP Code: <u>Charlotte, NC 28277</u>																																																																											
3 LOCATE WELL WITH AN "X" IN SECTION BOX: N <table border="1" style="width: 100px; height: 100px; text-align: center; margin: 10px auto;"> <tr> <td>W</td> <td> </td> <td> </td> <td>E</td> </tr> <tr> <td>--NW--</td> <td> </td> <td> </td> <td>--NE--</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>--SW--</td> <td> </td> <td> </td> <td>--SE--</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>S</td> <td colspan="2">-----1 mile-----</td> <td>S</td> </tr> </table>		W			E	--NW--			--NE--					--SW--			--SE--					S	-----1 mile-----		S	4 DEPTH OF COMPLETED WELL <u>45'</u> ft. Depth(s) Groundwater Encountered (1) <u>40'</u> ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL <u>40.15</u> ft. below land surface measured on mo/day/yr <u>10/30/12</u> Pump test data: Well water was ft. after hours pumping gpm EST. YIELD <u> </u> gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter <u>7 1/2</u> in. to <u>45'</u> ft., and in. to ft. WELL WATER TO BE USED AS: <input type="checkbox"/> Public water supply <input type="checkbox"/> Geothermal <input type="checkbox"/> Injection well <input type="checkbox"/> Domestic <input type="checkbox"/> Feedlot <input type="checkbox"/> Oil field water supply <input type="checkbox"/> Dewatering <input type="checkbox"/> Other (Specify below) <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Domestic-lawn & garden <input checked="" type="checkbox"/> Monitoring well Was a chemical/bacteriological sample submitted to Department? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, mo/day/yr sample was submitted Water well disinfected? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																																	
W			E																																																																								
--NW--			--NE--																																																																								
--SW--			--SE--																																																																								
S	-----1 mile-----		S																																																																								
5 TYPE OF CASING USED: <input type="checkbox"/> Steel <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Other CASING JOINTS: <input type="checkbox"/> Glued <input type="checkbox"/> Clamped <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Threaded Casing diameter <u>2.0</u> in. to <u>25'</u> ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface <u>2 ft.</u> in., Weight lbs./ft., Wall thickness or gauge No. <u>sch 40</u> TYPE OF SCREEN OR PERFORATION MATERIAL: <input type="checkbox"/> Steel <input type="checkbox"/> Stainless Steel <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Other (Specify) <input type="checkbox"/> Brass <input type="checkbox"/> Galvanized Steel <input type="checkbox"/> None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: <input type="checkbox"/> Continuous slot <input checked="" type="checkbox"/> Mill slot <input type="checkbox"/> Gauze wrapped <input type="checkbox"/> Torch cut <input type="checkbox"/> Drilled holes <input type="checkbox"/> None (open hole) <input type="checkbox"/> Louvered shutter <input type="checkbox"/> Key punched <input type="checkbox"/> Wire wrapped <input type="checkbox"/> Saw cut <input type="checkbox"/> Other (specify) SCREEN-PERFORATED INTERVALS: From <u>45'</u> ft. to <u>25'</u> ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From <u>45'</u> ft. to <u>23'</u> ft., From ft. to ft. From ft. to ft., From ft. to ft.																																																																											
6 GROUT MATERIAL: <input type="checkbox"/> Neat cement <input type="checkbox"/> Cement grout <input checked="" type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Other <u>concrete</u> Grout Intervals: From <u>23'</u> ft. to <u>2'</u> ft., From <u>2'</u> ft. to <u>0</u> ft., From ft. to ft. What is the nearest source of possible contamination: <input type="checkbox"/> Septic tank <input type="checkbox"/> Lateral lines <input type="checkbox"/> Pit privy <input type="checkbox"/> Livestock pens <input type="checkbox"/> Insecticide storage <input type="checkbox"/> Other (specify below) <input type="checkbox"/> Sewer lines <input type="checkbox"/> Cesspool <input type="checkbox"/> Sewage lagoon <input type="checkbox"/> Fuel storage <input type="checkbox"/> Abandoned water well <u>former UST location</u> <input type="checkbox"/> Watertight sewer lines <input type="checkbox"/> Seepage pit <input type="checkbox"/> Feedyard <input type="checkbox"/> Fertilizer storage <input type="checkbox"/> Oil well/gas well Direction from well <u>West</u> Distance from well <u>100'</u>																																																																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>LITHO. LOG (cont.) or PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>2</td> <td>Tan brown silty sand, moist</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>19</td> <td>Tan silt, soft</td> <td></td> <td></td> <td></td> </tr> <tr> <td>19</td> <td>31</td> <td>Tan silty clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>31</td> <td>26</td> <td>Tan silt, laminated, soft</td> <td></td> <td></td> <td></td> </tr> <tr> <td>26</td> <td>31</td> <td>Tan sandy silt, fine grained, soft</td> <td></td> <td></td> <td></td> </tr> <tr> <td>31</td> <td>45</td> <td>Tan fine-coarse sand w/ few clay lens</td> <td></td> <td></td> <td></td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>										FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS	0	2	Tan brown silty sand, moist				2	19	Tan silt, soft				19	31	Tan silty clay				31	26	Tan silt, laminated, soft				26	31	Tan sandy silt, fine grained, soft				31	45	Tan fine-coarse sand w/ few clay lens																											
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS																																																																						
0	2	Tan brown silty sand, moist																																																																									
2	19	Tan silt, soft																																																																									
19	31	Tan silty clay																																																																									
31	26	Tan silt, laminated, soft																																																																									
26	31	Tan sandy silt, fine grained, soft																																																																									
31	45	Tan fine-coarse sand w/ few clay lens																																																																									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> constructed, <input type="checkbox"/> reconstructed, or <input type="checkbox"/> plugged under my jurisdiction and was completed on (mo/day/year) <u>10/29/12</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>732</u> This Water Well Record was completed on (mo/day/year) <u>11/2/12</u> under the business name of <u>G.B. Environmental</u> by (signature) <u>James Bueker</u>																																																																											
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .																																																																											