MW)25 WATER WELL RECORD Form WWC-5 Division of Water Resources App. No. 1 LOCATION OF WATER WELL: County: Wyw LOTTE Fraction Section Number Township No. Range Number 1/4 T 11 S R **25 X**E □W Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Fairbanks Morse Plant Elevation: 3601 Fambanks Auc; Kansas City, Ks. 2 WATER WELL OWNER: SPX COLOUTION - FHPC
RR#, Street Address, Box #:
City, State, ZIP Code
Craulattly N.C. 28277

| Datum: | WOS 64, | NAD 63, | NAD 63, | NAD 63, | NAD 63, | NAD 64, | NAD 65, | N Datum: WGS 84, NAD 83, NAD 27 LOCATE WELL WITH AN "X" IN **SECTION BOX:** WELL'S STATIC WATER LEVEL. 38, 55....ft. below land surface measured on mo/day/yr. 15/36.11?..... Pump test data: Well water was......ft. after...... hours pumping...... gpm EST. YIELD.......gpm, Well water was......ft. after......hours pumping......gpm
Bore Hole Diameterft., andin. toft. NW -WELL WATER TO BE USED AS: Public water supply ☐ Geothermal ☐ Injection well ☐ Feedlot Oil field water supply □ Domestic Dewatering ☐ Other (Specify below) - SW - ---SE --☐ Industrial ☐ Domestic-lawn & garden ➤ Monitoring well ☐ Irrigation Was a chemical/bacteriological sample submitted to Department? | Yes | 🕱 No S If yes, mo/day/yr sample was submitted..... -----1 mile-----Water well disinfected? \(\subseteq \text{ Yes } \text{ No} \) PVC 5 TYPE OF CASING USED: Steel Other CASING JOINTS:
Glued
Clamped
Welded
Threaded
Casing diameter
ft., Diameter
in. to
f Casing height above land surface in., Weight lbs./ft., Wall thickness or gauge No. Sch. 40. TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel Stainless Steel **X** PVC Other (Specify) None used (open hole) ☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENINGS ARE: ☐ Gauze wrapped ☐ Torch cut □ Drilled holes None (open hole) Louvered shutter Key punched Saw cut Other (specify)

SCREEN-PERFORATED INTERVALS: From ft. to 25. ☐ Lateral lines ☐ Pit privy ☐ Cesspool ☐ Sewage la Insecticide storage
Abandoned water well □ Septic tank Livestock pens Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Fertilizer storage Oil well/gas well Direction from well East Distance from well TO FROM LITHO. LOG (cont.) or PLUGGING INTERVALS FROM LITHOLOGIC LOG TO 20 Tansitt, soft, damp 26 Tan suty tire grained sand, soft, damp O ao Gray sitty sart fine gravited damp Gray sara, fine-coarse gravited sara Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at

http://www.kdheks.gov/waterwell/index.html.