

MW-4S

Check: ☐ White Copy, ☐ Blue Copy, ☐ Pink Copy

SITE SKETCH:

MONITORING WELL LOG

PROJECT NAME: GALAMBA

PROJECT NO.: 01-R584

PROBE NO.: MW4

DATE: 9-9-03

SHEET: 1 of 1

LOGGED BY: GFM

DRILLED BY: JB

SURFACE ELEVATION:

TOTAL DEPTH: 40'

FIELD SCREEN METHOD: PID

DRILLING METHOD: HSA

SAMPLING METHOD: SPLIT SPOON

GRAVEL PACK:

GROUT: BENTONITE

DEPTH, ft.	SAMPLE		DESCRIPTION	UNIFIED SOIL CLASSIFICATION	WELL CONSTRUCTION
	RECOVERY	FIELD SCREEN RESULTS (ppm)			
0					
0	0	0	CINDERS AND BRICK RUBBLE DRY		CONC BENTONITE
5					
5	50	0	DEBRIS, CINDERS, RUBBER MATERIAL, BLACK, DRY		BENTONITE
10					2" Ø PVC CASING
10	10	0	DEBRIS AND CINDERS, BLACK SATURATED LAYER OF BLACK CLAY. DRY, BLACK, ORGANIC MATTER (HAY OR R.R. TIES)		BENTONITE
15					
15	20	0	DEBRIS AND TRASH. BLACK 15'-16' SATURATED. 16'-20' DAMP		CONC BENTONITE
20					
20	20	0	20'-21' SATURATED CLAYEY SILT. 21'-25' BLACK CLAYEY SILT, DAMP. SAND LENSES AT 24'		SILICA SAND
25					0.010 SLOT PVC SCREEN
25	10	0	BLACK AND GRAY CLAY, DAMP, VERY STIFF. SAND AND SILT LENSES		SILICA SAND
30					
30	10	0	BLACK AND GRAY CLAY, DAMP, VERY STIFF. SAND AND SILT LENSES THEN SATURATED FINE TAN SAND		
35					
35	10	0	SATURATED FINE TAN SAND		
40					40' BOTTOM OF SCREEN
40			40' B.O.B.		
45					
50					



Kingston Environmental Services Inc.