WAIL	K WELL	RECORD	rorn	I W WC-3				urces; App. No.		
1 LOCATION OF WATER WELL: County: Wyandotte			Fraction SW 1/4	SW ¼	SW ¼	Section No. 35	umber	Township Number T 11 S	Range Number R 25 E	
County: Wyandotte SW ½ SW ½ SW ½ 35 T 11 S R 25 E Distance and direction from nearest town or city street address of well if located within city? 4601 N. Rainbow Blvd., Kansas City KS Global Positioning System (decimal degrees, min. of 4 digits) Latitude: N 39.04439°										
Longitude: W 94.61174°										
2 WATER WELL OWNER: KDHE Elevation: RIM: 942.51; TOC: 942.10										
RR#, St. Address, Box # : 1000 SW Jackson Blvd Datum: NAVD 27										
City, State, ZIP Code : Topeka KS Data Collection Method: legal survey										
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 30.23 ft.										
LOCATON MW26										
1	HAN "X"	N Depth(s) Groun	dwater End	ountered 1			ft. 2	ft. 3	ft.	
ı	TON BOX	WEIT'S STAT		DIEVEI	15 22 ft	helow la	nd surfa	ce measured on mo/	day/yr 6/20/14	
SECI										
	N	Pump	test data:	Well water	was	π.	anter	hours pump	oing gpm	
	1 1	Est. Yield	gpm:	Well water	was	ft.	after	hours pump	oing gpm	
-N	v — NĖ –							r conditioning 11 1		
i	- I i	_ 1 Domestic 3	Feed lot	6 Oil field v	water suppl	y	9 Dewa	atering 12 Otl	ner (Specify below)	
W E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well										
Was a shaminal/heaterial spinel sample submitted to Department? Ves No. V.: If yes moldey/yes										
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs										
s Sample was submitted Water Well Disinfected? Yes No X										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X										
1 St	- 01 01101 -e1	3 RMP (SR) 6	A sheetos-C	ement	9 Other (s	necify he	low)	Weld	ed	
	DNG AADO 7 Electrical 9 Other (specify below) welded									
2) PVC 4 ABS / Fiberglass Inreaded X										
PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 10.23 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.41 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Proceed A Columniand steel 6 Congress tills PM (SR) 10 Ashestes Comput 12 Norward (area help)										
Casing height below land surface 0.41 ft., Weight lbs./ft. Wall thickness or gauge No.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)										
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN	OR PERF	OR ATION OPENING	GS ARE:							
1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From 10.23 ft. to 30.23 ft. From ft. to ft.										
From ft. to ft. From ft. to ft.										
GRAVEL PACK INTERVALS: From 8 ft. to 30.65 ft. From ft. to ft.										
From A to A Erom A to										
From ft. to ft. From ft. to ft.										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-1'										
Grout Intervals From 1 ft. to 8 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination:										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify										
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)										
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well										
Direction from well? E How many feet? ~30'										
					,					
FROM	TO		OGIC LOC	ì	FROM	TO		PLUGGING INT	ERVALS	
0	7	Brown silty clay								
7	7.5	Rock			1					
7.5	10	Tan rock								
10	20	Tan limestone								
20	30.65	Gray limestone								
							Flushm	ount waiver from l	BOW	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) onstructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) 6/13/14 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (no/day/year) 6/27/14										
		of Larsen & Asso			by (signatu		سليا			
				rs. Send ton th			partinent o	of Health and Environmen	t. Bureau of Water	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell										