		5					
WATER WELL RE		Form W	WC-5		Resources App. N		
1 LOCATION OF WA	TER WELL:	Fraction	., .,			Range Number R 25 X E W	
County: WYAA	20 He	NE 1/ NE 1/4	1/4 1/4 9 diamatian		Surtan (CDS)	LVOA2 MIE MA	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
from nearest town or	DWHEL S address, Chec	Longitude: 22	12794.4 E	(in decimal degrees)			
		Elevation:	47.15X				
				Datum: WGS 8	4, 🔲 NAD 83, 🗀] NAD 27	
2 WATER WELL OWNER: PBI/GORDON FACILITY				Collection Method: ☐ GPS unit (Make/Model: I - Phone)			
2 WATER WELL OWNER: PBI/Gordon Facility RR#, Street Address, Box #: 300 5. 3 PD ST.				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Sound Survey Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: <3 m, 3-5 m, 5-15 m, >15 m							
3 LOCATE WELL WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							
SECTION BOX:	TION BOX: Depth(s) Groundwater Encountered (1)						
N	WELL'S STATIC WATER LEVEL						
	Pump test data: Well water was M./A						
w NW NE E	NW NC-C						
W 7 E	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
	Downsting D Foodlot D Oil field water graphy Dewatering D Other (Specify below)						
SW SE	SW SE Domestic Feeding On held water supply Dewatering Godie (Specify below)						
Was a chemical/bacteriological sample submitted to Department? Yes X No							
S If yes, mo/day/yr sample was submitted							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surfaceO. v							
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) FACLORY Cut SCREEN-PERFORATED INTERVALS: From 3.5 ft. to 2.5 ft., From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From. 35 ft. to 23 ft., From ft. to ft.							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Nother Beat, Political Gloud							
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well K5 LIVE C							
Direction from well N. E. Distance from well 80 Feek							
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 10 10	ck uldbe 4	some Chay					
			 		<u>.</u>		
10 20 (Ay with	SAnd	1				
20 35 51	tad - lift	le Clay					
			 				
		· · · · · · · · · · · · · · · · · · ·	 				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year) 214.14 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 193. This Water Well Record was completed on (moldey) year)? 2,5,15 under the business name of 2000 100 100 200 200 by (signature)							
under the business name	of Lancy	rmp surial		. by (signature)	J. J	and by	
INSTRUCTIONS: Use type: Kansas Department							
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 42%, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html							