MW-80					
WATER WELL RECORD Form WWC-5		Division of Wate	r Resources App. N	o	
1 LOCATION OF WATER WELL		Section Number	Township No.	Range Number R 25 DE DW	
Street/Rural Address of Well Locati	on; if unknown, distance & direction	Global Positioning	System (GPS) in	oformation:	
from nearest town or intersection: If at owner's address, check here \[\bar{\mathbb{U}} \]. Latitude: \(\beta 971391 \). \(\beta 1 \) \(\text{(in decimal degrees)} \) Longitude: \(\beta 971391 \). \(\beta 1 \) \(\text{(in decimal degrees)} \)					
	Longitude: .0.019	Longitude: 07.10.11.1.1.1.1			
A WILLIAM STORY I OVERVIEW 22	Datum: WGS 8	4, 🔲 NAD 83, 🗀	NAD 27		
2 WATER WELL OWNER: PBI/Gordon FACILITY RR#, Street Address, Box #: 200 6 7 2D (T) GPS unit (Make/Model: I - Phone)					
City State 7TP Code SOC J. S. S. S. Dimital Man/Photo T Tonographic Man TI and Survey					
LANGAS CITY KS. 66NS Est. Accuracy: $\square \triangleleft m$, $\square 3-5 m$, $\square 5-15 m$, $\square >15 m$					
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL / C ft.					
SECTION BOX: Depth(s) Gro					
WELL 331	WELL'S STATIC WATER LEVEL				
NWNE EST. YIELI	EST. YIELD				
W E Bore Hole Diameter					
Swan SF-2 Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No					
S If yes, mo/day/yr sample was submitted					
Water well o	lisinfected? Yes No				
5 TYPE OF CASING USED: Steel PVC Other CASING USED: Classed Casing USED: Threeded					
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter ft, Diameter ft, Diameter ft., Diameter ft.					
Casing height above land surfaceO O in., Weight lbs./ft., Wall thickness or gauge No					
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:					
SCREEN OR FERFORATION OF ENTINGS ARE: ☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) Frt. Ch. Ch. Line					
SCREEN-PERFORATED INTERVALS: From 7.0 ft. to 6. ft. From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 7.0 ft. to ft. From ft. to ft. ft.					
From					
Grout Intervals: From					
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
☐ Watertight sewer lines ☐ Seepa Direction from well		storage Oil well/gar		Liverz_	
FROM TO LITHOL	OGIC LOG FROM	O HOLL WOLL	*************	GGING INTERVALS	
0 10 FOCK WH	h some lity				
10 30 ClA4 - GRA					
to 30 C(/M = 0/E/A	Se sak (IF)				
30 55 Clay will	· Suind				
55- 70 SAND-WE	+ wc craci			——————————————————————————————————————	
7 CONTRACTOR'S OR LANDOWN	ER'S CERTIFICATION: This wa	ter well was Woonston	cted [] reconstru	ested on 17 physical	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No. 1793. This Water Well Record was completed on/mo/day/year 2015 under the business name of					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and needs the correct answers. Send one comy to					
Kansas Department of Health and Environment, Burcau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html					