

1) LOCATION OF WATER WELL:		Fraction SU $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$		Section Number 10		Township Number T 11 S		Range Number R 25 EW	
Distance and direction from nearest town or city street address of well if located within city? In Kansas City, Kansas									
2) WATER WELL OWNER:		KC Zips RR#, St. Address, Box #: 625 Central City, State, ZIP Code: Kansas City, KS.							
		Board of Agriculture, Division of Water Resources Application Number:							
3) LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4) DEPTH OF COMPLETED WELL: 25' ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter in. to ft., and in. to ft.							
		WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted							
5) TYPE OF BLANK CASING USED:		Water Well Disinfected? Yes No							
1 Steel 3 RMP (SR)		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued Clamped			
2 PVC 4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded			
		7 Fiberglass				Threaded X			
Blank casing diameter in. to ft., Dia		in. to ft., Dia		in. to ft., Dia		SDR 13 ft.			
Casing height above land surface in., weight		lbs./ft. Wall thickness or gauge No. ... Sch. 40							
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless steel		5 Fiberglass		8 RMP (SR)		11 Other (specify)			
2 Brass 4 Galvanized steel		6 Concrete tile		9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)							
1 Continuous slot 3 Mill slot		6 Wire wrapped		9 Drilled holes					
2 Louvered shutter 4 Key punched		7 Torch cut		10 Other (specify)					
SCREEN-PERFORATED INTERVALS:		From ft. to ft., From ft. to ft.							
		From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS:		From ft. to ft., From ft. to ft.							
		From ft. to ft., From ft. to ft.							
6) GROUT MATERIAL:		1 Neat cement 2 Cement grout ③ Bentonite ④ Other Compacted clay							
Grout intervals: From 25' to 3' ft., From 3' to 0' ft., From ft. to ft.									
What is the nearest source of possible contamination:		② ④							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
Direction from well?		How many feet?							
LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS			
Removed Above Ground well Protectors Drill out & Removed all PVC pipe etc. Plug w/ bentonite 25'-3' Compacted clay 3'-0'									
7) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-11-98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 539 This Water Well Record was completed on (mo/day/yr) 9-18-98 under the business name of JB Environmental Drilling by (signature) James Buber									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									