			WATE	ER WELL RECORD	Form WWC-5	110/1 04	a-1212			
County: _	ON OF WATE Johnson	wyco	Fraction NE 1/4	4	E 1/4	tion Number	Townshi T	Number	Range N	b w
Distance a	nd direction	from nearest tow	vn or city street a	address of well if locate		Kans	as City	, KS		
WATER	WELL OW	NER:	Zanana Cit	r Parka Dopart	mont					_
RR#, St. A	Address, Box			y Parks Depart		226		•	, Division of Wat	er Resource -
City, State,	, ZIP Code		r- t	klin, Kansas C				ation Number		
	WELL'S LO IN SECTION N	CATION WITH BOX:	Depth(s) Ground	COMPLETED WELL dwater Encountered 1		ft.	2	ft.		
ī [!	!		C WATER LEVEL						
1 1	- NW	NF -	Pum	np test data: Well wat	er was	TTTTft.	after	hours	oumping	gpm
	1	" X		gpm: Well wat						
_{₹ w} L	!	F	Bore Hole Diam	neter8625.in. to			and.\	· · · · · · · · · · · ·	in. to	⊤ft
* w -	ļ.	!!!	WELL WATER	TO BE USED AS:	5 Public water	r supply	8 Air conditio	ning 1	1 Injection well	
ī L	_ sw	\$6	1 Domestic	3 Feedlot			Dewatering		2 Other (Specify	
1 [1	ī	2 Irrigation			•			1. Y	
↓ L			Was a chemical	/bacteriological sample	submitted to De	epartment?	YesNo	X; If ye	• •	nple was su
<u>-</u>	<u> </u>		mitted				ater Well Disinf		No	_X
		ASING USED:		5 Wrought iron	8 Concre				ied Glam 	•
Ste		3 RMP (SI	R)	6 Asbestos-Cement		(specify belo	•		ided———	
_ (2)PV		4 ABS	40	7 Fiberglass					eaded X	
	-	-	_	ft., Dia						
				in., weightខ្ម	SCH 49-PV	უ lbs				-
		R PERFORATIO		5 E'h	7)PV			Asbestos-cer		
1 Ste		3 Stainless		5 Fiberglass		IP (SR)		٠.	ý)	
2 Bra		4 Galvaniz		6 Concrete tile	9 AB	5		None used (• /	k-I-V
		ATION OPENIN			zed wrapped		8 Saw cut	lan	11 None (op	en noie)
	ntinuous slot	_	lill slot		wrapped		9 Drilled ho			
-	uvered shutte		ey punched	7 Torch	n cut /		10 Other (sp	есту)	<u> </u>	
CIPEL			F 7	()	14.	S 4		4	4-	
JUNEEIN-P		D INTERVALS:			14.				to	_
	SAND)	From <u>.</u>	ft. to .	14,	ft., Fr	om <u></u>	<u></u> ft.	to	
	SAND		From	ft. to .	14,	ft., Fr	om <u></u>	<u></u> ft. ft.	to <u></u>	
d	SANO BRAVEL PAC) CK INTERVALS:	From From	ft. to ft. to ft. to ft. to	14.	ft., Fr	om <u></u> om	ft. ft. ft.	to toto	
GROUT	SANO BRAVEL PACE	CK INTERVALS:	From From From	ft. to	14, 5 - (3)Bento	tt., Fr	om	ft.	toto	
GROUT Grout Inter	MATERIAL vals: From	CK INTERVALS:	From From From cement	ft. to ft. to ft. to ft. to	14, 5 - (3)Bento	ft., Fr. ft., Fr. ft., Fr. nite to. 4, 5	omomomomomomomom	ft.	toto	f
GROUT Grout Inter What is the	MATERIAL vals: From	CK INTERVALS:	FromFrom cement .ft. to2.5. contamination:	ft. to ft. ft. to ft.	14, 5 - (3)Bento	ft., Fr. ft., Fr. ft., Fr. ft., Fr. hite to. 4	omom om L Otherft., Fror	ft. ft. n	toto	f
GROUT Grout Inter What is the	MATERIAL vals: From e nearest son ptic tank	The state of the s	FromFrom cement .ft. to	ft. to	14, 5 ,5 3 Bento	ft., Fr. ft., Fr. ft., Fr. ft., Fr. ft., Fr. hite to. 4.5	omom Other ft., Fror stock pens	n	tototoft. toAbandoned wate	
GROUT Grout Inter What is the 1 Se 2 Se	MATERIAL vals: From e nearest son ptic tank wer lines	The state of the s	FromFrom cement .ft. to	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag	14, 5 ,5 3 Bento	ft., Fr. ft.	om	ft ft ft 14 15	tototoft. toAbandoned wate Oil well/Gas we Other (specify by	from the second
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa	MATERIAL vals: From e nearest son ptic tank wer lines atertight sewer	The state of the s	FromFrom cement .ft. to	ft. to	14, 5 ,5 3 Bento	ft., Fr. ift., Fr. ift., Fr. ift., Fr. inite ft. in Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	ft ft ft 14 15	tototoft. toAbandoned wate	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa	MATERIAL vals: From e nearest son ptic tank wer lines atertight sewer	The state of the s	FromFrom cement .ft. to	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3 Bento	ft., Fr. ift., Fr. ift., Fr. ift., Fr. inite ft. in Live 11 Live 12 Fert 13 Inse	om	14 15 16 16 16	tototoft. toAbandoned wate Oil well/Gas we Other (specify by	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr	MATERIAL vals: From e nearest son ptic tank wer lines atertight sewerom well?	The state of the s	FromFrom cement .ft. to	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr	MATERIAL vals: From e nearest son ptic tank wer lines atertight sewerom well?	The state of the s	FromFrom cement .ft. to	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr	MATERIAL vals: From e nearest son ptic tank wer lines atertight sewerom well?	1 Neat of possible 4 Later 5 Cess er lines 6 Seep	From	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr	MATERIAL vals: From e nearest son ptic tank wer lines atertight sewerom well?	CK INTERVALS: 1 Neat of possible 4 Later 5 Cess er lines 6 Seep	From	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	from the second
GROUT Inter What is the Second	MATERIAL vals: From e nearest so ptic tank wer lines atertight sewerom well?	CK INTERVALS: 1 Neat of possible 4 Later 5 Cess or lines 6 Seep Brick f: Clay, d:	From From Comment In the LITHOLOGIC Ill ark brown	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM	MATERIAL vals: From e nearest sor ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00	CK INTERVALS: 2 O 1 Neat of possible 4 Later 5 Cess or lines 6 Seep Brick f. Clay, declay, declay, declay, be	FromFrom From cement ft. to2.5 contamination: ral lines a pool page pit LITHOLOGIC ill ark brown rown	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM	MATERIAL vals: From e nearest so ptic tank wer lines atertight sewerom well?	CK INTERVALS: 2 O 1 Neat of possible 4 Later 5 Cess or lines 6 Seep Brick f. Clay, declay, declay, declay, be	From From Comment In the LITHOLOGIC Ill ark brown	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM	MATERIAL vals: From e nearest sor ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00	CK INTERVALS: 2 O 1 Neat of possible 4 Later 5 Cess or lines 6 Seep Brick f. Clay, declay, declay, declay, be	FromFrom From cement ft. to2.5 contamination: ral lines a pool page pit LITHOLOGIC ill ark brown rown	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	from the second
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM GL 2.00 7.00	MATERIAL vals: From e nearest sor ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00	CK INTERVALS: 2 O 1 Neat of possible 4 Later 5 Cess or lines 6 Seep Brick f. Clay, declay, declay, declay, be	FromFrom From cement ft. to2.5 contamination: ral lines a pool page pit LITHOLOGIC ill ark brown rown	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM GL 2.00 7.00	MATERIAL vals: From e nearest sor ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00	CK INTERVALS: 2 O 1 Neat of possible 4 Later 5 Cess or lines 6 Seep Brick f. Clay, declay, declay, declay, be	FromFrom From cement ft. to2.5 contamination: ral lines a pool page pit LITHOLOGIC ill ark brown rown	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM GL 2.00 7.00	MATERIAL vals: From e nearest sor ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00	CK INTERVALS: 2 O 1 Neat of possible 4 Later 5 Cess or lines 6 Seep Brick f. Clay, declay, declay, declay, be	FromFrom cement .ft. to . 2.5 contamination: ral lines a pool page pit LITHOLOGIC ill ark brown rown	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM GL 2.00 7.00	MATERIAL vals: From e nearest sor ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00	CK INTERVALS: 2 O 1 Neat of possible 4 Later 5 Cess or lines 6 Seep Brick f. Clay, declay, declay, declay, be	FromFrom cement .ft. to . 2.5 contamination: ral lines a pool page pit LITHOLOGIC ill ark brown rown	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM GL 2.00 7.00	MATERIAL vals: From e nearest sor ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00	CK INTERVALS: 2 O 1 Neat of possible 4 Later 5 Cess or lines 6 Seep Brick f. Clay, declay, declay, declay, be	FromFrom cement .ft. to . 2.5 contamination: ral lines a pool page pit LITHOLOGIC ill ark brown rown	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM GL 2.00 7.00	MATERIAL vals: From e nearest sor ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00	CK INTERVALS: 2 O 1 Neat of possible 4 Later 5 Cess or lines 6 Seep Brick f. Clay, declay, declay, declay, be	FromFrom cement .ft. to . 2.5 contamination: ral lines a pool page pit LITHOLOGIC ill ark brown rown	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM	MATERIAL vals: From e nearest sor ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00	CK INTERVALS: 2 O 1 Neat of possible 4 Later 5 Cess or lines 6 Seep Brick f. Clay, declay, declay, declay, be	FromFrom cement .ft. to . 2.5 contamination: ral lines a pool page pit LITHOLOGIC ill ark brown rown	ft. to ft. to ft. to ft. to Cernent grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	14, 5 ,5 3Bento ft.	ft., Fr. ift., Fr. ift., Fr. inite 10 Live 11 Live 12 Fert 13 Inse	omom Com Com Com It., Fror stock pens I storage dilizer storage ecticide storage	14 15 16 16 16	totototto	
GROUT Grout Inter What is the Second	MATERIAL vals: From e nearest so ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00 TD	DK INTERVALS: 2 0 1 Neat of possible 4 Later 5 Cess er lines 6 Seep Brick fines Clay, directly be a continuous formula of the continuous formula o	From From From Cement Int. to 12.5 Contamination: ral lines a pool page pit LITHOLOGIC ill ark brown rown Borehole	ft. to ft. to ft. to ft. to ft. to ft. to ft. From 7 Pit privy 8 Sewage lag 9 Feedyard C LOG	J4, 5, 5 Bento ft.	tt., Fr. ft., Fr. ft.	om	14 15 Con H PLUGGING	toto toto ft. to Abandoned wate Oil well/Gas we Other (specify be NTERVALS	f f
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM GI 2.00 7.00 15.00	MATERIAL vals: From e nearest son ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00 TD	DR LANDOWNE	From From From Cement Int. to 12.5 Contamination: ral lines a pool page pit LITHOLOGIC ill ark brown rown Borehole	ft. to ft. to ft. to ft. to ft. to ft. to ft. From 7 Pit privy 8 Sewage lag 9 Feedyard C LOG	J4, 5, 5 Bento ft.	tt., Fr. ft., Fr. ft.	om	14 15 Con H PLUGGING	toto toto ft. to Abandoned wate Oil well/Gas we Other (specify be NTERVALS	f f
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM GI 2.00 7.00 15.00	MATERIAL vals: From e nearest son ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00 TD	DR LANDOWNEI OK INTERVALS: 1 Neat of 1 Neat of 4 Later 5 Cess or lines 6 Seep Brick f: Clay, di Clay, b: End of	From From Cement Contamination: ral lines Spool Page pit LITHOLOGIC FILL BOWN FOWN FOWN FOWN FOWN FOWN FOWN FOWN F	ft. to ft. to ft. to ft. to ft. to ft. to 7 Pit privy 8 Sewage lag 9 Feedyard CLOG	J.Constru	tt., Fr. ft., Fr. ft.	om	ft. ft. 14 15 16 Con H PLUGGING (3) plugged ue best of my	toto toto ft. to Abandoned wate Oil well/Gas we Other (specify be NTERVALS	f f
GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM GL 2.00 7.00 15.00	MATERIAL vals: From e nearest son ptic tank wer lines atertight sewerom well? TO 2.00 7.00 15.00 TD	DR LANDOWNEI OR	From From Cement Contamination: ral lines Spool Page pit LITHOLOGIC FILL BOWN FOWN FOWN FOWN FOWN FOWN FOWN FOWN F	ft. to ft. to ft. to ft. to ft. to ft. to ft. From 7 Pit privy 8 Sewage lag 9 Feedyard C LOG	J.Constru	tt., Fr. ft., Fr. ft.	constructed, or cord is true to the lon (mo/day/yr,	ft. ft. 14 15 16 Con H PLUGGING (3) plugged ue best of my	to	f f