mw-5

							Blumbor	Dange	Allimbor
LOCATION OF W	ATER WELL: HOTI W YCO	Fraction NE <sub>1/4</sub>	SE 1/4 I	NE 1/4 Sect	tion Number 3	Township	11 s	R R	Number 25 Film
Dunty. —	-		dress of well if locate			<u> </u>			
Startoc and another	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		+ Franklin	Ka	nsas	Citi	KS		
WATER WELL C	NA/NED:		V // KITE II	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	7,500	ang.			
WATER WELL C R#. St. Address, E	τ.	Kansas City	Parks Depart	tment		Board o	f Agriculture, D	ivision of W	Jater Resourc
		_	lin, Kansas (		sas		ion Number:		
ity, State, ZIP Cod			MPLETED WELL					-	
AN "X" IN SECT	ON BOX:	DEPTH OF CO	MPLETED WELL	. <del>( )</del>	. ft. ELEVA	TION:			
	N	Depth(s) Groundw	ater Encountered 1		π. 2		π. 3.	· · · · · · · · · · · ·	π
1 1	1 ! 1 1		WATER LEVEL						
NW -	-  NE	Pump	test data: Well wate	erwas	T.T.TT. ft. at	fter:	Thours pur	nping	T.T gp
1 1		Est. Yield	T. gpm: Well water	er was	7.7.7. ft. a	fter	Thours pur	nping	T.T gp
w - '-	<b>───</b> E	Bore Hole Diamete	er <b>8,625</b> in. to			and.\::	T.T.T in.	to	<del></del>
_ "	!!!	WELL WATER TO	BE USED AS:	5 Public water	r supply	8 Air condition	ing 11 l	njection we	O .
sw _	_   _ SE	1 Domestic		6 Oil field wat		9 Dewatering	_	Other (Spec	• •
1 1	1 7 1	2 Irrigation				Monitoring v			
		Was a chemical/ba	acteriological sample :	submitted to De	partment? Ye	sNo	X; If yes,	mo/day/yr s	sample was s
	S	mitted			Wa	ter Well Disinfe	cted? Yes	No	X
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING .	JOINTS: Glued	<del></del> Gk	amped
Steel	3 RMP (SR	1)	6 Asbestos-Cement	9 Other (	specify below	<b>v</b> )	Welde	ed <del></del> <del>-</del>	
(2 <b>)</b> PVC	4 ABS	16.5	7 Fiberglass				Threa	dedX	
lank casing diamet	er <b>2</b> i	in. to 4.5.	ft., Dia	in. to		ft., Dia		n. to	
asing height above	land surface		n., weight	SCH 40 PV	C Ibs./i	ft. Wall thicknes	s or gauge No	) <del></del> _	<del></del>
YPE OF SCREEN	OR PERFORATION	I MATERIAL:		(7) PV	o o		Asbestos-ceme		
1 Steel	3 Stainless	steel	5 Fiberglass	8 RM	P (SR)	11 (	Other (specify)	<del></del>	
2 Brass	4 Galvanize	ed steel	6 Concrete tile	9 ABS	3	12 N	None used (ope	en hole)	
CREEN OR PERF	ORATION OPENING	SS ARE:	5 Gauz	ed wrapped		8 Saw cut		11 None (	open hole)
1 Continuous	slot (3 <b>)</b> Mil	I slot	6 Wire	wrapped		9 Drilled hole	s		
2 Louvered sh	utter 4 Ke	y punched .	7 Torch	cut -		10 Other (spe	cify)		
			7 10101	, , , , ,					
	TED INTERVALS:	From4	F. 5 ft. to	14,	Sft., Fror	n <u></u>	. <u></u> ft. to	<u></u>	
CREEN-PERFORA	TED INTERVALS:	From4	f. 5 ft. to	14.6	ft., Fror	n <u></u>	ft. tc	) <u></u>	<u></u>
CREEN-PERFORA	TED INTERVALS:	From	ft. 5 ft. to ft. to	<i>1Ψ,</i> <u>-</u>	ft., Fror . <u> f</u> t., Fror	n <u></u> n <u></u>	. <u></u> ft. to	) <u></u> ) <u></u> <u></u> .	
CREEN-PERFORA	TED INTERVALS:	From	f. 5 ft. to	<i>1Ψ,</i> <u>-</u>	ft., Fror . <u> f</u> t., Fror	n <u></u> n <u></u> n	. <u></u> ft. to	) <u></u> ) <u></u> ! <u></u> <u></u>	<u></u>
GRAVEL F	TED INTERVALS:  PACK INTERVALS:	From	ft. to	14,5	ft., Fror ft., Fror ft., Fror	n <u></u> n <u></u> n	ft. to	) <u></u> ) <u></u> ) <u></u>	
GRAVEL F	TED INTERVALS:  PACK INTERVALS:	From	ft. 5 ft. to ft. to	14,5	ft., Fror ft., Fror ft., Fror	n <u></u> n <u></u> n	ft. to	) <u></u> ) <u></u> ) <u></u>	
GRAVEL F GROUT MATERI Grout Intervals: F	TED INTERVALS:  PACK INTERVALS:	From. From. From. From Grement ft. to 25	ft. to	14,5	ft., Fror ft., Fror ft., Fror hite	n <u></u> n <u></u> n	ft. to	) <u></u> ) <u></u> ) <u></u>	
GRAVEL F GROUT MATERI Grout Intervals: F	TED INTERVALS:  PACK INTERVALS:  AL: 2 0 1 Neat or	From. From. From. From  Grement  ft. to 25  contamination:	ft. to	14,5	ft., Fror ft., Fror ft., Fror hite	n	ft. tc. ft. tc. ft. tc.	. ft. to	ater well
GROUT MATERI GROUT Intervals: F What is the nearest 1 Septic tank	TED INTERVALS:  OPACK INTERVALS:  AL: 2 0 1 Neat coronic of possible coronic of possible coronic or possib	From. From.  From.  From.  From  Contamination:  Il lines	ft. to  ft. to  ft. to  ft. to  cement group  ft., From	14,5 3 Bentor	tt., Fror tt., Fror ft., Fror ft., Fror hite to. 4  10 Livest	n	ft. tc.	ft. to	ater well
GROUT MATERITORIAL IS THE REPORT OF THE PROPERTY OF THE PROPER	AL: 2 1 Neat or source of possible of Latera	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From . 2.	14,5 3 Bentor	tt., Fror	n	ft. tc. ft. tc	ft. to andoned w	ater well
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s	AL: 2 1 Neat or source of possible of 4 Latera 5 Cess	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage	14,5 3 Bentor	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well?	AL: 2 1 Neat or source of possible of 4 Latera 5 Cess	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14,5 3 Bentor	tt., Fror tt., Fror ft., Fror ft., Fror hite to. 4 to. 4 to. 10 Livest 11 Erel s 12 Fertilii. 13 Insect	n	ft. tc. ft. tc	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI rout Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well?	AL: 2 1 Neat or source of possible of 4 Latera 5 Cess	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well?	AL: 2 1 Neat or source of possible of 4 Latera 5 Cess	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight seirection from well? FROM TO	AL: 2 1 Neat coron. Source of possible of Latera 5 Cess ewer lines 6 Seepa	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight service on from well? FROM TO  GL 0.50	TED INTERVALS:  OPACK INTERVALS:  AL. 2 1 Neat corror 0 1 Neat corror 0 1 Neat corror 0 Neat corror	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERITOR IN THE ITEM IN THE ITEM IN TO ITEM IN T	TED INTERVALS:  OPACK INTERVALS:  AL: 2 1 Neat corrorm.  Source of possible of 4 Latera 5 Cess ewer lines 6 Seepa	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO  GL 0.50 2.00 2.00 15.00	AL: 2 1 Neat or	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI GROUT MATERI frout Intervals: F  //hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight so irrection from well? FROM TO  GL 0.50 0.50 2.00	AL: 2 1 Neat or	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO  GL 0.50 2.00 2.00 15.00	AL: 2 1 Neat or	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irrection from well? FROM TO  GI 0.50 2.00 2.00 15.00	AL: 2 1 Neat or	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI rout Intervals: F That is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irrection from well? FROM TO  GI 0.50 2.00 2.00 15.00	AL: 2 1 Neat coron 2 1 Neat coron 5 Cess ewer lines 6 Seepa 1 Description 1 Description 1 Description 2 Descriptio	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irrection from well? FROM TO  GI 0.50 2.00 2.00 15.00	AL: 2 1 Neat coron 2 1 Neat coron 5 Cess ewer lines 6 Seepa 1 Description 1 Description 1 Description 2 Descriptio	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO  GL 0.50 2.00 2.00 15.00	AL: 2 1 Neat coron 2 1 Neat coron 5 Cess ewer lines 6 Seepa 1 Description 1 Description 1 Description 2 Descriptio	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI GROUT MATERI Frout Intervals: F  That is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s  Direction from well? FROM TO  GL 0.50 2.00 15.00	AL: 2 1 Neat coron 2 1 Neat coron 5 Cess ewer lines 6 Seepa 1 Description 1 Description 1 Description 2 Descriptio	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI GROUT MATERI Frout Intervals: F  That is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s  Direction from well? FROM TO  GL 0.50 2.00 15.00	AL: 2 1 Neat coron 2 1 Neat coron 5 Cess ewer lines 6 Seepa 1 Description 1 Description 1 Description 2 Descriptio	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI GROUT MATERI irout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO  GL 0.50 2.00 15.00	AL: 2 1 Neat coron 2 1 Neat coron 5 Cess ewer lines 6 Seepa 1 Description 1 Description 1 Description 2 Descriptio	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	14, 5 3 Bentor 5 ft. t	tt., Fror	n	ft. to	ft. to andoned w l well/Gas wher (specify	ater well
GROUT MATERI GRAVEL F  In Septic tank 2 Sewer lines 3 Watertight s  FROM TO  GL 0.50 0.50 2.00 15.00 TD	TED INTERVALS:  OPACK INTERVALS:  AL: 2	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard  DG	3 Bentor oon FROM	10 Livest 11 Feel s 12 Fertilii 13 Insect How mar	n	ft. to ft	ft. to andoned will well/Gas wher (specify	rater well vell v below)
GROUT MATERI GRAVEL F  F  GRAVEL F  A Septic tank  2 Sewer lines  3 Watertight s  F  F  GI 0.50  0.50  2.00  15.00  TD  CONTRACTOR'S	TOPSOIL Clay, b End of	From	ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard	3 Bentor oon FROM oon construction	tt., Fror ft., F	n	ft. to ft	ft. to andoned will well/Gas wher (specify STERVALS	rater well vell v below)
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irrection from well? FROM TO  GL 0.50 2.00 15.00 15.00 TD	TOPSOIL Clay, b End of	From	ft. to  ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard  OG	3 Bentor oon FROM oon construction	tt., Fror ft., F	n	ft. to ft	ft. to pandoned with well/Gas wher (specify strength of the control of the contro	diction and w
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irrection from well? FROM TO  GI 0.50 2.00 15.00 TD	TED INTERVALS:  OPACK INTERVALS:  AL. 2	From	ft. to  ft. to  ft. to  ft. to  ft. to  cement grout  ft., From  7 Pit privy  8 Sewage lage  9 Feedyard  OG	3 Bentor oon FROM oon construction	tt., Fror ft., F	n	ft. to ft	ft. to pandoned with well/Gas wher (specify strength of the control of the contro	rater well vell v below)
GRAVEL F GROUT MATERI rout Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO  GL 0.50 2.00 15.00 TD  CONTRACTOR'S mpleted on (mo/d	TED INTERVALS:  O'ACK INTERVALS:  AL. 2 1 Neat corrorm.  Source of possible of 4 Latera 5 Cess ewer lines 6 Seepa 1	From	ft. to  ft. to  ft. to  ft. to  ft. to  cement grout  ft., From . 2.  7 Pit privy  8 Sewage lage  9 Feedyard  OG	3 Bentor oon FROM oon construction	tt., Fror ft., F	n	ft. to ft	ft. to pandoned with well/Gas wher (specify strength of the control of the contro	rater well vell v below)