KOLAR Document ID: 1523754

WATER WELL	RECORD Correction		WWC-5 ge in Well Use		ision of Wate ources App. N		Well ID		
1 LOCATION OF WATER WELL:			Fraction		tion Numbe		Township Number Range Num		
County:				1/4 1/4	tion rounde			$\Box E \Box W$	
2 WELL OWNER: Last Name: First: S Business: Address: d Address: Address: d					Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:				
City:		State:	ZIP:						
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED WELL:				5 Latitu	ıde:		(decimal degrees)	
SECTION BOX:			Encountered: 1)			Longitude:(decimal degrees)			
N			3) ft., or 4)			Datum: 🗌 WGS 84 🔤 NAD 83 🔲 NAD 27			
			TER LEVEL:			e for Latitude/Longitud		`	
NW NE			, measured on (mo-day			□ GPS (unit make/model:) (WAAS enabled? □ Yes □ No)			
	~		vater was		🗆 La	□ Land Survey □ Topographic Map			
W E	after		s pumping		Online Mapper:				
SW SE	after		vater was						
	after hours pumping gr Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC				
S	S Bore Hole Diameter: in. to					Source: Land Survey GPS Topographic Map Other			
1 mile		in. to			•••••				
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease									
□ Household					11. Test Hole: well ID				
Lawn & Garden					Cased Uncased Geotechnical				
Livestock		g: well ID			12. Geothermal: how many bores?				
 2. ☐ Irrigation 3. ☐ Feedlot 					a) Closed Loop				
3. Even Feedlot Image Air Sparge Soil Vapor Ext 4. Industrial Recovery Injection					13. Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
Water well disinfected? \Box Yes \Box No									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel PVC Other (Specify)									
□ Brass □ Galvanized Steel □ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut I Drilled Holes Other (Specify)									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. or ft.									
9 GROUT MATERIAL: Deat cement Cement grout Bentonite Other									
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.									
Nearest source of possible contamination: No potential source of contamination within 200 ft. Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage									
□ Septic Tank □ Sewer Lines		Cess Pool	-		Livestock Pe Fuel Storage		ticide Storage doned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well									
☐ Other (Specify) Direction from well? ft.									
						LITHO. LOG (cont.)			
10 FROM TO	1	LITHOLO	GIULUG	FROM	ТО	LITHO. LOG (cont.)	or PLUGGIN	GINTERVALS	
				Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)									
under the business nar									
	Send one copy t	o WATER W	/ELL OWNER and retain	n one for your reco	ords. Fee of \$5	.00 for each constructed	well.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212									