
WATER WELL RECORD Form WWC-5  X Original Record Correction Change in Well Ust							Division of Water				MW3R	
					in Well Ust			Reso	urces App. No.		Well ID	
1 LOC	CATION OF ' ty Wyandott		WELL:		Fraction NW 1/4	SE ¼	SE 1/4	sw ½		per Township Nui T 11		Number 5 X E W
ı	L OWNER:				First:					ell is located (if unl		
	ess: KDHE (S		to Care)				1			i): If at owner's ac	idress, check he	re:
Addre	ess: 1000 SW	Jackson					1230 Cer	itral Ave., I	Kansas City, KS			
City		peka		te: KS	ZIP: 666							
1	ATE WELL				OMPLETED		60		5 Latitude:		324 (dec	cimal degrees)
1	H "X" IN TION BOX:	1			r Encountered:		Dr. Wall	<sup>ft</sup>	Longitud	e 94.64   Datum X   WGS		cimal degrees)  NAD 27
SEC	N	,	WELL'S	STATIC WA	TER LEVEL:		ft.			Latitude/Longitude		INAD 27
			be	low land sur	face, measured	l on (mo-d	ay-yr)		GPS (	unit make/model:	•	)
NW NW	NE NE		ab	ove land sur	face, measured	on (mo-d	ay-yr)			'AAS enabled?		
			-		ell water was	***************************************	ft			Survey Topog	raphic Map	
w		——Е	arte	err	ours pumping. Vater well was		gpm ft		Online	e Mapper		
L sw	SE SE		afte		ours pumping		gpm		6 Elevation	911.31 ft	Ground Le	vel X TOC
			Estimat	ted Yield:	gpm gpm				Source X	Land Survey	GPS	Topographic Map
	x		Bore H	ole Diameter	r: <u>7.25</u> i	n to	ft, and	1		Other		
	S 1 mile				i	n to	п	ĺ				
	L WATER TO	BE USEI						I				***
1 Domestic					upply: well ID	_		_		Water Supply: leas	e	
House	ehold & Garden			-	w many wells	?		1	1 Test Hole: wel			
Lives				uifer Rechar	ell ID MW3R			1.	Cased  2 Geothermal: Ho	Uncased	Geotechnica	.1
2 Irriga				-	ediation: well l	ID		••	a) Closed Loc		l Vertica	1
3 Feedl	ot		Air	Sparge	Soil Va	por Extrac	tior		b) Open Loop	* <u>h</u>	ischarge	Inj. of Water
4 Indus	trial		Red	covery	Injection	n			Other (spe	ecify):		
Was a chemical/bacteriological sample submitted to KDHE? Yes X No If yes, date sample was submitted:  Water well disinfected? Yes X No												
		<u> </u>		I V DVC	Other			VEINIG IOI	NTS: CI	and Clampled	Wolded	Y Throndad
8 TYPE OF CASING USED: Steel X PVC Other CASING JOINTS: Glued Clampled Welded X Threaded Casing diameter 2 in. to 40 ft, Diameter in. to ft, Diameter in. to ft,												
	it above land su	rface	-0.35	in. V	Veight	·····	lbs./ft.	Well t	thickness or gaug	ge No		
	SCREEN OR											
Steel	<u></u>	ess Steel		Fiberglass	X PVC				ther (Specify)			
Brass	Galva: R PERFOR <i>A</i>	nized Steel		Concrete tile	eNone	e used (ope	en hole)					
		X Mill S			ze Wrapped	П тог	ch Cut	Drille	ed Holes	Other (Specify	Λ	
	red Shutter									Other (Speen)	<u> </u>	
SCREEN-PE	RFORATED	INTERVA	.LS: Fro	om 40	ft. to 6	0 ft,	From	ft.	to	ft, From	ft. to	ft,
GRA'	VEL PACK I	NTERVA	LS: Fro	om38	ft. to60	).5 ft,	From	ft.	to	ft, From	ft. to	ft,
	MATERIAL:		at cemen	t 🔲 C	ement grout	X Ben	tonite		Concrete: 0-1'			
Grout interva	als: From	<u>1</u> ft.	to	38ft,	From	ft. to	***************************************	ft, Fron	n ft.	toft,		
	rce of possibl	e contami									_	
Septic			<u></u>	eral Lines	Pit F	-			tock Pens	Insecticide	Ü	
	Lines tight Sewer Lin	ac.	=	s Pool page Pit		age Lagoo Iyard	n		Storage izer Storage	Oil Well /	d Water Well	
	(Specity)	C3		page r n	recc	iyaiu		reitii	izei Storage	On wen/	Gas Well	
Direction from					Dista	nce from v	well? ~2	5		ft		
10 FROM	ТО				GIC LOG	· · · · · · · · · · · · · · · · · · ·		FROM	TO	LITHO. LOG (co	nt.) or PLUGGIN	G INTERVALS
0	0.5	Concrete										
0.5 29	60.5	Silty/sandy Clay	y clay									
29	00.5	Clay		···								
							N.	-4 VDII	TE ID: Called	A 4. C III 10:	10000	
						****				Auto Care; U4-10: hallow groundwate		was installed at
								direction of	of KDHE.			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 2/21/23 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's												
jurisdiction License No	n and was comp	oleted on (n	no-day-ye	ear) 2/	21/23 and to	his record leted on (o	is true to t	the best of i	my knowledge a	nd belief Kansas	Water Well Con	tractor's
	ousiness name of	of Larsen	& Assoc		oru was comp				Signature			
	Mail 1 white	copy along	with a fee	of \$5.00 for e	ach constructed	well to: Kar	nsas Depart	ment of Hea	alth and Environm	ent, Bureau of Water		
	1000 SW Ja	ackson St. S	Suite 420	Topeka, Kans	as 66612-1367.	Mail one to	Water Wel	I Owner and	I retain one for you	ur records. Telephone	785-296-5524	

KSA 82a-1212

Revised 7/10/2015

Visit us at http://www.kdheks.gov/waterwell/index.html



## **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home

Jess Chapman Larsen & Associates 1311 E. 25<sup>th</sup> Street, Suite B Lawrence, Kansas, 66046 March 13, 2023

RE: Monitor Well Elevation Survey 1230 Central Ave., Kansas City, Kansas Proj. 23-00H Sedlock Auto Care U4-105-12777

Bench Mark: Chisled X on top of Southwest bolt of sign base at Southeast corner of property.

Elev: 909.41	North 302.97	West 2979.37	(from SE Cor. Sec. 9-11-25E)
MW-1 rim top pipe	910.66 North 910.30 West		NW1/4,SE1/4,SE1/4,SW1/4 Lat= 39.10320 Long = 94.6414
MW-2R rim top pipe	913.21 North 912.86 West		NW1/4,SE1/4,SE1/4,SW1/4 Lat= 39.10334 Long = 94.64179
MW-3R rim top pipe	911.66 North 911.31 West		NW1/4,SE1/4,SE1/4,SW1/4 Lat= 39.10324 Long = 94.64165
MW-4 rim top pipe	929.57 North 929.19 West		NW1/4,SE1/4,SE1/4,SW1/4 Lat= 39.10358 Long = 94.64182
MW-5 rim top pipe	912.27 North 911.58 West		NW1/4,SE1/4,SE1/4,SW1/4 Lat= 39.10329 Long = 94.64139
MW-6 rim top pipe	909.17 North 908.69 West		SW1/4,SE1/4,SE1/4,SW1/4 Lat= 39.10300 Long = 94.64155
MW-10 rim top pipe	876.73 South 876.21 West		SE1/4,SE1/4,SE1/4,SW1/4 Lat= 39.10233 Long = 94.64080
MW-11 rim top pipe	899.14 South 898.77 West		SW1/4,SE1/4,SE1/4,SW1/4 Lat= 39.10234 Long = 94.64173

Lat & Long derived from Shawnee 7.5 quad map. WGS84.

Elevation established from Wyandotte County WY 34. NAVD 88

If you have any questions, please feel free to call me. Thank you for the opportunity to be of service to you

RECEIVED

JUN 0 7 2023

**BUREAU OF WATER** 

Definise Handke Rich Messel LS-786 TANSAS OF THE SURVEY OF THE SURVEY