	TER WELL:	Fraction	ER WELL			Section Numb	82a-1212 per	Fownship Nu	mber		ange Nur	
ounty: ₩ YA M				1/4 N			_ 7	· //	<u>S</u>	R	25	ŒM.
stance and direction		-				-						
	KI.	ANSAS C	-17Y	, KS,								
WATER WELL OW	VNER:	PAIL	1105	PETR	DIFU	M CO	,					
R#, St. Address, Bo	x # :	BARTA	ESV	ILLE	DKL	AHOMA	7400	Board of A	griculture,	Division	of Water	Resourc
y, State, ZIP Code												
LOCATE WELL'S L AN "X" IN SECTIO	OCATION WITH N BOX:	4 DEPTH OF Depth(s) Groun	COMPLET	ED WELL	25. 1 16	C ft. ELE	VATION:			 3		
TYPE OF BLANK Of 1 Steel 2 PVC ank casing diameter using height above to 1 Steel 2 Brass CREEN OR PERFORM 1 Continuous sto	3 RMP (SI 4 ABS 7	Est. Yield Bore Hole Diam WELL WATER 1 Domestic 2 Irrigation Was a chemical mitted R) in. to 5 X 4 N MATERIAL: s steel ted steel	p test data ppn meter TO BE US a 3 I 4 I bacteriolog 5 Wroug 6 Asbes 7 Fiberg CO ft., . in., weig	a: Well war n: Well war n: Well war n: in. to SED AS: Feedlot Industrial gical sample ght iron stos-Cement glass Dia glass rete tile 5 Gau	ter was	vater supply water supply d garden only o Department? ncrete tile ner (specify be to	t. after t. after	conditioning vatering servation well bisinfected CASING JOH	hours punchours punchours punchours punchours punchous pu	Imping . Imping . Injection Other (S Imperior (S Imper	well Specify be //yr sampl No X Clampe	gpr
1 Continuous slo	ot 3 M	lill slot		6 Wire	wrapped		9 Di	illed holes				
2 Louvered shut	ter 4 K	ey punched		7 Toro	h cut		10 O	ther (specify)				
REEN-PERFORATI	ED INTERVALS:	From	<i>.</i>	/ 4 10								
GRAVEL PA	CK INTERVALS:	From		ft. to .		ft., F	rom		ft. 1	to		f
GRAVEL PA	ACK INTERVALS:	From		ft. to .		ft., F 7.0 ft., F	rom rom		ft. 1	to to		f
	L: 1 Neat of	From From From	5., C	ft. to	25	ft., F	rom From From		ft. f	to to to		
GROUT MATERIAL out Intervals: Fro	L: 1 Neat of BEN	From From From cement	5., C	ft. to	25	ft., F	rom From From		ft. f	to to to		
GROUT MATERIAL out Intervals: Fro	L: 1 Neat of BEN	From From From cement	5., C	ft. to	25	ft., F	rom From From		ft. 1	to to to		
GROUT MATERIAL out Intervals: Fro	L: 1 Neat of BEN	From From From Cement TE Contamination:	5. Cemen 5. O ft.,	ft. to	25	ft., F ft., F entonite Poig 7	rom rom rom 4 Other		ft. 1	to to to	od water v	
GROUT MATERIAL out Intervals: From	L: 1 Neat of m. 4.5 BEA	From From Cement Contamination:	5. Cemen 5. O ft.,	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	2.5 6.	ft., F ft., F entonite 10 Liv 11 Fu	From From From 4 Other From 6 Other From 6 Other	., From	ft. 1 ft. 1 ft. 1	tototototototttottto.	ed water v	
GROUT MATERIAL out Intervals: From the state of the state	L: 1 Neat of m. 4.5 BEA	From From From cement tt. fo contamination: al lines	5. C ft.,	ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	2.5 6.	ft., F ft., F entonite 10 Liv 11 Fu 12 Fe	From	rage	14 A	toto	ed water vas well	
GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	L: 1 Neat of m. 4.5 BEA ource of possible 4 Later 5 Cess	From From From Comment Contamination: al lines pool	5. Cemen 5. O ft., 7 8	ft. to	Z.S.	ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins	From From 4 Other 4 Other for the storage artilizer storage	rage	14 A 15 C	toft. toft. toft. to	ed water vas well	
GROUT MATERIAL out Intervals: Froi at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit	5. Cemen 5. O ft., 7 8 9	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From 4 Other 4 Other 4 Strage 4 storage 5 rtilizer storact 5 secticide s 6 many feet	rage	14 A	toft. toft. toft. to	ed water vas well	
GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew section from well?	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins	From From 4 Other 4.5. ft vestock per storage entilizer entilize	rage	14 A 15 C	toft. toft. toft. to	ed water vas well	
GROUT MATERIAL ut Intervals: From the second state of the second s	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From 4 Other 4 Other 4 Strage 4 storage 5 rtilizer storact 5 secticide s 6 many feet	rage	14 A 15 C	toft. toft. toft. to	ed water vas well	
GROUT MATERIAL ut Intervals: From the second is the nearest so a Septic tank 2 Sewer lines 3 Watertight sewer section from well?	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entilize	rage	14 A 15 C	toft. toft. toft. to	ed water vas well	
GROUT MATERIAL ut Intervals: From the second is the nearest so a Septic tank 2 Sewer lines 3 Watertight sewer section from well?	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entilize	rage	14 A 15 C	toft. toft. toft. to	ed water vas well	well
GROUT MATERIAL at Intervals: From the second state of the second state of the second s	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entilize	rage	14 A 15 C	toft. toft. toft. to	ed water vas well	well
GROUT MATERIAL ut Intervals: From the second is the nearest so a Septic tank 2 Sewer lines 3 Watertight sewer section from well?	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entilize	rage	14 A 15 C	toft. toft. toft. to	ed water vas well	
GROUT MATERIAL ut Intervals: From the second is the nearest so a Septic tank 2 Sewer lines 3 Watertight sewer section from well?	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entilize	rage	14 A 15 C	toft. toft. toft. to	ed water vas well	well
GROUT MATERIAL at Intervals: From the second state of the second state of the second s	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entilize	rage	14 A 15 C	toft. toft. toft. to	ed water vas well	well
GROUT MATERIAL at Intervals: From the second state of the second state of the second s	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entilize	rage	14 A 15 C	to	ed water vas well	well
GROUT MATERIAL at Intervals: From the second state of the second state of the second s	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entilize	rage	14 A 15 C	to	ed water vas well	
GROUT MATERIAL ut Intervals: From the second is the nearest so a Septic tank 2 Sewer lines 3 Watertight sewer section from well?	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entilize	rage	14 A 15 C	to	ed water vas well	
GROUT MATERIAL ut Intervals: From the second is the nearest so a Septic tank 2 Sewer lines 3 Watertight sewer section from well? ROM TO 14-0	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entilize	rage	14 A 15 C	to	ed water vas well	
GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew section from well?	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entili	rage	14 A 15 C	to	ed water vas well	
GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew section from well?	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entili	rage	14 A 15 C	to	ed water vas well	
GROUT MATERIAL put Intervals: From the second secon	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entili	rage	14 A 15 C	to	ed water vas well	well
GROUT MATERIAL out Intervals: From the service tank 2 Sewer lines 3 Watertight sewerection from well? ROM TO 14-0	L: 1 Neat of possible 4 Later 5 Cess ver lines 6 Seep	From From From cement contamination: al lines pool age pit LITHOLOGIO	5.0 ft., 7 8 9 LOG	ft. to	Z.S.	ft., F ft., F ft., F entonite 10 Liv 11 Fu 12 Fe 13 Ins How I	From From 4 Other 4.5. ft vestock per storage entilizer entili	rage	14 A 15 C	to	ed water vas well	
GROUT MATERIAL out Intervals: From the second is the nearest so a Sewer lines where the second is the second in the second in the second is the second in th	Direction 1 Neat of 1 Neat	From From From cement It fo contamination: al lines pool age pit LITHOLOGIC SAND	5. Cemen 5. O. ft., 7 8 9 1 LOG 8 AND WE	Pit privy Sewage lag Feedyard	goon FROM	ft., F ft	From From 4 Other 4.5. ft vestock per storage entilizer entilize	From ens erage storage ? 60	14 A 15 C 16 C 16 C 17 ITHOLOG	totototototothtotothtotothtothtotht	as well ecify belo	
GROUT MATERIAL out Intervals: From the second is the nearest so a Sewer lines where the second is watertight sewer ection from well? ROM TO 14.0 25.0 CONTRACTOR'S CONTRACTO	Direction of possible 4 Later 5 Cess ver lines 6 Seep GREY GREY	From From From Cement It for contamination: al lines pool age pit LITHOLOGIC SILTY SAND R'S CERTIFICAT	Cemen 5. O. ft., 7 8 9 LOG SANO WE	Pit privy Sewage lag Feedyard SOM	goon FROM C A vas (1) con	ft., F ft., F	From From From 4 Other 4 estock period secticide secticide semany feet	ed, or (3) pl	14 A 15 C 16 C 17 ITHOLOG	tototototothtotothtotothtothtoth.	as well ecify belo	well w)
GROUT MATERIAL out Intervals: From the is the nearest so a Sewer lines watertight sew rection from well? ROM TO 14.0 25.0 CONTRACTOR'S Completed on (mo/day.)	Direction A.S. BEA Dource of possible 4 Later 5 Cess Ver lines 6 Seep GREY GREY OR LANDOWNER Dyear)	From From From Cement From Cement From Contamination: al lines pool Page pit FITHOLOGIC SILTY FROM FROM FROM FROM FROM FROM FROM FROM	Cemen 5. Oft., 7 8 9 LOG SAND WE	Pit privy Sewage lag Feedyard SOM	goon FROM	ft., F ft., F	From From From 4 Other 4 Strage relations secticide secti	ed, or (3) plue to the bes	14 A 15 C 16 C 17 ITHOLOG	der my ju	as well ecify belo	well w)
GROUT MATERIAL out Intervals: From at is the nearest so a Septic tank 2 Sewer lines 3 Watertight sew section from well? ROM TO 74.0 25.0 CONTRACTOR'S Completed on (mo/day, ter Well Contractor)	Direction of possible 4 Later 5 Cess ver lines 6 Seep GREY GREY OR LANDOWNER //year)	From From From Cement From Cement From Contamination: al lines pool Page pit FITHOLOGIC SILTY FAND FASS CERTIFICAT 1 - 27.438	Cemen 5. Oft., 7 8 9 LOG SAND WE	Pit privy Sewage lag Feedyard water well water Notes	goon FROM C 2 Well Record	ft., F ft	From From From 4 Other Vestock period storage extilizer storage extilizer storage extilizer storage extincted section Example 1	ed, or (3) plue to the bes	14 A 15 C 16 C 17 ITHOLOG	der my ju	as well ecify belo	well w)
GROUT MATERIAL out Intervals: From the is the nearest so at its tensor of t	Direction of possible 4 Later 5 Cess Ver lines 6 Seep CREY C	From From From Cement From Cement Contamination: al lines pool Page pit FITHOLOGIC SILTY SAND SAND SAND SAND SAND SAND SAND SAND	Cemen 5. Oft., 7 8 9 LOG SAND WE TION: This -8.3 8	Pit privy Sewage lag Feedyard water well water well water w	goon FROM C A Was (1) con Well Record A BOA	ft., F ft., F	From From From 4 Other Vestock period storage ortilizer storage orti	ed, or (3) plue to the bes	ugged und	der my ju owledge	urisdiction and believed.	well w) and wef. Kans