		***************************************	WELL RECORD	Form WWC-5	KSA 82a			
LOCATION OF WARD		Fraction	-SW 1/4 SW	Sec	tion Number	Township Nu	mber S	Range Number R 25 EXW
Distance and direction		or city street ad	dress of well if locate	ed within city?	molla	Cafe		
<del>                                     </del>			afficway b	enina ca	ITOI S	Care		
_	WNER: Fairly					Deared of A	reioudturo F	vivision of Water Resource
City State 7ID Code	ox#: 2213 N :: Kansas	City K	S 66104			Application	Number:	
LOCATE WELL'S AN "X" IN SECTION	LOCATION WITH 4 ON BOX: D	DEPTH OF CO	OMPLETED WELL vater Encountered	86 1 30	ft. ELEVA ) ft. :	TION: 2	ft. 3.	
Casing height above TYPE OF SCREEN ( 1 Steel 2 Brass	CASING USED: 3 RMP (SR) 4 ABS or	Pump st. Yield fore Hole Diamet VELL WATER TO 1 Domestic 2 Irrigation Vas a chemical/binitted  n. to	test data: Well wat gpm: Well wat er in. to D BE USED AS: 3 Feedlot 4 Industrial acteriological sample 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass ft., Dia 5 Fiberglass 6 Concrete tile 5 Gauz	er was er was  5 Public wate 6 Oil field wat 7 Lawn and g submitted to De  8 Concre 9 Other in. to  7 PV 8 RM 9 AB 2ed wrapped wrapped	ft. a ft. a ft., r supply ter supply parden only epartment? Y Wa ete tile (specify below lbs.	fter	hours pur hours	cd
2 Louvered shi				• •				
SCREEN-PERFORAT	. 25							ft
GROUT MATERIA Grout Intervals: Fro What is the nearest s	$_{ m om}$ $_{ m ft}$ $_{ m ft}$ . source of possible co	From	ft. to Cement grout ft., From	3 Bento	ft., Fro ft., Fro nite 4 to	m Other tt., From tock pens	ft. tc	ft. to
GROUT MATERIA Frout Intervals: Frout State of the Property of	AL: 1 Neat cer om	From	ft. to . ft. to . ft. to .  Cement grout ft., From	3 Bento ft.	ft., Fro ft., Fro nite 4 to 10 Lives 11 Fuel	m Other ft., From tock pens storage	ft. to ft. to	ft. to
GROUT MATERIA frout Intervals: Fro What is the nearest s	AL: 1 Neat cerom	From	ft. to	3 Bento ft.	ft., Fro ft., Fro nite 4 to 10 Lives 11 Fuel	m Other tt., From tock pens	ft. to ft. to	ft. to
GROUT MATERIA Frout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines	AL: 1 Neat cer om	From	ft. to . ft. to . ft. to .  Cement grout ft., From	3 Bento ft.	ft., Fro ft., Fro nite 4 to 10 Lives 11 Fuel 12 Fertil	m Other ft., From tock pens storage	ft. to ft. to	ft. to
GROUT MATERIA frout Intervals: Frout Intervals: Fro	AL: 1 Neat cerom. 3. ft. source of possible cource of Lateral 5 Cess possible courses of the source	From	tt. to ft. to ft. to ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bento ft.	ft., Fro ft., Fro nite 4 to 10 Lives 11 Fuel 12 Fertil	other	14 Ab 15 Oi 16 Ot	ft. to
GROUT MATERIA Grout Intervals: From the nearest service of the ser	AL: 1 Neat cer om. 3 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag	From	ft. to ft. to ft. to ft. to ft. ft. ft. ft. ft. ft. ft., From ft., From ft., From ft., From ft., From ft., From ft. ft. ft. ft. ft. ft. ft. ft. ft	3 Bento ft.	ft., Fro ft., Fro nite 4 to	other	ft. to ft. to	ft. to
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se irection from well?	AL: 1 Neat cerom. 3. ft. source of possible cource of Lateral 5 Cess possible courses of the source	From	ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oi 16 Ot	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3	AL: 1 Neat cer om. 3 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag	From. From ment 30 ontamination: lines ool ge pit  LITHOLOGIC L 1 clay &	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oi 16 Ot	ft. to
GROUT MATERIA irout Intervals: Fro that is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se direction from well? FROM TO 0 3	AL: 1 Neat cer om. 3 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag	From. From ment 30 ontamination: lines ool ge pit LITHOLOGIC L d clay & grout w/	ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft. ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	ft., Fro ft., Fro nite 4 to	other	14 At 15 Oi 16 Ot	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3	AL: 1 Neat cer om. 3 ft. source of possible co 4 Lateral 5 Cess pr wer lines 6 Seepag  Compacted  Portland	From. From ment to 30 contamination: lines cool ge pit  LITHOLOGIC L d clay & grout w/ olug)	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	ft., Fro ft., Fro nite 4 to	m Other Othe	14 At 15 Oi 16 Ot	f
GROUT MATERIA frout Intervals: Fro that is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se the process of the proce	AL: 1 Neat cer om	From. From ment to 30 contamination: lines cool ge pit  LITHOLOGIC L d clay & grout w/ olug)	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	ft., Fro ft., Fro nite 4 to	m Other Othe	14 At 15 Oi 16 Ot	f
GROUT MATERIA frout Intervals: Fro that is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se the process of the proce	AL: 1 Neat cer om	From. From ment to 30 contamination: lines cool ge pit  LITHOLOGIC L d clay & grout w/ olug)	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	ft., Fro ft., Fro nite 4 to	m Other Othe	14 At 15 Oi 16 Ot	ft. to
GROUT MATERIA Grout Intervals: Frout Int	AL: 1 Neat cer om	From. From ment to 30 contamination: lines cool ge pit  LITHOLOGIC L d clay & grout w/ olug)	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	ft., Fro ft., Fro nite 4 to	m Other Othe	14 At 15 Oi 16 Ot	f
GROUT MATERIA Grout Intervals: Frout Int	AL: 1 Neat cer om	From. From ment to 30 contamination: lines cool ge pit  LITHOLOGIC L d clay & grout w/ olug)	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	ft., Fro ft., Fro nite 4 to	m Other Othe	14 At 15 Oi 16 Ot	f
GROUT MATERIA Grout Intervals: From the state of the stat	AL: 1 Neat cer om	From. From ment to 30 contamination: lines cool ge pit  LITHOLOGIC L d clay & grout w/ olug)	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	ft., Fro ft., Fro nite 4 to	m Other Othe	14 At 15 Oi 16 Ot	f
GROUT MATERIA Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 3 3 30 86  CONTRACTOR'S completed on (mo/da	AL: 1 Neat cer om	From. From ment to 30 contamination: lines cool ge pit  LITHOLOGIC L d clay & grout w/ olug) ced sand  S CERTIFICATIO 30/90	ft. to ft.	3 Bento ft.	tt., Fro ft., Fro ft.	on ther	14 At 15 Oi 16 Ot 17 MAT	f
GROUT MATERIA Grout Intervals: Fro What is the nearest so a Sewer lines as Watertight see Direction from well? FROM TO 0 3 3 30 86 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	AL: 1 Neat cer om. 3 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag  Compacted Portland (hole possible condition of the condi	From. From ment to 30 contamination: lines cool ge pit  LITHOLOGIC L d clay & grout w/ olug) ced sand  S CERTIFICATIO 30/90 02	ft. to ft.	3 Bento ft.	nite 4 to	on tructed, or (3) plant is true to the best on (mo/playvr)	14 At 15 Oi 16 Ot 17 MAT	ft. to