	WATE	R WELL RECORD F	orm WWC-5	KSA 82a-	1212			
LOCATION OF WATER W	ELL: Fraction		_	on Number	Township Num	ber	Range Numb	ber
County: Wardett	5W 1/	1 SE 14 SU		0	т [[	<u>s</u>	R 25	(gw
Distance and direction from n	earest town or city street a		within city?					
On Krinsas	City, Kanga	ノ						
WATER WELL OWNER:	Charleus Dru	. A						
RR#, St. Address, Box # :	4th Central.				Board of Agri	culture, Div	ision of Water R	lesources
City, State, ZIP Code		1.Ks.106101			Application N	umber:		
LOCATE WELL'S LOCATION	ON WITH A DEPTH OF	COMPLETED WELL	20'	# ELEVA				
AN "X" IN SECTION BOX	Donth(s) Groun	dwater Encountered 1.	131	# 2		# 3		
- N		WATER LEVEL 12.						
}								
NW N		np test data: Well water						
	Est. Yield	gpm: Well water	was ,	ft. a.f	ter	nours pump	oing	gpm
<u> </u>		neter8.12."in. to.				in. t	·	ft.
¥ W	WELL WATER		Public water		8 Air conditioning	•	ection well	
sw l s	1 Domestic				9 Dewatering		her (Specify bek	•
	2 Irrigation	4 Industrial 7	' Lawn and g	arden only 🕻	Monitoring well	,		
	Was a chemical	/bacteriological sample su	ibmitted to De	partment? Ye	sNo <b>X</b>	; If yes, m	o/day/yr_sample	was sub-
S	mitted				er Well Disinfected?		(No)	
TYPE OF BLANK CASING	S USED:	5 Wrought iron	8 Concre	te tile	CASING JOINT	S: Glued .	Clamped	
<b>-</b>	RMP (SR)	6 Asbestos-Cement	9 Other (	specify below		Welded	· ·	
	ABS ,	7 Fiberglass	`	• •	,		ad.X	
Blank casing diameter 2.3.		~ ft., Dia						
Casing height above land sur								14.
TYPE OF SCREEN OR PER	,	, weigitt	7 PV	-7			SU140	
		5 Fiberriese		_				
	Stainless steel	5 Fiberglass		P (SR)				
· · · · -	Galvanized steel	6 Concrete tile	9 ABS	•		used (open	•	
SCREEN OR PERFORATION	<del>(</del>		d wrapped		8 Saw cut	1	1 None (open h	iole)
1 Continuous slot	3 Mill slot	6 Wire w	rapped		9 Drilled holes			
2 Louvered shutter	4 Key punched 7	7 Torch	. ~ /		10 Other (specify)			
SCREEN-PERFORATED INT	ERVALS: From 🕻				n			
	From	ft. to	<u>م. ر</u>	ft., Fron	n	ft. to.		ft.
GRAVEL PACK INT	TERVALS: FromZ	<b>D</b> ft. to	<b>X</b> .'	ft., Fron	n	ft. to .		ft.
	From	ft. to		ft., Fron	n	ft. to		ft.
GROUT MATERIAL:	_1 Neat cement ,	ft. to  Cernent grout  ft., From 5	, (3)Bentor	nite / 4	Other			
Grout Intervals: From	8' tt. to4'	ft., From	/' · · · · / · · · ·	o. 1 <b>0</b>	ft., From		ft. to	ft.
What is the nearest source o	f possible ontamination:		(3)	10 Livest	ock pens	14 Aba	ndoned water we	ell
1 Septic tank	4 Lateral lines	7 Pit privy			storage Fourer		vell/Gas well	
2 Sewer lines	5 Cess pool	8 Sewage lago	an.	_	zer storage		er (specify below	w
3 Watertight sewer lines		9 Feedyard	JT 1		icide storage	10 Out	si (specily below	")
<u>-</u>		9 Feedyard			• •			
Direction from well?	LITHOLOGIC	100	FROM	TO How man	ny feet? 40'	GING INT	EDVALC	
FROM TO	······································		+	-10	1 200	JGING INT	ENVALS	
	ncrete w/ ls r							
	d-dk brown com		tnppre!	till				
	d. lt. brown s							
13.0   20.0   1t.	- med.brown so	oft silt to s	lty cl	ay				
					4.41			
			1					
			<u>1                                    </u>					
			1					
		3.7.00	<del> </del>	<del></del>				
i i				1				
			<del>استنام ا</del>	<del></del>		<del></del>		
CONTRACTOR'S OR LAN	NDOWNER'S CERTIFICAT	ION: This water well wa						
completed on (mo/day/year) .	1-13-94			and this recor	d is true to the best	of my know	ledge and belief.	
completed on (mo/day/year) . Water Well Contractor's Licer	I-13-94 ise No. 539	This Water We		and this recor	rd is true to the best on (mo/day/yr)	of my know	ledge and belief.	
completed on (mo/day/year) .	I-13-94 ise No. 539	This Water We		and this recor	nd is true to the best on (mo/day/yr)	of my know	ledge and belief.	