USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

					10	Topeka, Kansas 00020
1 Leastics of	County	Fraction SE SE SE		Section	number	Township number Range number
1. Location of well:	WYANDOTTE	1/4 - 1/4 -		1	12	T // S S R 25 E E/W
R.R. or s				street: 300 CENTRAL street: 300 CENTRAL street: KANSAS CITY, KANSAS66110		
4. Locate with "X" in section below: Sketch map: ConTla!						6. Bore hole dia. 20 in. Completion date Well depth 75 ft. 5/26/76
NW	I NEW					7 Cable toolXRotary Driven Dug Hollow rod Jetted Bored Reverse rotary
E Rolling Ro				Not Ben/ -EXETIM Well		8. Use: Domestic Public supplyX Industry Irrigation Air conditioning Stock Lawn Oil field water Other
			· -			9. Casing: Material STEF ! Height: Above or below Threaded Welded Surface in. RMP PVC Weight lbs./ft. Dia 12 in. to 66 ft. depth Wall Thickness: inches or
5. Type and color of	material			From	То	Dia in. to ft. depth gage No
FILL RO	CK, LUMBER, ETC	•		0	12	10. Screen: Manufacturer's name
CLAYEY SAND FINE				1/2	20	Slot/gauze 90 Length 15 Set between 66 60 ft. and 75 ft.
SAND CRARSE				20	3 6	Gravel pack? YES Size range of material 1/4x1/8
COARSE SAND & GRAVEL W/ BOULDERS SMALL			-	36	58	11. Static water level: mo./dgy/yr6_ft. below land surface Date _5/26/76
COARSE SNAD W/ BOULDERS MIXED MED TO LG.			.G.	58	75	12. Pumping level below land surfaces:
LIMESTONE				75	TD.	46 ft. after hrs. pumping 450 g.p.m. ft. after hrs. pumping g.p.m.
						Estimated maximum yieldg.p.m. 13. Water sample submitted:mo./day/yr.
						Yes No Date UNKNOWN
						14. Well head completion: Pitless adapter
						15. Well grouted? X With: Neat_sement Bentonite X Concrete Depth: From ft. to ft.
					_	16. Negrest source of possible contamination: ft. 1500 Direction So Type CHFMS Well disinfected upon completion? X Yes No
						17. Pump: Manufacturer's name LAYNE BOWLER Model number #5+452 HP 20 Volts #60
						Length of drop pipe 50 ft. capacity 350g.p.m. Type:
						SubmersibleX Turbine
(Use a second sheet if needed)					Jet Reciprocating Other	
18. Elevation: 19. Remarks:					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report	
Topography:						is true to the best of my knowledge and belief. CULLUM & BROWN, INC. 121
Hill Slope						Business name K. C. MO. 641.6
Upland Valley						Signed Date 22/2