

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Wyandotte	1/4 1/4 SW 1/4	17	T 11 S	R 25 <u>E/W</u>

Distance and direction from nearest town or city street address of well if located within city?

350' from K-132

2 WATER WELL OWNER: Overnite Transportation Company	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # <u>I-635 at Kansas Avenue</u>	Application Number:
City, State, ZIP Code <u>Kansas City, Kansas</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 74 ft. ELEVATION: 755.29
--	---

<p>1 Mile</p>	Depth(s) Groundwater Encountered 1. 31 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr
	Pump test data: Well water was 35 ft. after 4 hours pumping 600 gpm
	Est. Yield 600+ gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter 30 in. to 74 ft., and in. to ft.	WELL WATER TO BE USED AS:
	1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
	2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	7 Lawn and garden only 10 Observation well Relief Well
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted

5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement 9 Other (specify below)	Welded XX
2 PVC 4 ABS	7 Fiberglass	Threaded

Blank casing diameter 12 in. to ft., Dia in. to ft., Dia in. to ft.
Casing height above land surface 12 in., weight lbs./ft. Wall thickness or gauge No. Schedule 30

TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC 10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	

SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 46 ft. to 71 ft., From ft. to ft., From ft. to ft.	
GRAVEL PACK INTERVALS: From 46 ft. to 71 ft., From ft. to ft., From ft. to ft.	

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
Grout Intervals: From surface ft. to 40 ft., From ft. to ft., From ft. to ft.	

What is the nearest source of possible contamination:	10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Kaw. River	

Direction from well? North How many feet? 300

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	5	Sand Soil	65	70	Coarse gravel and boulders
5	7	Dark clay	70	74	Coarse gravel and boulders
7	10	Sandy with clay seams	74	TD	Shale
10	15	Sandy silt			
15	20	Sandy silt few clay seams			
20	25	Sandy silt fine dry			
25	30	Sand Clay			
30	35	Sand fine 35' water			
35	40	Sand medium			
40	47	Sand good			
47	49	Clay blue			
49	55	Coarse sand-little seams of gray clay			
55	60	Coarse sand and boulders			
60	65	Boulders and coarse gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-22-82 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 435 This Water Well Record was completed on (mo/day/yr) 10-7-82
under the business name of John Brown & Company by (signature) John Cullum Brown
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.