

1 LOCATION OF WATER WELL. County: WYANDOTTE		Fraction SW 1/4 SW 1/4 SW 1/4	Section Number 17	Township Number T 11 S	Range Number R 25 EW
Distance and direction from nearest town or city street address of well if located within city? OVERNITE TRUCK LINES, 3200 KANSAS AVE. K.C. KS					
2 WATER WELL OWNER: RR#, St. Address, Box # City, State, ZIP Code		J-K PETROLEUM 818 OSAGE ST. KANSAS CITY, KS 64101 Board of Agriculture, Division of Water Resources Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 40 ft. ELEVATION: 65			
		Depth(s) Groundwater Encountered 1. 34.5 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 34.0 ft. below land surface measured on mo/day/yr 9-10-92 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 1.0 in. to ft. and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No CASING JOINTS: Glued Clamped Welded Threaded ASTM 1480			
		5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass Blank casing diameter 2 in. to 25 ft. Dia. in. to ft. Dia. in. to ft. Casing height above land surface 2 in. weight 5 sch 40 lb./ft. Wall thickness or gauge No. sch 40			
		TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SS CENTRALIZER			
SCREEN-PERFORATED INTERVALS:		From 25 ft. to 40 ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 23 ft. to 40 ft. From ft. to ft. From ft. to ft.			
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 25 ft. From 25 ft. to 23 ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) Direction from well? SW How many feet? 48' SW of well			
FROM TO LITHOLOGIC LOG		FROM TO PLUGGING INTERVALS			
0	1	CONCRETE			
1	3	MED TO COARSE SAND (Fill)			
3	3.5	MED. SAND			
3.5	7.5	MED. SAND w/ COBBLES BRICK FRAG., SLAG (Fill)			
7.5	12	FINE TO V. FINE SAND			
12	17	V. FINE SAND w/ silt			
17	19	CLAYEY SILT w/ V. FINE SAND			
19	33	FINE SAND			
33	40	MED. SAND			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-3-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 530 This Water Well Record was completed on (mo/day/yr) 10-07-92 under the business name of SHAMROCK ENVIRON. DRILL. INC by (signature) Clay G. Weyer					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4