LOCATION OF WATER	14/511		R WELL RECORD) Form WV		82a-1212	N	Dane N	
county: DYANGE		Fraction 5E 1/4	5E 14	SEN	Section Numb	per Township	Number S	Range Nu	Imber (E/W
stance and direction from					ity?			<u> </u>	9"
			• • • • • • • • • • • • • • • • • • •						
WATER WELL OWNE	4	•	ough :	2400					_
I#, St. Address, Box #	netre	3						Division of Water	r Resourc
y, State, ZIP Code	KEI	<i>K</i>		00			ion Number:		
LOCATE WELL'S LOCA AN "X" IN SECTION BO N	^∨. ⊨			•		VATION: ft. 2			
	I WE	ELL'S STATIC	WATER LEVEL .	6.5	ft. below land	surface measured	on mo/day/yr	5-22	-93
	l l	Pump	test data: Well	water was	ft	t. after	hours pu	mping	gpr
NW	Est	. Yield	gpm: Well	water was	ft	t. after	hours pu	mping	gpr
i	Bor	re Hole Diamet	terin	. to		t., and	in	. to	. . f
w !	I WE	LL WATER TO	O BE USED AS:	5 Public	water supply	8 Air conditioni	ng 11	Injection well	
sw		1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12	Other (Specify b	elow)
;;;	* 7	2 Irrigation	4 Industrial	7 Lawn a	nd garden only	Monitoring w			
<u> </u>	_ i		acteriological sam	ple submitted	•	YesNo Water Well Disinfe		mo/day/yr samp No	ole was su
TYPE OF BLANK CAS	ING USED:		5 Wrought iron	8 Cc	oncrete tile			d Clampe	ed
1 Steel	3 RMP (SR)		6 Asbestos-Cem	ent 9 Ot	her (specify be	elow)	Weld	ed	
2 PVC	_4 ABS		7 Fiberglass				Threa	aded	
ink casing diameter	 in.	to	ft., Dia	ir	. to	ft., Dia		in. to	f
sing height abeve land	surface Bed	6.1.6 mag	💓 weight			os./ft. Wall thicknes	s or gauge N	o	
PE OF SCREEN OR P	ERFORATION M	ATERIAL:			PVC		sbestos-ceme		
1 Steel	3 Stainless ste	el	5 Fiberglass	8	RMP (SR)	11 C	ther (specify)	NA	
2 Brass	4 Galvanized s		6 Concrete tile	9	ABS	12 N	lone used (op	en hole)	
REEN OR PERFORAT				auzed wrappe	d	8 Saw cut		11 None (oper	n hole)
1 Continuous slot	3 Mill sl	_		Vire wrapped		9 Drilled hole	s //	A .	
2 Louvered shutter	4 Key p			orch cut	41A	10 Other (spec	cify)	A	
REEN-PERFORATED I						rom			
GRAVEL PACK						rom			
GHAVEL PACK		From				From			⊓ fi
GROUT MATERIAL:	1 Neat ceme		Cement grout		·	rom 4 Other	ft. to		
out Intervals: From.						ft., From			
nat is the nearest source	e of possible con	tamination:				estock pens		bandoned water	
1 Septic tank	4 Lateral lin		7 Pit privy	,		el storage		il well/Gas well	<u>"""</u>
2 Sewer lines	5 Cess poo		8 Sewage			rtilizer storage		ther (specify bel	ow)
3 Watertight sewer li	•		9 Feedyar	-		secticide storage	.0 0	the (speek) bek	J.,
ection from well?	very	-		-			0'		
ROM TO	L	ITHOLOGIC L	.OG	FROM			PLUGGING II	NTERVALS	
0 6	Can	unt	grout						
			<u>/</u>				****		
									
						1			
						 			
-						-			
					1				
CONTRACTOR'S OR L		CERTIFICATIO							
npleted on (mo/day/year	,	2 - 93				cord is true to the			ef. Kansa
ter Well Contractor's Lie	~ ' '	' /		er Well Record		ed on (mo/day/yr)	~ 6-8	~93	
der the business name of			ic.		by (sig		of 51	Jeru-	
INSTRUCTIONS: Use typewr of Health and Environment,	riter or ball point pen.	PLEASE PRESS FIF	RMLY and PRINT clear	ly. Please fill in bla -296-5545. Send of	nks, underline or c	ircle the correct answers	s. Send top three e for your records	copies to Kansas De	partment