<u>B-3</u>		WATER WELL RECORD	Form WW				3 K 453
LOCATION OF W		Fraction		Section Number	Township		Range Number
County: Wyg	ndotte		SE 1/4	<u> 27</u>	<u> </u>	S	R 25 E/W
	ivision states town of ivision of	or city street address of well if loc \mathcal{H} . \mathcal{C} . \mathcal{H} 5	sated within cit	/ ?			
	DWNED GOLOX						
RR#, St. Address,	Box # : 914 Di	ivision Street			Board o	f Agriculture, Divi	sion of Water Resources
City, State, ZIP Cod		s City, Ks 6610	53			ion Number:	
	LOCATION WITH 4	DEPTH OF COMPLETED WELL	17.0		TION:	760	
, <u>,</u>	N De	epth(s) Groundwater Encountered		•			
ī !	i Wi	ELL'S STATIC WATER LEVEL					
NW -	NE	Pump test data: Well v					
1 1	Es	st. Yield gpm: Well v	vater was	ft. a	ifter	hours pump	ing gpm
≝ w - !	Bo	ore Hole Diameter6in.	to <i>l</i>	./. O ft.,	and 	. in. to	
* w <u>†</u>	i M	ELL WATER TO BE USED AS:	5 Public v	ater supply	8 Air condition	ing 11 Inje	ection well
īw_	X	1 Domestic 3 Feedlot	6 Oil field	water supply	9 Dewatering	12 Oth	er (Specify below)
	7 7 1	2 Irrigation 4 Industrial		d garden only (
	I Wa	as a chemical/bacteriological samp	ole submitted to	Department? You	esNo	; If yes, me	o/day/yr sample was sub-
1	S mit	tted		Wa	ter Well Disinfe	cted? Yes	No L
TYPE OF BLAN	K CASING USED:	5 Wrought iron	8 Co	ncrete tile	CASING .	IOINTS: Glued .	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Ceme	ent 9 Oth	er (specify below	v)	Welded	
2 PVC	4 ABS	7 Fiberglass					d
Blank casing diame	ter	to 1.7.1.0. ft., Dia	in.	to	ft., Dia	 in.	to ft.
Casing height above	e land surface	2. 4 in., weight	9.3	Ibs./	ft. Wall thicknes	s or gauge No.	40 Sch.
	OR PERFORATION M			PVC		sbestos-cement	
1 Steel	3 Stainless ste	eel 5 Fiberglass	_	RMP (SR)			
2 Brass	4 Galvanized	-		ABS		lone used (open	
SCREEN OR PERF	ORATION OPENINGS	ARE: 5 Ga	auzed wrapped	1	8 Saw cut		None (open hole)
1 Continuous		_	ire wrapped		9 Drilled hole		(open nois)
2 Louvered sh			orch cut			_	
SCREEN-PERFORA		<i>(</i> ~	··········· ···	_ 16.0t From	m	ft to	 ft.
				ft From	m	ft to	
GRAVEL	PACK INTERVALS:						
		From — ft. to		ft., From		ft. to	ft.
GROUT MATER							
		to 5. 2. O ft., From		to -	ft From		ft to ft
	source of possible con		,		tock pens		doned water well
1 Septic tank	4 Lateral li			11 Fuel:	•		ell/Gas weil
2 Sewer lines					zer storage		(specify below)
	ewer lines 6 Seepage	•	-		ticide storage	Industra	al. Sites/Area
-	1. 3	on IND. SITE	•		ny feet?	**************************************	المعاديد المعاديد المعادد المعادد
FROM TO		LITHOLOGIC LOG	FROM		IN IOOLE /	LITHOLOGIC	IOG
0.0 0.4	Asphalt			1		2	
	11377.41						
0.4 0.8	Silty CI	lay, sand, gravel					
0.8 1.5	Silty and	y brown, low to					
	medium	, , , , , , , , , , , , , , , , , , , ,	100		-		
	of grave						
	1 7					-	•
1,5 5.0	CHIEF EXE	y brown, low +					
115 5.0	madiuna	plastic clay	~				
	1.11010101	- 12/3 . C _ 0					
5.0 17.0	(+: £1 +	to firm, brown		-			
2.0 17.0	STIPE I		1				
	medium	plastic Clay					
CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATION: This water well	was(1) cons				
	ay/year) [2./!.4/.5	١٦					edge and belief. Kansas
Water Well Contract				was completed of	on (mo/day/y)	12/37/9:	3,
IDDAY TO MISINGS			I tank	by (signat	ure) 📕 🖊	Mariel V	Hishala.
INSTRUCTIONS: Us	name of Woodwa	n. PLEASE PRESS FIRMLY and PRINT of Water Protection, Topeka, Kansas 66	clearly. Please fil	by (signat	or circle the corre	ct answers. Send to	three copies to Kansas