

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number	Range Number	
County: WYANDOTTE		NE ¼ NE ¼ NE ¼	28		T 11 S	R 25 EW	
Distance and direction from nearest town or city street address of well if located within city?							
200 ft WNW 810 Ruby Avenue, Kansas City, KS						P 2 A 13C073-1	
2 WATER WELL OWNER: City of Kansas City, Kansas							
RR#, St. Address, Box # : City Hall, 805 N 6th. St. K.C. Ks 66101				Board of Agriculture, Division of Water Resources			
City, State, ZIP Code :				Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 23.0 ft. ELEVATION: 818 ground elevation					
		Depth(s) Groundwater Encountered 1. 7.5 ft. 2. ft. 3. ft.					
		WELL'S STATIC WATER LEVEL 22.0 ft. below land surface measured on mo/day/yr 4-30-84					
		Pump test data: Well water was ft. after hours pumping gpm					
		Est. Yield gpm: Well water was ft. after hours pumping gpm					
		Bore Hole Diameter..... 4 ...in. to ... 23ft., and.....in. toft.					
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued . XX . Clamped					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile					
2 PVC 4 ABS		6 Asbestos-Cement (9) Other (specify below) Welded					
		7 Fiberglass Nylon Threaded					
Blank casing diameter 3/8in. to 21 ft., Diain. to ft., Diain. to ft.							
Casing height above land surface 30 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40							
TYPE OF SCREEN OR PERFORATION MATERIAL:		(7) PVC 10 Asbestos-cement					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped (8) Saw cut 11 None (open hole)					
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		(10) Other (specify) geofabric wrapped					
2 Louvered shutter 4 Key punched 7 Torch cut							
SCREEN-PERFORATED INTERVALS: From 21 ft. to 22 ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From 20 ft. to 23 ft., From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement (2) Cement grout (3) Bentonite 4 Other							
Grout Intervals: 2 From 0 ft. to 18.5 ft., 3 From 18.5 ft. to 20 ft., From ft. to ft.							
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well					
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		(16) Other (specify below)					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage Unknown							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well?		How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG		
0.0	17.0	Clay Fill				<i>Note: These are pressure wells cased screened with small nylon casing.</i> DP 3-21-84	
17.0	21.5	Shale					
21.5	22.5	Limestone					
22.5	23.0	Shale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-11-84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 399 This Water Well Record was completed on (mo/day/yr) 6-29-84 under the business name of Woodward-Clyde Consultants by (signature) <i>Richard J. Mahoney</i>							
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.							