

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Wyandotte

Location listed as:

Location changed to:

Section-Township-Range: 2-11S-33W

2-11S-25E

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NE NW NE

NE NW NW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____


verification method: Written & legal descriptions, maps & records of

other wells for this owner, and North Kansas City

1:24,000 topo. map. initials: WRL date: 9/29/2005

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Wyandotte		NE 1/4 NW 1/4 NE 1/4		2		T 11 S		R 33 E/W	
Distance and direction from nearest town or city street address of well if located within city?									
Donovan & Industrial Blvd.; Kansas City, Kansas									
2 WATER WELL OWNER: Phillips Petroleum									
RR#, St. Address, Box #: P.O. Box 15036									
City, State, ZIP Code: Kansas City, Kansas 66115									
Board of Agriculture, Division of Water Resources									
Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 38 ft. ELEVATION: 740							
		Depth(s) Groundwater Encountered 1. 11 ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 11 ft. below land surface measured on mo/day/yr 9-11-84							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 24 in. to 38 ft. and in. to ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Oil Recovery							
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes X No							
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X									
7 Fiberglass Threaded									
Blank casing diameter .8 in. to 13 ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface 36 in. weight 28.55 lbs./ft. Wall thickness or gauge No. 322									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 13.0 ft. to 38 ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 11.0 ft. to 38 ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 0 ft. to 11 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? all around How many feet? 20									
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG									
0.0 1.0 Gravel fill 35.0 36.5 Same									
1.0 5.0 Gray clay silt, medium 36.5 38.0 Same									
5.0 15.0 Gray clay silt, very soft 38.0 Total Depth									
15.0 16.5 same									
16.5 18.0 Gray sandy silt									
18.0 20.0 Gray fine to very fine sand									
20.0 21.5 Same									
21.5 25.0 Same									
25.0 26.5 Same									
26.5 27.5 Same									
27.5 30.0 Gray fine to very fine sand, trace clay									
30.0 31.5 Gray fine to very fine sand									
31.5 33.0 Same									
33.0 35.0 Gray very fine with fine sand									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/11/84 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 102 This Water Well Record was completed on (mo/day/yr) 11/15/84									
under the business name of Layne-Western Company, Inc. by (signature) Don Smith									
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									