

1 LOCATION OF WATER WELL: Fraction SW 1/4 NW 1/4 NW 1/4 Section Number 21 Township Number T 11 S Range Number R 25 EW
 County: Wyandotte 105

Distance and direction from nearest town or city street address of well if located within city?

1806 Kansas Avenue, Kansas City, Kansas 66105

MW 1 294B035

2 WATER WELL OWNER: Colgate Palmolive Company

RR#, St. Address, Box #: 1806 Kansas Avenue

Board of Agriculture, Division of Water Resources

City, State, ZIP Code: Kansas City, Kansas 66105

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 52 ft. ELEVATION: 761.9

Depth(s) Groundwater Encountered 1 42 ft. 2. 42.5 ft. 3. 42.5 ft.

WELL'S STATIC WATER LEVEL 42.5 ft. below land surface measured on mo/day/yr 1/6/95

Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm

Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm

Bore Hole Diameter 8.25 in. to 52 ft., and _____ in. to _____ ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes _____ No _____ If yes, mo/day/yr sample was submitted _____

Water Well Disinfected? Yes _____ No _____

5 TYPE OF BLANK CASING USED:

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued _____ Clamped _____

1 Steel

3 RMP (SR)

6 Asbestos-Cement

9 Other (specify below)

Welded _____

2 PVC

4 ABS

7 Fiberglass

Threaded +

Blank casing diameter 2 in. to 37 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.

Casing height above land surface 24 in., weight 5CH 40 lbs./ft. Wall thickness or gauge No. _____

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel

3 Stainless steel

5 Fiberglass

8 RMP (SR)

11 Other (specify)

2 Brass

4 Galvanized steel

6 Concrete tile

9 ABS

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

3 Mill slot

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

2 Louvered shutter

4 Key punched

6 Wire wrapped

9 Drilled holes

7 Torch cut

10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 37 ft. to 52 ft., From _____ ft. to _____ ft.

From _____ ft. to _____ ft., From _____ ft. to _____ ft.

GRAVEL PACK INTERVALS: From 34 ft. to 52 ft., From _____ ft. to _____ ft.

From _____ ft. to _____ ft., From _____ ft. to _____ ft.

6 GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other

Concrete

Grout Intervals: From 2 ft. to 34 ft., From _____ ft. to _____ ft., From 0 ft. to 2 ft.

What is the nearest source of possible contamination:

1 Septic tank

4 Lateral lines

7 Pit privy

10 Livestock pens

14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

15 Oil well/Gas well

3 Watertight sewer lines

6 Seepage pit

9 Feedyard

12 Fertilizer storage

16 Other (specify below)

13 Insecticide storage

Direction from well?

How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4.5	Fill, Crushed Stone, Cinders, sand			
4.5	9.0	Silt, trace clay, Gray			
9.0	15.0	Ln. to Fat clay, Gray			
15.0	20.0	Silty SAND			
20.0	25.0	Ln. to Fat clay, Gray			
25.0	52.0	Fine to Medium Sand with occ. silty Segms Brown			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12/6/94 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 416

This Water Well Record was completed on (mo/day/yr) 1/31/95

under the business name of Terracon Consultants, Inc.

by (signature) Ronald S. Sillate