CORRECTION TO WATER WELL RECORD (WWC-5)

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction	n (1/4	1/4	1/4) Section-Township-Range changed:
	listed	as		19-115-3
	chang	ged to	SE	NE, SE, 19-115-3E
Other c			e: nents:	
	Co Chan	mme ged to	nt : 	Along E. side of sec. 19, a little over
	4	N.	of	the SE. corner (can see doineway & 3
blag	gs. ton me	ethod:	topo Phoi	map: wells are east of the house ne call to well owner (785-461-5604), Buckeye, KS, 1:24,000 tops map initials: APof date: 1/28/99

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment Bureau of Water Industrial Programs, Bldg 283, Forbes Field, KS 66620

F 1				WELL RECORD			,	
	ON OF WAT		Fraction	۸/5 <		ction Number 19	Township Num	
County: DICKINSON 5 E				NE 14 5			<u>т 11</u>	s R 3 EW
Distance a	ina airection	from nearest town or	city street add	aress of well if loc	ated within city?			
-l			377					
	R WELL OW		-		closed loc	-		
•	Address, Bo	· -	30x 187	pump holes for Board of Agriculture, Division of Water Resource 10 D.S. & O. Rural Elec. Application Number:				
		<u>Abilene</u>						
3 LOCATI	E WELL'S L IN SECTIOI	NIDOV. III						
	0201.01	1 Dep						ft. 3
Ī .	!	! WE	LL'S STATIC \	WATER LEVEL	. D/.99.9 ft.	below land sur	face measured on m	no/day/yr
-	NW	NE						hours pumping gpm
1	1	Est.	Yield	gpm: Well v	vater was	ft. a	fter	hours pumping gpm
	ı	Bore	Hole Diamet	er6."in.	to		and	in. to
₹ " [!	, WE	LL WATER TO	BE USED AS:	5 Public wat	er supply	8 Air conditioning	11 Injection well
ī	sw	SE	1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering	12 Other (Specify below)
	1	i i	2 Irrigation	4 Industrial				heat pump
↓ L	ı	Was	a chemical/ba	cteriological samp	ole submitted to D	epartment? Ye	sNo	; If yes, mo/day/yr sample was sub-
		mitte	∍d			Wat	ter Well Disinfected?	Yes No
5 TYPE (OF BLANK (CASING USED:		5 Wrought iron	8 Conc	rete tile	CASING JOIN	TS: Glued Clamped
1 Ste	eel	3 RMP (SR)		6 Asbestos-Ceme	ent <u>9 Other</u>	(specify below	4	Welded
2 PV		4 ABS		7 Fiberglass				
								in. to ft.
Casing hei	ight a hase la	and surface	i	n., weight		Ibs./1	t. Wall thickness or	gauge No
TYPE OF	SCREEN O	R PERFORATION MA	TERIAL:		7 P\	/C	10 Asbes	stos-cement
1 Ste	eel	3 Stainless stee	el	5 Fiberglass	8 RI	MP (SR)	11 Other	(specify)
2 Bra	ass	4 Galvanized s	teel	6 Concrete tile	crete tile 9 ABS			used (open hole)
SCREEN (OR PERFOR	RATION OPENINGS A	ARE:	5 Ga	auzed wrapped		8 Saw cut	11 None (open hole)
1 Co	ntinuous slo	t 3 Mill slo	ot	6 W	ire wrapped		9 Drilled holes	
2 Lo	uvered shutt				orch cut			NA
SCREEN-I	PERFORATE							$\dots \text{ ft. to} \dots \dots \dots \text{ft.}$
								ft. toft.
C	BRAVEL PA	CK INTERVALS:	rom	ft. to)	ft., Fron	n	ft. toft.
			rom	ft. to				ft. to ft.
	MATERIAL			Cement grout				L
Grout Inter	vals: From	n() ft. to	130	ft., From	ft.	to	ft., From	ft. toft.
What is the	e nearest so	urce of possible conta				10 Livest	ock pens	14 Abandoned water well
<u>1 Se</u>	ptic tank	4 Lateral lin		7 Pit privy		11 Fuel storage		15 Oil well/Gas well
	wer lines	5 Cess pool		8 Sewage		n 12 Fertilizer storage		16 Other (specify below)
	_	er lines 6 Seepage	oit	9 Feedyard	I		icide storage .	
Direction f		south				How man		
FROM	TO		THOLOGIC L	JG	FROM	то	PLUC	GGING INTERVALS
0	11	Clay-Brown						
11	17	Shale-Yellov				-		
17	23	Limestone-Ye	STTOM					
23	32	Shale-Red				 		
32	34	Shale-Tan Shale-Red						
34	46		.]] T			 		
46	54	Limestone-Ye		se		 		
54	74	Shale-Yello				 		
74	80	Limestone-Ye		se				
80	85	Shale-Yello				1		
85_	91	Limestone-Ye					*	
91	105	Shale-Yello				 		
105	190	Shaley Limes	stone-Gre	У		 		
						 		
T					<u> </u>	1		
								gged under my jurisdiction and was
								of my knowledge and belief. Kansas
		s License No				as completed of	n (mo/day/yr) ./.g	4 1, - 7, 6
			DRILLING	CO., INC.		by (aignot	ure)	1 // a Bohan