

M			RECORD		WWC-5 1356			ion of Wat					
1			Correction	e in Well Use Fraction		esources App. No.		Well ID Fownship Number Range N		a Number			
T	County		ALER WEL		1/4			er			$\Box E \Box W$		
2		OWNER: I	ast Name		First:		r Rura	1 Address	Address where well is located (if unknown, distance and				
-	Business:		ast i turne.		1 1151.	direction from nearest town or intersection): If at owner's addi							
	Address:												
	Address: City:			State:	ZIP:								
3	LOCAT	E WELL						_					
-	WITH "			IPLETED WELL: .									
	SECTIO			Encountered: 1) 3) ft., or 4) [			Longitude:(decimal degrees) Datum: WGS 84 NAD 83 NAD 27						
	Ν	N		$\Gamma ER LEVEL: \dots$			Source for Latitude/Longitude:						
					measured on (mo-day-			GPS (unit make/model:)					
	NW	NE		above land surface, measured on (mo-day-yr)					(WAAS enabled?  Yes No)				
			-	Pump test data: Well water was ft. after hours pumping gp.				Land Survey  Topographic Map					
W		E	Well water was ft.				Online Mapper:						
	SW	SE	after	after hours pumping gpm									
			Estimated Y					<b>6 Elevation</b> :ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map					
	S Bore Hole Diameter: in. to							Source: Land Survey GPS Topographic Map					
1 mile													
	7 WELL WATER TO BE USED AS:         1. Domestic:       5.          Public Water Supply: well ID         10.          Oil Field Water Supply: lease												
	House	hold			: how many wells?			11. Test Hole: well ID					
	🗌 Lawn 🎖	charge: well ID				Cased Uncased Geotechnical							
	Livestock 8. Monitoring: well ID												
	. Irrigation       9. Environmental Remediation: well         . Feedlot       Air Sparge         . Soil Vapo						· · ·						
	I Industr			Recovery		Extraction	$13. \square$ Other (specify):						
W	as a chei	mical/bacte	riological san	nple subm	itted to KDHE?	Yes 🗆	No						
			$P \square Yes \square$			100		11 <i>J</i> 00, aac	e sur				
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.													
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
Steel       Steel       Fiberglass       PVC       Other (Specify)         Brass       Galvanized Steel       Concrete tile       None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
	□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
~ .								ne (Open H					
SC					1 ft. to								
GRAVEL PACK INTERVALS: From													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other ft. From ft. to													
			le contaminati		,	10.00		, 1 10111					
	🗌 Septic '			Lateral Line				ivestock Pe		🗌 Insectici			
	Sewer l			Cess Pool	□ Sewage La	goon		uel Storage		Abandor		Well	
					Feedyard			ertilizer Sto	orage	🗌 Oil Well	/Gas well		
					Distance from w					ft.			
	FROM	TO		ITHOLOG		FRO		ТО		HO. LOG (cont.) or I	PLUGGIN	G INTERVALS	
						Notes	:	I					
<b>11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.													
un K	uer my ji msas Wa	unsuiction a ter Well Co	nu was compl	eted on (n ense No	io-day-year) This We	ater Well	and th	ns record	is tru mnle	ted on (mo-day-yes	Knowled	ge and belief.	
Kansas Water Well Contractor's License No													
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
	-		and Environment, eks.gov/waterwel		ater, Geology Section, 10	JUU SW Jac	kson Si	t., Suite 420,	, Tope	ka, Kansas 66612-1367	-	A 82a-1212	
	v 1511 US at <u>n</u>	<u>p.//www.Kun</u>	LKS.guv/waterwel	/ muex.num							IZ C	1 1 02a-1212	