			WELL RECORD		KSA 82a-			
LOCATION OF WA		Fraction	GTP - GTP		tion Number	Township Nur		Range Number
unty: Dickins		NE 1/4	SE 14 SE		4	т 11	<u> </u>	R 4 E/
	n from nearest town East, 3/4 Sout	th of Wakef		a within city?				-
WATER WELL O	. .					5		
#, St. Address, B y, State, ZIP Code			Cansas 66441			Board of Ag Application		livision of Water Resource
	LOCATION WITH 4	DEPTH OF CO	MPLETED WELL			ION:		
W SW	N D W E B W 2 2 2 2 2 2 2 2 2	VELL'S STATIC V Pump to St. Yield . 1.5 Fore Hole Diamete VELL WATER TO XXX Domestic 2 Irrigation	vATER LEVEL	on ft. b fr was	elow land surf	ace measured on iter	mo/day/yr hours pur hours purin. 11 12 (nping gpm nping gpm to ft njection well Other (Specify below)
<u> </u>	S m	nitted	cteriological sample s	submitted to De	Wat	er Well Disinfected	; ir yes,	mo/day/yr sample was sul X No
TYPE OF BLANK	CASING USED:		Wrought iron	8 Concre				.XClamped
1 Steel	3 RMP (SR)	•	Asbestos-Cement	9 Other	specify below			d
½XPVC	4 ABS	7					Threa	ded
ink casing diamete	er 5 in.	. to 95	ft., Dia . 5	in. to	125	ft., Dia	i	n. to ft.
sing height above	land surface	12in	., weight		Ibs./ft	. Wall thickness or	gauge No	258
	OR PERFORATION N			XXXXX PV			stos-ceme	-
1 Steel	3 Stainless st	teel 5	Fiberglass	***************************************	P (SR)			
2 Brass	4 Galvanized		Concrete tile	9 AB			used (ope	
REEN OR PERFO	PRATION OPENINGS	S ARE:	5 Gauze	ed wrapped	200			11 None (open hole)
1 Continuous s	lot 3 Mill s	slot		wrapped		9 Drilled holes		11 Hone (open noic)
2 Louvered shu		punched	7 Torch	• •				
	TED INTERVALS:	From	ft. to		ft., From	12.5	ft. to	
GRAVEL P	ACK INTERVALS:	From10	ft. to					
GRAVEL P	ACK INTERVALS:				ft., From		ft. to	
GROUT MATERIA		From 2	ft. to	135	ft., From)ther	ft. to	ft.
GROUT MATERIA		From 2	ft. to	135	ft., From)ther	ft. to	ft
GROUT MATERIA		From 2 to 10	ft. to	3 Benton	ft., From ft., From hite 4 (Other	ft. to	ft. ft. to ft.
GROUT MATERIA out Intervals: Fro at is the nearest s	AL: XXXIX Neat cen	From ment 2 to 1.0 ontamination:	ft. to Cement grout . ft., From	3 Benton	ft., From ft., From hite 4 (Other	ft. to	ft. ft. toft. andoned water well
GROUT MATERIA out Intervals: Fro at is the nearest s	AL: XXXIX Neat center. O ft.	rent 2 to 10 ontamination:	ft. to Cement grout . ft., From	3 Bentoi	ft., From ft., From nite 4 (Other	ft. to	ft. to
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines	om O	rent 2 to 10 entamination: lines	ft. to Cement grout . ft., From	3 Bentoi	ft., From ft., From nite 4 (Other	14 Ab	ft. to
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se	om O	rent 2 to 10 entamination: lines	ft. to Cement grout . ft., From	3 Bentoi	ft., From ft., From ft., From nite 4 (Other	14 Ab	ft. to
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se- action from well?	AL: XXXX Neat centomOft. source of possible contom 4 Lateral II 5 Cess power lines 6 Seepage West	rent 2 to 10 entamination: lines	ft. to Cement grout . ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentoi	ft., From ft., From nite 4 (Other	14 Ab	ft. to
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO	AL: XXXX Neat centomOft. Source of possible contom 4 Lateral I 5 Cess power lines 6 Seepage West topsoil	rom to 1.0 ontamination: lines pol e pit LITHOLOGIC LO	ft. to Cement grout . ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
GROUT MATERIA tut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser action from well? ROM TO 3 3	AL: XXXX Neat centomOft. source of possible contom 4 Lateral I 5 Cess power lines 6 Seepage West	rom to 1.0 ontamination: lines pol e pit LITHOLOGIC LO	ft. to Cement grout . ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
GROUT MATERIA Let Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Lection from well? ROM TO 3 3 4 20	AL: XXXX Neat centom. O	rom to 1.0 ontamination: lines pol e pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
art Intervals: From the second of the second	AL: XXXX Neat centom. O	rrom nent 2 to10 entamination: lines col e pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
BROUT MATERIA tut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? BOM TO 0 3 20 0 30 0 60	L: XXXX Neat centom. O	rrom nent 2 to10 entamination: lines col e pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
GROUT MATERIA tut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 3 3 20 3 20 6 30 1 00	L: XXXK Neat centomOft. source of possible contom 4 Lateral I 5 Cess power lines 6 Seepage West topsoil topsoil soft lime 20 hard lime 5 red clay	rom ment 2 to10 contamination: lines cool e pit LITHOLOGIC LO Ray estone (yel estone	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
GROUT MATERIA tut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 3 3 20 0 30 0 60 0 100 0 123	AL: XXXX Neat centomOft. source of possible contom 4 Lateral I 5 Cess power lines 6 Seepage West topsoil topsoil soft lime 5 hard lime 5 red clay blue shall	rom nent 2 to 10 ontamination: lines cool e pit LITHOLOGIC LO ay estone (yel estone	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
AROUT MATERIAL at Intervals: From the is the nearest state of the second	L: XXXX Neat cen om 0	rom nent 2 to 10 ontamination: lines cool e pit LITHOLOGIC LO ay estone (yel estone	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 3 5 6 7 7 8 9 9 9 9 100 100 123	AL: XXXX Neat centomOft. source of possible contom 4 Lateral I 5 Cess power lines 6 Seepage West topsoil topsoil soft lime 5 hard lime 5 red clay blue shall	rom nent 2 to 10 ontamination: lines cool e pit LITHOLOGIC LO ay estone (yel estone	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 3 20 30 60 100 0 123 3 135	L: XXXX Neat cen om 0	rom nent 2 to 10 ontamination: lines cool e pit LITHOLOGIC LO ay estone (yel estone	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
AROUT MATERIAL at Intervals: From the is the nearest state of the second	L: XXXX Neat cen om 0	rom nent 2 to 10 ontamination: lines cool e pit LITHOLOGIC LO ay estone (yel estone	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
BROUT MATERIA tut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? BOM TO 3 30 0 30 0 60 0 100 0 123	L: XXXX Neat cen om 0	rom nent 2 to 10 ontamination: lines cool e pit LITHOLOGIC LO ay estone (yel estone	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
BROUT MATERIA tut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? BOM TO 3 30 0 30 0 60 0 100 0 123	L: XXXX Neat cen om 0	rom nent 2 to 10 ontamination: lines cool e pit LITHOLOGIC LO ay estone (yel estone	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 3 3 20 0 30 0 60 0 100 0 123 23 135	L: XXXX Neat cen om 0	rom nent 2 to 10 ontamination: lines cool e pit LITHOLOGIC LO ay estone (yel estone	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
GROUT MATERIA put Intervals: From the is the nearest section from well? ROM TO 3 20 3 20 0 30 0 60 0 100 00 123 23 135	L: XXXX Neat cen om 0	rrom nent 2 to 10 ontamination: lines cool e pit LITHOLOGIC LO ay estone (yel estone	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentol	ft., From ft., From ft., From nite 4 (io	Other	14 Ab	ft. to
GROUT MATERIA but Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 3 20 0 0 30 0 60 0 100 00 123 23 135	L: XXXX Neat centomOft. source of possible contom 4 Lateral I 5 Cess power lines 6 Seepage West topsoil brown classoft limes 5 red clay blue shall limestone stop	From ment 2 to 10 contamination: lines cool e pit LITHOLOGIC LO Ray estone (yel estone	ft. to Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Benton ft. soon	ft., From ft., F	Other	14 Ab 15 Oil 16 Ot	ft. toft. andoned water well well/Gas well ner (specify below) C LOG
GROUT MATERIA but Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 3 20 0 0 30 0 60 0 100 00 123 23 135	L: XXXX Neat centomOft. source of possible contom 4 Lateral I 5 Cess power lines 6 Seepage West topsoil brown classoft limes 5 red clay blue shall limestone stop	From ment 2 to 10 contamination: lines cool e pit LITHOLOGIC LO Ray estone (yel estone	ft. to Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Benton ft. soon	ft., From ft., F	Other	14 Ab 15 Oil 16 Ot	ft. to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 3 3 20 0 30 0 60 0 100 00 123 23 135 35 CONTRACTOR'S	L: XXXX Neat centomOft. source of possible contom 4 Lateral I 5 Cess power lines 6 Seepage West topsoil brown classoft limes 5 red clay blue shall limestone stop	From ment 2 to10 contamination: lines pool e pit LITHOLOGIC LO Ray estone (yel estone Le estone	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG Low)	3 Benton ft.	it., From ft., F	other	14 Ab 15 Oil 16 Ot	ft. toft. andoned water well well/Gas well ner (specify below) C LOG
BROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 3 3 20 0 30 0 60 0 100 0 123 23 135 CONTRACTOR'S upleted on (mo/day	AL: XXXX Neat centom. O	From ment 2 to10 contamination: lines pool e pit LITHOLOGIC LO Ray estone (yell estone Le estone CERTIFICATION 283	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG Low) A: This water well wa	3 Benton ft. o	tted, (2) reconand this record	other	14 Ab 15 Oil 16 Ot	ft. to
AROUT MATERIA Lut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serviction from well? ROM TO 0 3 0 40 0 100 0 123 2 135 3 135 CONTRACTOR'S pleted on (mo/day er Well Contractor	AL: XXXX Neat centom. O	From ment 2 to10 chtamination: lines bol e pit LITHOLOGIC LO Ry estone (yel estone CERTIFICATION 283	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG Low) I: This water well wa This Water Well	3 Benton ft. o	tted, (2) reconand this record	other	14 Ab 15 Oil 16 Ot ITHOLOGI	ft. to

D