County: Dickinson Fraction NE SE SE
County: Dickinson Fraction NESESESESE. 22 T // S R 4 (E)W  CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)  Owner: Dennis Shumate  Location was listed as:
Section-Township-Range: 5-225-4E  Fraction (1/4 1/4 1/4): SW SE SE  Other changes: Initial statements: Owner: Dennis Schumate
Changed to: Dennis Shumate
Comments: On line directory gives owner's current address  as 3332 Union Rd., Junction City, KS 6644!  Verification method: Written description, county owner-ship directory, owner's address & area road map, and mapping tool &  Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726  to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

	Gann, Com	967		140 4 66	4000	
1 LOCATION OF WA			Form WWC-5 Sec	KSA 82a tion Number	-1212 Township Nu	mber 🚜 Range Number
County: D	V 1 🚜		1/4	5	TON	S R H EN
	from nearest town or city s	treet address of well if located	l within city?			
on Repub	lican river b	ridge Couch to	244	Liway	twest &	miles & mi north
2 WATER WELL OV		2 Schun	iale'			• • • • • • • • • • • • • • • • • • • •
RR#, St. Address, Bo	x# 3 5 3 3	Diast.	A.	p.4.11		riculture, Division of Water Resource
City, State, ZIP Code	330 West		nction	City IX	5 6 Copilication	Number:
J LOCATE WELL'S L AN "X" IN SECTIO		OF COMPLETED WELL				
	Deptn(s) (	TATIC WATER LEVEL	7. <i>0</i> ft. b	elow land sur	face measured on	ft. 3
NW	Est. Yield					hours pumping gpm
0	Bore Hole	Diameter in. to .	15		and	in. toft.
ž W I			5 Public wate		8 Air conditioning	11 Injection well
T CVV	Door		6 Oil field wa		9 Dewatering	12 Other (Specify below)
377 ==	2 Irric	gation 4 Industrial	7 Lawn and g	arden only	10 Observation well	, , , , , , , , , , , , , , , , , , , ,
	Was a che	emical/bacteriological sample s	ubmitted to D	•	esNo ter Well Disinfected	X.; If yes, mo/day/yr sample was sub
5 TYPE OF BLANK	<del></del>	5 Wrought iron	8 Concre			NTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement		(specify below		Welded
(2 PVC)	4 ABS	7 Fiberglass		and the second contraction of		Threaded
	5,in-2to/./6		5 in. to	97	ft., Dia	in. to ft.
Casing height above I			65 PV		ft. Wall thickness o	r gauge No <b>3-00 P,S J</b> estos-cement
1 Steel	3 Stainless steel	5 Fiberglass		P (SR)		r (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB		12 None	e used (open hole)
SCREEN OR PERFO	RATION OPENINGS ARE:	5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slo	ot 3 Mill slot	6 Wire v	vrapped		9 Drilled holes	
2 Louvered shut	ter 4 Key punched	/ 8 / 9 /	cut #			<u> </u>
SCREEN-PERFORAT	ED INTERVALS: From.	$\dots$ $\mathcal{G}_{\dots}$ $\mathcal{G}_{\dots}$		ft., From	m	ft. toft.
	From.	and the control of		ft., From	m	ft. toft,
GRAVEL PA	CK INTERVALS: From.	97 ft. to		ft., From	ກ່ ກ່	ft. to ft.
Land Care	CK INTERVALS: From From	97 ft. to ft. to	13	ft., Fron ft., Fron ft., Fron	m	ft. to ft.
6 GROUT MATERIA	CK INTERVALS: From. From L: 1 Neat cement	ft. to ft. to ft. to	3 Bento	ft., From tt., From ft., From nite 4	m	ft. to ft. ft. ft. ft. ft. to ft. ft.
6 GROUT MATERIA Grout Intervals: Fro	CK INTERVALS: From. From L: 1 Neat cement on	2 Cement grout  ft. to  ft. to  ft. to	3 Bento	ft., From tt., From tt., From tt., From tt., From tt., From tt.	m m Other ft., From	
6 GROUT MATERIA Grout Intervals: Fro What is the nearest s	CK INTERVALS: From. From L: 1 Neat cement Im. 15 ft. to . H ource of possible contamina	2 Cement grout ft., From	3 Bento	ft., Froi ft., Froi ft., Froi nite 4 to	m Other tock pens	
6 GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank	CK INTERVALS: From. From  L: 1 Neat cement fit to 4 ource of possible contamina 4 Lateral lines	2 Cement grout  ft., From  tion:	3 Bento	ft., Froi ft., Froi ft., Froi nite 4 to	mm  Othertt., From tock pens storage	ft. to
6 GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines	From.  From  L: 1 Neat cement of the fource of possible contamina  4 Lateral lines  5 Cess pool	tion:	3 Bento	ft., Froi ft., Froi nite 4 to	m	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev	CK INTERVALS: From. From  L: 1 Neat cement fit to 4 ource of possible contamina 4 Lateral lines	2 Cement grout  ft., From  tion:	3 Bento	ft., From tt., F	m	ft. to
6 GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines	CK INTERVALS: From. From  L: 1 Neat cement Im. 1.5 ft. to ource of possible contamina 4 Lateral lines 5 Cess pool ver lines 6 Seepage pit	tion:	3 Bento	ft., Froi ft., Froi nite 4 to	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev	CK INTERVALS: From. From  L: 1 Neat cement Im. 1.5 ft. to ource of possible contamina 4 Lateral lines 5 Cess pool ver lines 6 Seepage pit	2 Cement grout  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	3 Bento ft.	ft., From tt., F	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement Im	2 Cement grout  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	3 Bento ft.	ft., From tt., F	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement Im	tion:  7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	ft., From tt., F	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement Im	tion:  7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	ft., From tt., F	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement Im	2 Cement grout  2 Cement grout  5 From  7 Pit privy 8 Sewage lago 9 Feedyard  OGIC LOG	3 Bento ft.	ft., Froi ft., Froi ft., Froi ft., Froi ft., Froi nite 4 to	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement Im	2 Cement grout  2 Cement grout  5 From  7 Pit privy 8 Sewage lago 9 Feedyard  OGIC LOG	3 Bento ft.	ft., From tt., F	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement ource of possible contamina 4 Lateral lines 5 Cess pool ver lines 6 Seepage pit  LITHOL  LITHOL  LICHOL  LI	2 Cement grout  2 Cement grout  5 From  7 Pit privy 8 Sewage lago 9 Feedyard  OGIC LOG	3 Bento ft.	ft., Froi ft., Froi ft., Froi ft., Froi ft., Froi nite 4 to	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement ource of possible contamina 4 Lateral lines 5 Cess pool ver lines 6 Seepage pit  LITHOL  LITHOL  LICHOL  LI	construction:  7 Pit privy 8 Sewage lago 9 Feedyard  COGIC LOG	3 Bento ft.	ft., Froi ft., Froi ft., Froi ft., Froi ft., Froi nite 4 to	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement Im	construction:  7 Pit privy 8 Sewage lago 9 Feedyard  COGIC LOG  Roch  Yellow  Meslone  Wellow  Meslone  Meslone	3 Bento ft.	ft., Froi ft., Froi ft., Froi ft., Froi ft., Froi nite 4 to	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement Im	construction:  7 Pit privy 8 Sewage lago 9 Feedyard  COGIC LOG	3 Bento ft.	ft., Froi ft., Froi ft., Froi ft., Froi ft., Froi nite 4 to	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement Im	construction:  7 Pit privy 8 Sewage lago 9 Feedyard  COGIC LOG  Roch  Yellow  Meslone  Wellow  Meslone  Meslone	3 Bento ft.	ft., Froi ft., Froi ft., Froi ft., Froi ft., Froi nite 4 to	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement Im	construction:  7 Pit privy 8 Sewage lago 9 Feedyard  COGIC LOG  Roch  Yellow  Meslone  Wellow  Meslone  Meslone	3 Bento ft.	ft., Froi ft., Froi ft., Froi ft., Froi nite 4 to	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement Im	construction:  7 Pit privy 8 Sewage lago 9 Feedyard  COGIC LOG  Roch  Yellow  Meslone  Wellow  Meslone  Meslone	3 Bento ft.	ft., Froi ft., Froi ft., Froi ft., Froi nite 4 to	on Other	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO D / / 2-8 9-8 +0 +0 -6-8 7-5 7-5 -9-7	CK INTERVALS: From. From  L: 1 Neat cement Im	construction:  7 Pit privy 8 Sewage lago 9 Feedyard  COGIC LOG  Roch  Yellow  Meslone  Meslon	3 Bento ft.	ft., From ft., F	m Other Othe	ft. to ft. to ft.  ft. to ft. to ft.  ft.  ft. to ft.  id.  id.  id.  id.  id.  id.  id.  i
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 ( 1 2 8 9 8 40 4 6 8 7 5 7 5 9 7	CK INTERVALS: From. From  L: 1 Neat cement ource of possible contamina 4 Lateral lines 5 Cess pool over lines 6 Seepage pit  LITHOL  LANDOWNER'S CERTI	Cement grout  Committee  Committee  The privy  Sewage lago  Feedyard  COGIC LOG  Coch  Coc	3 Bento ft.	ft., From ft., F	onstructed, or (3) pl	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 1 2 8 9 8 4 0 4 0 6 8 7 5 7 5 9 7 CONTRACTOR'S completed on (mo/day	CK INTERVALS: From. From  L: 1 Neat cement Int. 15	Cement grout  Coment grout  Coment grout  This is a sewage lagon of seedy and seed one of the seed on	3 Bento ft.	tt., From tt., F	onstructed, or (3) plant is true to the best	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 ( ) 2 \$ 40 4 0 6 \$ 75 7 5 9 7  CONTRACTOR'S completed on (mo/day Water Well Contracto	CK INTERVALS: From. From  L: 1 Neat cement  Jource of possible contamina  4 Lateral lines  5 Cess pool  Ver lines 6 Seepage pit  LITHOL  LITHO	This Water W	3 Bento ft.	tt., From tt., F	onstructed, or (3) pl	ft. to
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	CK INTERVALS: From. From  L: 1 Neat cement  Jource of possible contamina  4 Lateral lines  5 Cess pool  Ver lines 6 Seepage pit  LITHOL  LITHO	Coment grout  Coment grout  This water well w  This Water W	3 Bento ft.  3 Bento ft.  3 Bento ft.  3 Bento ft.	tt., From tt., F	onstructed, or (3) plond is true to the beson (mo/day/yr) ture)	ft. to ft. to ft. ft. ft. to ft. to ft. to ft. to ft. to ft. ft. to ft. ft. ft. ft. to ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 1 1 2 8 9 8 4 0 4 0 6 8 7 5 7 5 9 7 7 CONTRACTOR'S completed on (mo/day Water Well Contracto under the business no INSTRUCTIONS: Use	CK INTERVALS: From. From  I. 1 Neat cement In	Cement grout  2 Cement grout  1 It to  2 Cement grout  1 It to  2 Cement grout  1 It to  2 Cement grout  3 Pit privy  8 Sewage lago  9 Feedyard  OGIC LOG  OGIC LOG  OGIC LOG  OGIC LOG  Telebrate  This Water Well Well  1 It is Water Well  PLEASE PRESS FIRMLY an	3 Bento ft.  3 Bento ft.  3 Bento ft.  4 Construction of the second was as (1) construction of the second was (1	tt., From tt., F	onstructed, or (3) plord is true to the beson (mo/day/yr) ture) Harvaran blanks, underline	ft. to