

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: DECKENSON Fraction SE 1/4 NW 1/4 NE 1/4 Section Number 19 Township Number T 11 S Range Number R 4 EW Distance and direction from nearest town or city street address of well if located within city? FROM UPLAND 1/4 MILE SOUTH.

2 WATER WELL OWNER: ALL SCALES LANDSCAPE & CONSTRUCTION RR#, St. Address, Box #: P.O. BOX 909 City, State, ZIP Code: MANHATTAN, KS 66505 Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 39.05.163 Longitude: 97.01.215 Elevation: 1256 Datum: Data Collection Method:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N W E S

4 DEPTH OF COMPLETED WELL 162 ft. Depth(s) Groundwater Encountered (1) 78 ft. (2) 136 ft. (3) 206 ft. WELL'S STATIC WATER LEVEL 112 ft. below land surface measured on mo/day/yr 10/18/06 Pump test data: Well water was 1 ft. after 1 hour pumping 1 gpm Est. Yield: 1 gpm Well water was 1 ft. after 1 hour pumping 1 gpm WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs Sample was submitted. Water well disinfected? Yes X No

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 2 PVC 4 ABS 7 Fiberglass CASING JOINTS: Glued X Clamped Welded Threaded

Blank casing diameter 5 in. to 142 ft., Diameter 24 in. to 50R21 Casing height above land surface 24 in., Weight Wall thickness or gauge No. 50R21

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 142 ft. to 162 ft., From 25 ft. to 83 ft., From 106 ft. to 136 ft.

GRAVEL PACK INTERVALS: From 106 ft. to 162 ft., From 25 ft. to 83 ft., From 106 ft. to 136 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 3 ft. to 25 ft., From 83 ft. to 106 ft., From 136 ft. to 162 ft.

What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well

Direction from well? How many feet?

Table with 2 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS

Table with 2 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/18/06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 760 This Water Well Record was completed on (mo/day/year) 10/21/06 under the business name of ASSOCIATED DRILLING INC by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells.