KOLAR Document ID: 1434355

WATER				WWC-5			ion of Wate					
		Correction		e in Well Use			rces App. N			Well ID		
1 LOCATION OF WATER WELL: Fraction County: 1/4					14 14	Image: Section Number Township Number Rage 1/4 T S R					$\Box E \Box W$	
						·Rura	Rural Address where well is located (if unknown, distance and					
Business:		rection from nearest town or intersection): If at owner's address, check here:										
Address:					uncetion	······································						
Address:												
City:			State:	ZIP:								
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:												
	SECTION BOX. Depth(s) Groundwater Encountered: 1)											
2) ft. 3) ft., o WELL'S STATIC WATER LEVEL:						Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:						
		\square below la										
NW	NE	above land surface, measured on (mo-day-yr)										
		Pump test data: Well water was ft.					□ Land Survey □ Topographic Map					
w	E	after hours pumping					Online Mapper:					
SW	SE	Well water wasft. after hours pumping										
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC						
S		Bore Hole Diameter: in. to				Source: Land Survey GPS Topographic M						
1 mi			in. to				□ Other					
7 WELL WATER TO BE USED AS:												
1. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?												
				r Recharge: well ID			\square Cased \square Uncased \square Geotechnical					
_	□ Livestock 8. □ Monitoring: well ID								al: how many bores			
2. 🗌 Irrigatio		9. En	vironment	al Remediation: well	ID		a) Cl	losed	l Loop 🔲 Horizont	al 🗌 Verti	ical	
	3. EFeedlot Air Sparge Soil Vapor E						b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
4. 🗌 Industria			Recovery	0								
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ Fiberglass} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots \dots$												
Brass Galvanized Steel Concrete tile None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
		☐ Mill Slot		* *						•••••		
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Interval	ls: From	ft. to		ft., From	ft. to		ft., From					
		e contaminatio		potential source of co								
Septic T			lateral Line Cess Pool	es			ivestock Pe uel Storage			cide Storage		
	nnes ght Sewer Lin		leepage Pit				ertilizer Sto			ll/Gas Well		
								oruge				
Direction from	Direction from well? ft.											
10 FROM	TO	L	ITHOLO	GIC LOG	FRO	M	TO	LIT	THO. LOG (cont.) or	PLUGGIN	G INTERVALS	
├												
<u>├</u>												
Notes							<u> </u>					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, are constructed, or plugged												
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No												
under the business name of												
		nd Environment, s.gov/waterwell			1000 SW Jac	kson St	t., Suite 420,	, Торе	eka, Kansas 66612-136			
v isit us at htt	<u>.p://www.kdhel</u>	s.gov/waterwell	<u>/index.ntml</u>							N,	SA 82a-1212	