


1 LOCATION OF WATER WELL: County: COCONINO Fraction: NE 1/4 NE 1/4 NE 1/4 Section Number: 32 Township Number: T 11 S Range Number: R 5 EW  
 Distance and direction from nearest town or city street address of well if located within city? 3 miles North on 77 City Road 2 miles  
+ this 1/4 mile west

2 WATER WELL OWNER: Art Larson  
 RR#, St. Address, Box #: RR#3 Box 300 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Junction City, Kansas 66441 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 120 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 86 ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL: 80' ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield 1.5 gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter: 8 in. to 120' ft., and in. to ft.  
 WELL WATER TO BE USED AS:  
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well  
 Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted  
 Water Well Disinfected  Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS:  Glued  Clamped  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)  Welded  
 7 Fiberglass Threaded  
 Blank casing diameter: 5 1/2 in. to Sch 40 ft. Dia. in. to ft. Dia. in. to ft.  
 Casing height above land surface: 2' in., weight Sch 40 lbs./ft. Wall thickness or gauge No.  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot  3 Mill slot 31/1000 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes 12 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 100 ft. to 120 ft. From ft. to ft.  
 GRAVEL PACK INTERVALS: From 25 ft. to 120 ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout  3 Bentonite 4 Other  
 Grout Intervals: From 0 ft. to 25 ft. From 116 ft. to ENVIRONMENTAL ft.  
 What is the nearest source of possible contamination: None close  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	11	Brown Clay	116	120	Grey Shale
11	19	Brown Shale			
19	21	ROCK			
21	23	Brown Shale			
23	26	ROCK			
26	39	Grey Shale			
39	48	ROCK			
48	52	Grey Shale			
52	53	ROCK			
53	55	Grey Shale			
55	81	ROCK			
81	85	Grey Shale			
85	91	ROCK (water)			
91	115	Grey Shale			
115	116	ROCK			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  (1) constructed,  (2) reconstructed, or  (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/9/88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 451 This Water Well Record was completed on (mo/day/yr) 7/2/88 under the business name of Halderson Well Drilling by (signature) Art Larson