

**CORRECTION(S) TO WATER WELL RECORD (Form WWC-5)**

(to rectify lacking or incorrect information)

<b>LOCATION OF WATER WELL:</b> County: Geary	Fraction SE ¼ NW ¼ SW ¼ NE ¼	Section 9	Township T 11 S	Range R 5 <input checked="" type="checkbox"/> E <input type="checkbox"/> W
---	---------------------------------	--------------	--------------------	---

Owner: \_\_\_\_\_

Location was listed as:

Sec. 9 T 11 S R 5 E W

Fraction: \_\_\_\_\_

Location changed to:

Sec. \_\_\_\_\_ T \_\_\_\_\_ S R \_\_\_\_\_ E W

Fraction: SE NW SW NE

Other changes: Initial statements: \_\_\_\_\_

Changed to: \_\_\_\_\_

Comments: \_\_\_\_\_

Verification method: LeoWeb, Google Maps, WWC5 Mapper

initials: JF date: 04/01/2016

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726  
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD Form WWC-5

(DRL per lat/long)

Division of Water Resources App. No.

Well ID

1 LOCATION OF WATER WELL: County: Geary Fraction: SE 1/4 NW 1/4 SW 1/4 NE 1/4 Section Number: 9 Township Number: T 11 R 5 Range Number: R 5

2 WELL OWNER: Last Name: Robertson First: Jeff Business: Address: 8715 MONTS FORK DRIVE City: Junction City State: KS ZIP: 66441 Street or Rural Address where well is located: [checked]

3 LOCATE WELL WITH "X" IN SECTION BOX: [Diagram showing a 3x3 grid with NW, NE, SW, SE labels]

4 DEPTH OF COMPLETED WELL: 110' ft. Depth(s) Groundwater Encountered: 1) 83' ft. 2) ... ft. 3) ... ft., or 4) [ ] Dry Well WELL'S STATIC WATER LEVEL: 80' ft. [ ] below land surface, measured on (mo-day-yr) [ ] above land surface, measured on (mo-day-yr) Pump test data: Well water was ... ft. after ... hours pumping ... gpm Well water was ... ft. after ... hours pumping ... gpm Estimated Yield: 1.5 gpm Bore Hole Diameter: 9" in. to 110' ft. and ... in. to ... ft.

5 Latitude: N. 39° 06.746 (decimal degrees) Longitude: W. 096° 52.646 (decimal degrees) Datum: [ ] WGS 84 [ ] NAD 83 [ ] NAD 27 Source for Latitude/Longitude: [ ] GPS (unit make/model: ...) (WAAS enabled? [ ] Yes [ ] No) [ ] Land Survey [ ] Topographic Map [ ] Online Mapper: ...

6 Elevation: 1244' ft. [ ] Ground Level [ ] TOC Source: [ ] Land Survey [ ] GPS [ ] Topographic Map [ ] Other ...

7 WELL WATER TO BE USED AS: 1. Domestic: [ ] Household [ ] Lawn & Garden [ ] Livestock 2. [ ] Irrigation 3. [ ] Feedlot 4. [ ] Industrial 5. [ ] Public Water Supply: well ID ... 6. [ ] Dewatering: how many wells? ... 7. [ ] Aquifer Recharge: well ID ... 8. [ ] Monitoring: well ID ... 9. Environmental Remediation: well ID ... [ ] Air Sparge [ ] Soil Vapor Extraction [ ] Recovery [ ] Injection 10. [ ] Oil Field Water Supply: lease ... 11. Test Hole: well ID ... [ ] Cased [ ] Uncased [ ] Geotechnical 12. Geothermal: how many bores? ... a) Closed Loop [ ] Horizontal [ ] Vertical b) Open Loop [ ] Surface Discharge [ ] Inj. of Water 13. [ ] Other (specify): ...

Was a chemical/bacteriological sample submitted to KDHE? [ ] Yes [ ] No If yes, date sample was submitted: ... Water well disinfected? [ ] Yes [ ] No

8 TYPE OF CASING USED: [ ] Steel [ ] PVC [ ] Other CASING JOINTS: [ ] Glued [ ] Clamped [ ] Welded [ ] Threaded Casing diameter: 5" in. to 90' ft., Diameter: 2" in. to ... ft., Diameter: ... in. to ... ft. Casing height above land surface: 22' in. Weight: sch 40 lbs./ft. Wall thickness or gauge No. ... TYPE OF SCREEN OR PERFORMANCE MATERIAL: [ ] Steel [ ] Stainless Steel [ ] Fiberglass [ ] PVC [ ] Brass [ ] Galvanized Steel [ ] Concrete tile [ ] None used (open hole) SCREEN OR PERFORMANCE OPENINGS ARE: [ ] Continuous Slot [ ] Mill Slot [ ] Gauze Wrapped [ ] Torch Cut [ ] Drilled Holes [ ] Other (Specify) ... [ ] Louvered Shutter [ ] Key Punched [ ] Wire Wrapped [ ] Saw Cut [ ] None (Open Hole) SCREEN-PERFORATED INTERVALS: From 90' ft. to 110' ft., From ... ft. to ... ft., From ... ft. to ... ft. GRAVEL PACK INTERVALS: From ... ft. to ... ft., From ... ft. to ... ft., From ... ft. to ... ft.

9 GROUT MATERIAL: [ ] Neat cement [ ] Cement grout [ ] Bentonite [ ] Other Grout Intervals: From 5' ft. to 30' ft., From ... ft. to ... ft., From ... ft. to ... ft. Nearest source of possible contamination: [ ] Septic Tank [ ] Lateral Lines [ ] Pit Privy [ ] Livestock Pens [ ] Insecticide Storage [ ] Sewer Lines [ ] Cess Pool [ ] Sewage Lagoon [ ] Fuel Storage [ ] Abandoned Water Well [ ] Watertight Sewer Lines [ ] Seepage Pit [ ] Feedyard [ ] Fertilizer Storage [ ] Oil Well/Gas Well [ ] Other (Specify) ... Direction from well? 150' S.E. Distance from well? 150' ft.

10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS

0	1	Top Soil			
1	3	Brown Clay			
3	6	Sandy Clay			
6	16	Coarse Dry Sand			
16	56	Brown Clay			
56	74	Limestone			
74	83	Tan Shale			
83	110	Limestone			

Notes: (WATER)

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was [ ] constructed, [ ] reconstructed, or [ ] plugged under my jurisdiction and was completed on (mo-day-year) 11/14/2015 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 451 This Water Well Record was completed on (mo-day-year) 11/27/2015 under the business name of Waldman Well Drilling