Van de la companya del companya de la companya del companya de la								
WATER WELL RECORD Form WWC-5				Division of Water				
Original Record				Resources App. No.			Well ID	
1 LOCATION OF W. County: Of DY	. 1	A/W	Charle Clare 14	SE 1/4 Sec	ction Numbe	r Township Num T // §	ا کے کہا	
2 WELL OWNER: Last Name: 1/45 VLK First: DOW Street or Rural Address where well is located (if unknown, distance and								
Address: 3708 W Hwy K-244								
City: June 100 6/7 State: 10 21P: 66 477								
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED WELL: 1.60 ft. 5 Latitude 1 3903.668 (decimal degree							
SECTION BOX:	4 DEPTH OF COMPLETED WELL:							
N	2)							
	WELZ'S STATIC WATER LEVEL:							
NW NE		and surface, measu		.	(WAAS enabled? ☐ Yes ☐ No)			
		ata: Well water wa		nm	☐ Land Survey ☐ Topographic Map			
W E	Well water was ft.							
SW SE)	hours pump	-	_	6 Flove	tion: 1.204	Ground Lovel D TOC	
	Estimated Yield:6gpm Bore Hole Diameter:in. to ./.6.8.				ft and Source: ☐ Land Survey ☐ GPS ☐ Topographic Mar			
mile	Bore Hole E		. in. to	. ft.			_ 151 1	
7 WELL WATER TO BE USED AS:								
1. Domestic:	5. ☐ Public Water Supply: well ID							
Household Lawn & Garden	6. ☐ Dewatering: how many wells?							
Livestock	8. Monitoring: well ID							
2. Irrigation	9. Environmental Remediation: well ID							
3. ☐ Feedlot 4. ☐ Industrial	☐ Air Sparge ☐ Soil Vapor Extraction b) Open Loop ☐ Surface Discharge ☐ Inj. of Water ☐ Recovery ☐ Injection 13. ☐ Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? ✓ Yes □ No								
8 TYPE OF CASING USED: Steel PPVC Other CASING JOINTS: Valued Clamped Welded Threaded								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous Slot								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From3.7 ft. to ft., From ft. to ft. to ft. o ft								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank☐ Sewer Lines	Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Watertight Sewer Lin								
Other (Specify)								
10 FROM TO		// 37 ITHOLOGIC LO		FROM	TO	t	t. or PLUGGING INTERVALS	
10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Tan 501	Z	 	97	109	Ton Shall	I I LOGGING INTERVALS	
1 23	Brown	Chy		109	115	LimsTone		
23 28	CimisTol			115	135	Ton Chall		
38 37	Yellow	Shall		135	1,46	LIMITONC	(NO)(r)	
5/2 /01	LIMISTO	chall		146	160	BOOWN O	ily SDALE	
31 85	Link Tave				Notes:			
85 92 Cny shole								
11 CONTRACTORS OF LANDOWNERS CERTIFICATION, This								
under my jurisdiction and was completed on (mo-day-year) 4 20 4 and this record is true to the best of my knowledge and belief								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) This water well record is true to the best of my knowledge and benef. Kansas Water Well Contractor's License No								
under the business name of . M. Lacon with Drilling								
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your retords. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Karlsas 66612-1367. Telephone (785) 296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2012								