

Well #1

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

Well ID

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: Geary Fraction SE 1/4 NW 1/4 NW 1/4 Section Number 32 Township Number T 11 S Range Number R 5 E W

2 WELL OWNER: Last Name: Boyer First: Don Street or Rural Address where well is located: From J.C. Go West 2 miles on R 244 Address 2829 R 244

3 LOCATE WELL WITH 'X' IN SECTION BOX: N W E S 1 mile

4 DEPTH OF COMPLETED WELL: 125' ft. Depth(s) Groundwater Encountered: 1) 85' 2) 90' WELL'S STATIC WATER LEVEL: 90' ft. below land surface, measured on (mo-day-yr)

5 Latitude: 39° 03.422 (decimal degrees) Longitude: -96° 54.167 (decimal degrees) Horizontal Datum: WGS 84 GPS (unit make/model): GARMIN E TEX 2.0

6 Elevation: 1234' ft. Ground Level TOC Source: GPS

7 WELL WATER TO BE USED AS: 1. Domestic: Household, Lawn & Garden, Livestock, Irrigation, Feedlot, Industrial 2. Public Water Supply, Dewatering, Aquifer Recharge, Monitoring, Environmental Remediation, Air Sparge, Recovery, Oil Field Water Supply, Test Hole, Geothermal, Closed Loop, Open Loop, Other

Was a chemical/bacteriological sample submitted to KDHE? No If yes, date sample was submitted: Water well disinfected? Yes

8 TYPE OF CASING USED: PVC CASING JOINTS: Glued Casing diameter: 5" in. to 105" ft. Diameter sch 40 in. to 40" ft. Diameter Casing height above land surface: 31" in. Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: PVC SCREEN OR PERFORATION OPENINGS ARE: Mill Slot SCREEN-PERFORATED INTERVALS: From 105" ft. to 125" ft. GRAVEL PACK INTERVALS: From 25" ft. to 125" ft.

9 GROUT MATERIAL: Bentonite Grout Intervals: From 5" ft. to 25" ft. Nearest source of possible contamination: None Close Septic Tank, Sewer Lines, Watertight Sewer Lines, Lateral Lines, Cess Pool, Seepage Pit, Pit Privy, Sewage Lagoon, Feedyard, Livestock Pens, Fuel Storage, Fertilizer Storage, Insecticide Storage, Abandoned Water Well, Oil Well/Gas Well

10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 1 Top Soil 118 130 Gray Oily shale
1 2 Limestone
2 30 Yellow shale
20 59 Brown shale
59 70 Limestone
70 81 yellow shale
81 92 Limestone water
92 118 Yellow shale
111 118 Limestone

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 5/16/2019 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 451 This Water Well Record was completed on (mo-day-year) 5/24/2019 under the business name of Hal Leonard Well Drilling