KOLAR Document ID: 1577319

	WELL R			WWC-5		vision of Wat					
		Correction		e in Well Use		ources App.			Well ID		
1 LOCATION OF WATER WELL: Fraction					ction Numb	1 0					
$\begin{array}{c c} County: & 1/4 & 1/4 \\ \hline & 1/4 & 1/4 \\$											
						treet or Rural Address where well is located (if unknown, distance and					
Business: din Address:						irection from nearest town or intersection): If at owner's address, check here:					
Address:											
City:			State:	ZIP:							
3 LOCAT	E WELL						_				
4 DEPTH OF COMPLETED WELL:											
SECTIC	SECTION BOX: Depth(s) Groundwater Encountered: 1)					——————————————————————————————————————					
1	2) ft. 3) ft., or 4)										
				yr)			Latitude/Longitude		`		
NW	NE			yr)			WAAS enabled?				
19 W	NE	Pump test d					Survey		(0)		
w	E		hours				Mapper:				
CW	se-X		Well v								
Sw	SE - 7		after hours pumping gp			6 Elevation: ft Cround Lovel TOC					
		Estimated Y			6 Elevation:ft. Ground Level TOC						
	S	Bore Hole I			Source	Source: Land Survey GPS Topographic Map Other					
7 WELL WATER TO BE USED AS:											
1. Domestic	. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?										
			 a. ☐ Dewatering: now many wens? 7. ☐ Aquifer Recharge: well ID 								
	Livestock S. Monitoring: well ID							al: how many bores			
2. 🗌 Irrigati								Loop Horizont			
	3. □ Feedlot □ Air Sparge □ Soil Vapor Ex						b) Open Loop Surface Discharge Inj. of Water				
	4. Industrial Recovery Injection						13. Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Ves No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
				ft., From	ft. to	ft., From	1	ft. to	ft.		
Nearest sou		e contaminati		potential source of cont			ana	🗖 Incenti	ida Stanaga		
			Lateral Line Cess Pool	es 🗌 Pit Privy 🗌 Sewage Lag		Livestock P Fuel Storage			cide Storage		
	ight Sewer Lir		Seepage Pit			Fertilizer St			ll/Gas Well	wen	
						- eranzei St	Siuge				
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	TO		HO. LOG (cont.) or		G INTERVALS	
							L				
							ſ				
							ſ				
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No											
under the b	usiness name	Send one convit		ELL OWNER and retain o	ma for vor	orde Eac of the	5 00 £	an angle constructed			
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											