LOCATION OF WATER WELL: Fraction Ounty: GEADY Istance and direction from nearest town or city street address of well if located within city? 430 GRANT AVE, JUNCTION CITY, LS WATER WELL OWNER: WATER	e Number E/W
Stance and direction from nearest town or city street address of well if located within city? 430 GRANT AVE, JUNCTION CITY, LS WATER WELL OWNER: TOWN & COUNTRY MARKETS R#, St. Address, Box # : P.6. Box 17087 Board of Agriculture, Division of Very, State, ZIP Code : WICHTH, ILS (6721) LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 30 ft. ELEVATION:	2 (E/W
WATER WELL OWNER: TOWN & COUNTRY MARKETS ##, St. Address, Box #: P.6. Box 17087 Board of Agriculture, Division of V. y, State, ZIP Code : WICHTA, KS 6721) LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 30 ft. ELEVATION:	
WATER WELL OWNER: TOWNS COUNTRY MARKETS #, St. Address, Box # : P.6. Box 17087 Board of Agriculture, Division of Water, ZIP Code : WICHTA, KS (6721) OCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 30 ft. ELEVATION:	
#, St. Address, Box # : P.6. Box 17087 Board of Agriculture, Division of V Application Number: OCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL	
Application Number: OCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL	
OCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL	Vater Resource
OCATE WELL'S LOCATION WITH DEPTH OF COMPLETED WELL	
N I Depth(s) Groundwater Encountered 1 (2) ft 2 ft 3	ft
WELL'S STATIC WATER LEVEL 23 ft. below land surface measured on mo/day/yr 3-3.	
Pump test data: Well water was ft. after hours pumping	•
Est. Yield gpm: Well water was ft. after hours pumping	
Bore Hole Diameter	
W WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection we	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Spec	
>W >t	
Was a chemical/bacteriological sample submitted to Department? Yes	
S mitted Water Well Disinfected? Yes	
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued CI	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2PVC 4 ABS 7 Fiberglass Threaded nk casing diameter 2 in. to 15 ft., Dia in. to ft., Dia in. to in. to	
sing height above land surfacein., weightlbs./ft. Wall thickness or gauge No	
PE OF SCREEN OR PERFORATION MATERIAL: 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None	open hole)
1 Continuous slot 3Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) DID	<i></i>
REEN-PERFORATED INTERVALS: From	
From ft. to	
GRAVEL PACK INTERVALS: From ft. to	
From ft. to ft., From ft. to	ft
GROUT MATERIAL: 1_Neat cement 2 Cement grout 3Bentonite 4 Other	
out Intervals: Fromft., fromft. toft., From	:
at is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned v	
1 Septic tank 4 Lateral lines 7 Pit privy (11)Fuel storage 15 Oil well/Gas	well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specif	v below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
ection from well? South-East How many feet? 1250'	
ROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
O 10 BRN SANDY CTAY	
O 3D TAN SAND	
	· · · · · · · · ·
	<u></u>
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my juris	diction and wa
npleted on (mo/day/year)	
er Well Contractor's License No. 56.8 This Water Well Record was completed on (me/day/yr) 3.3.49.5	/
er the business name of MAXS Enter Drises by (signature) David Sharling	er
	as Department