## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

County: Riley
Location listed as:

Section-Township-Range: 5-1/5-6F

Fraction (1/4 1/4 1/4): NW NF NF

Other changes: Initial statements: Geary County

Changed to: Riley County

Comments:

verification method: Legal and we-itlen de scriptions, position on plat map, and mapping tool on KGS website

initials: ARdate: 6/21/2012

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD Form WWC-5 KSA 82a-1212 Fraction 1/4 Township Number 1 LOCATION OF WATER WELL: Section Number Range Number County: Geary

NAVA NE 1/4 NE 1/4

Distance and direction from nearest town or city street address of well if located within city?

4.5 miles NNE of Grandview Plaza KS WATER WELL OWNER: Directorate of Environment & Safety
RR#, St. Address, Box # : Bldg 407 Pershing Ct. Board of Agriculture, Division of Water Resources Ft. Riley, KS LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL. 24.6
AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 19 Pump test data: Well water was ..... ft. after ..... hours pumping ..... gpm Est. Yield . . . . . gpm: Well water was . . . . . . ft. after . . . . . hours pumping . . . . . . gpm X. W WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) SW ----- SE 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well ...... Was a chemical/bacteriological sample submitted to Department? Yes.......No...X......; If yes, mo/day/yr sample was sub-Water Well Disinfected? Yes NoX TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . . . . . Clamped . . . . . 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 1 Steel Threaded ..... (2)PVC 4 ABS 7 Fiberglass (7) PVC TYPE OF SCREEN OR PERFORATION MATERIAL: 10 Asbestos-cement 8 RMP (SR) 1 Steel 3 Stainless steel 5 Fiberglass 6 Concrete tile 4 Galvanized steel 9 ABS 12 None used (open hole) 2 Brass SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 4 Key punched 7 Torch cut 2 Louvered shutter From 9.4 .... ft. to 24.4 .... ft., From .... ft. to .... ft. SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: ft., From 3 Bentonite ( 2 Cement grout 4 Other ..... 1 Neat cement (2 cernent grout (3 centern) (4 centern) (4 centern) (5 centern) (5 centern) (6 centern) (7 centern) What is the nearest source of possible contamination: 13) Fuel storage 15 Oil well/Gas well 1 Septic tank 4 Lateral lines 7 Pit privy 12 Fertilizer storage 16 Other (specify below) 5 Cess pool 8 Sewage lagoon 2 Sewer lines 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? How many feet? PLUGGING INTERVALS LITHOLOGIC LOG FROM FROM 5,5 13' 26 BOH by (signature) Sturn under the business name of US Army Corps of Engineers INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMIN and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Sent tog three copies to Kansas Department

of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records