

CORRECTION(S) TO WATER WELL RECORD (WWC-5)
(to rectify lacking or incorrect information)

Location listed as:

Section-Township-Range: 5-11S-6E

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NW NE NE

County: Riley
Location changed to:

5-11S-6E

NE NW NE

Other changes: Initial statements: Geary County

Changed to: Riley County

Comments: _____

verification method: Legal and written descriptions, position on plat map,
and mapping tool on KGS website.

initials: DRd date: 6/21/2012

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD Form WWC-5 KSA 82a-1212

Well # 354-99-11C

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Geary</u>		<u>NW 1/4 NE 1/4 NE 1/4</u>	<u>5</u>	<u>T 11 S</u>	<u>R 6 E</u>
Distance and direction from nearest town or city street address of well if located within city: <u>4.5 miles NNE of Grandview Plaza, KS</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>Bldg 407 Pershing Ct</u>		Application Number:			
City, State, ZIP Code : <u>Fl. R. ley, KS 66442-6121</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>40</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>20</u> ft. 2. <u>18.3</u> ft. 3. <u>11.3/99</u> ft.			
		WELL'S STATIC WATER LEVEL <u>18.3</u> ft. below land surface measured on mo/day/yr <u>1/13/99</u>			
		Pump test data: Well water was <u> </u> ft. after <u> </u> hours pumping <u> </u> gpm			
		Est. Yield <u> </u> gpm: Well water was <u> </u> ft. after <u> </u> hours pumping <u> </u> gpm			
		Bore Hole Diameter <u>6</u> in. to <u>40</u> ft., and <u> </u> in. to <u> </u> ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only <u>10</u> Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes <u> </u> No <u>X</u> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <u> </u> No <u>X</u>			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u> </u> Clamped <u> </u>			
1 Steel 3 RMP (SR)		Welded <u> </u>			
<u>2</u> PVC 4 ABS		<u>Threaded</u>			
Blank casing diameter <u>2</u> in. to <u> </u> ft., Dia <u> </u> in. to <u> </u> ft., Dia <u> </u> in. to <u> </u> ft.					
Casing height above land surface <u>2.5</u> in., weight <u> </u> lbs./ft. Wall thickness or gauge No. <u>sch 40</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		<u>7</u> PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) <u> </u>					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		8 Saw cut 11 None (open hole)			
1 Continuous slot <u>3</u> Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) <u> </u>					
SCREEN-PERFORATED INTERVALS: From <u>35</u> ft. to <u>40</u> ft., From <u> </u> ft. to <u> </u> ft.					
GRAVEL PACK INTERVALS: From <u>40.5</u> ft. to <u>32.1</u> ft., From <u> </u> ft. to <u> </u> ft.					
6 GROUT MATERIAL:		4 Other <u> </u>			
1 Neat cement 2 Cement grout 3 Bentonite					
Grout Intervals: From <u>32.1</u> ft. to <u>29.8</u> ft., From <u>29.8</u> ft. to <u> </u> ft., From <u> </u> ft. to <u> </u> ft.					
What is the nearest source of possible contamination: <u>Bentonite</u>		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy <u>11</u> Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? <u>NNE</u>		How many feet? <u>500</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0'	4'	clay			
4'	8.7'	sand - very fine			
8.7'	10'	clay			
10'	14.5'	sand - very fine			
14.5'	18.0'	clay			
18.0'	39.9'	sand - medium			
39.9'	40.5'	shale			
	BOH				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>1-6-2000</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>NA</u> This Water Well Record was completed on (mo/day/yr) <u>31 Mar 2000</u> under the business name of <u>US Army Corps of Engineers</u> by (signature) <u>Steven A. Jursak</u>					