CORRECTION(S) TO WATER W	ELL RECURD (WWC-5)
(to rectify lacking or incor	rect information)
(as a start of the	County: Geary
Y and the Bak I am	County. GEAFU
Location listed as:	Location changed to:
Section-Township-Range: // 5-6 E	
Fraction (1/4 1/4 1/4): None Given	SW NE SW NW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Latitude & longitude, well address & city street map	KGS' "LEO" Conversion tool,
HGS website	initials OR I date: 12/4/2009

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

				ER WELL RECORD		C-5 KSA 82		
ightharpoonup		ATER WELL:	Fraction	47		ection Numbe		· ·
County: G		on from non-est to	1/2		1/4	tv2	Lat. 39°3.23	R 6 EVV
940 Grai	nt Ave.,	Junction City		address of well if locat		ty ?	Lat. 39°3.23 Long. 96°48.6	· -
				lth & Environment				
		x# : 1000 SV		•			•	Division of Water Resources
City, State, 2			, Kansas 666	**			Application Number:	
3 LOCATE		LOCATION ECTION BOX:						
VVIIIAN		N	, , ,					ft. 3 ft.
I								ay/yr
	N.A./	NE NE						pumping gpm
	1000	NE -		•••				pumping gpm
1 Mile	i	-	Bore Hole Diam	neter \dots 8 \dots in.to	3	$0\ldots\ldots$.ft.,	and	. in. to ft.
- vv		E	WELL WATER	TO BE USED AS: 5			•	11 Injection well
	0144		1 Domestic				9 Dewatering	12 Other (Specify below)
1	SW	SE	2 Irrigation					
	1			al/bacteriological sampl	e submitted			yes, mo/day/yr samole was
	;	S	submitted			W	ater Well Disinfected? Ye	s No √
5 TYPE OF	BLANK	CASING USED:		5 Wrought iron	8 Con	crete tile		lued Clamped
1 Stee		3 RMP (SF	₹)	6 Asbestos-Cement	9 Othe	er (specify bel	4 /	/elded
(2)PVC		4 ABS		7 Fiberglass				hreaded. 🗸
_	•							in. to ft.
Casing heigh	nt above I	and surface		.in., weight			/ft. Wall thickness or gaug	ge No Sch 40
TYPE OF SC	CREEN C	R PERFORATION	N MATERIAL		(7)P		10 Asbestos-c	ement
1 Stee	el	3 Stainless	steel	5 Fiberglass	8 R	MP (SR)	11 Other (spec	cify)
2 Bras	ss	4 Galvaniz	ed steel	6 Concrete tile	9 A	BS	12 None used	(open hole)
SCREEN OF	R PERFO	RATION OPENIN		5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)
·1 Con	itinuous s	\ <i>\</i>	lill slot	6 Wire	wrapped		9 Drilled holes	
2 Lou	vered shu	utter 4 K	ey punched	7 Torch				
SCREEN-PE	RFORAT	ED INTERVALS:						. ft. to ft.
			From	ft. to		ft., F	rom	. ft. to
GRA	AVEL PA	CK INTERVALS:						ft. to ft.
								ft. to ft.
6 GROUT M	/ATERIA	L: 1 Neat	cement	2 Cement grout	3 Ber			
				ft., From	2 ft			ft. to 13 ft.
What is the i	nearest s	ource of possible	contamination:				p	Abandoned water well
1 Septic	tank	4 Later		7 Pit privy			•	5 Oil well/Gas well
2 Sewer		5 Cess	•	8 Sewage lage	oon			Other (specify below)
3 Watert	-	er lines 6 Seep	page pit	9 Feedyard			ecticide storage	
Direction fro			LITTION CONC	1.00			any feet?	C INTERVALO
FROM	TO	Consert	LITHOLOGIC	LUG	FROM	TO	PLUGGIN	G INTERVALS
0	0.5	Concrete,	J					
0.5	7.5	Silt, dry, no o						
7.5	10.5	Sand (vf), silt						
10.5	16	Sand (f), sl. si	•					
16	21	Sand (m-c), m						
21	_30	Sand, c-f grav	vel, wet, Tan					
				11 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1				
				4444	-			
							MATERIAL PROPERTY AND ADDRESS OF THE PARTY AND	
				The state of the s			MW2 , Tag # 0040807 , Flu	ishmount
							Project Name: GF - Fashio	n Cleaners (Fmr)
							GeoCore # 1482 , KDHE #	C5 031 72129
7 CONTRAC	CTOR'S	OR LANDOWNER	R'S CERTIFICAT	ION: This water well wa	as (1) cons	tructed, (2) re	constructed, or (3) plugged	d under my jurisdiction
				9/16/2008			record is true to the best of	
					s Water W		s completed on (mo/day/yr	
under the bu				eoCore, Inc.		by (sign	· // / // // // //	,
				•	early Please			s. Send top three copies to Kansas
							ne to WATER WELL OWNER and	