## CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information)

Location listed as:

Section-Township-Range: None

Fraction (% % %):

Other changes: Initial statements:

Comments:

Comments:

Verification method: Used LEO, topographic map (USGS)

initials: Pt date: 12/14/09

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

	96 44 24.54	WATER WELL PLUGGING R	ECORD Form WWC-5P	KSA 82a-1212 II	DNO. SFL 92-30
1	LOCATION OF WATER WELL:	Fraction	Section Number	Township Numbe	er Range Number
Cour	nty:	1/4 1/4 1/4			E/W
Dista	ance and direction from nearest town or o	city street address of well if loc	ated within city?		
2	RR #, St. Address, Box #: 404	Ic WORKS EN Gershin, Ct	Board of Agriculture	, Division of Water Reso	ources
	City, State, ZIP Code :	R.ly KS 66	4/42 Application Number:	1116	
3	MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX: N	1 F	R LEVEL 19.9 ft.	•	
		WELL WAS USED AS:			
w		1 Domestic 2 Irrigation 3 Feedlot 4 Industrial	<ul><li>5 Public Water Supply</li><li>6 Oil Field Water Suppl</li><li>7 Domestic (Lawn &amp; Ga</li><li>8 Air Conditioning</li></ul>	arden) 11 Injecti 12 Other	toring Well ion Well r
-	SW ————————————————————————————————————	Was a chemical / bacteriological sample submitted to Department? Yes			
	S	Water Well Disinfected: Ye	es No		
		1			
5	TYPE OF BLANK CASING USED:				
5	1 Stool 3 RMP (SR) 5 Wr 2 PV2 4 ABS 6 Asi	ought 7 Fibergle bestos-Cement 8 Concre	te Tile		much 5.01
5	1 Steel 3 RMP (SR) 5 Wr	bestos-Cement 8 Concre  Was casing pulled?	te Tile  Yes No	If yes, how	
6	1 Steel 3 RMP (SR) 5 Wr 2 PV 4 ABS 6 Asi Blank casing diameter	Was casing pulled?  was casing pulled?  was casing pulled?  casing pulled?  casing pulled?	te Tile  Yes  No  in.  4 O	If yes, how	Bontonik
	1 Steel 3 RMP (SR) 5 Wr 2 PV 4 ABS 6 Asl Blank casing diameter	Was casing pulled?  was casing pulled?  was casing pulled?  cast cement 2 Cement gro  ft. to 58.7 ft.	te Tile  Yes  No  in.  4 O	If yes, how	
	1 Steel 3 RMP (SR) 5 Wr 2 PV 4 ABS 6 Asi Blank casing diameter	Was casing pulled?  Was casing pulled?  Was casing pulled?  Parameter 2 Cement gro  Secontamination:  6 Seepage pit 7 Pit privy	te Tile  Yes	If yes, how ther ft., From 16 Other (s	Bontonik
	1 Steel 3 RMP (SR) 5 Wr 2 PV 4 ABS 6 Asi Blank casing diameter	Was casing pulled?  was casing pulled?  was casing pulled?  cat cement 2 Cement gro  ft. to 58.7 ft.  contamination:  6 Seepage pit	te Tile  Yes	If yes, how ther ft., From .	toft.
	1 Steel 3 RMP (SR) 5 Wr 2 PV 4 ABS 6 Asl Blank casing diameter	was casing pulled?  Was casing pulled?  Was casing pulled?  Paragraphic and the second and the s	te Tile  Yes	If yes, how ther Concart	toft.
6	Blank casing diameter	was casing pulled?  Was casing pulled?  Was casing pulled?  Paragraphic and the second and the s	te Tile Yes	If yes, how ther Concart	toft.
6	Blank casing diameter	Was casing pulled?  Was casing pulled?  Was casing pulled?  Was casing pulled?  On the cast cement 2 Cement group of the contamination:  6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens  How many  UGGING MATERIALS	te Tile Yes	If yes, how ther Concart	toft.
6	Blank casing diameter	was casing pulled?  was casing pulled?  was casing pulled?  eat cement 2 Cement gro  contamination:  6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens  How many	te Tile Yes	If yes, how ther Concart	toft.
6	Blank casing diameter	Was casing pulled?  Was casing pulled?  Was casing pulled?  Was casing pulled?  On the cast cement 2 Cement group of the contamination:  6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens  How many  UGGING MATERIALS	te Tile Yes	If yes, how ther Concart	toft.
6	Blank casing diameter	Was casing pulled?  Was casing pulled?  Was casing pulled?  Was casing pulled?  On the cast cement 2 Cement group of the contamination:  6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens  How many  UGGING MATERIALS	te Tile Yes	If yes, how ther Concart	toft.

INSTRUCTIONS: Use typewriter or ball point pen. <u>Please press firmly</u> and <u>print</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 785/296-5522. Send one to Water Well Owner and retain one for your records.

by (signature) ...