			ER WELL RECORD		C-5 KSA 8				
	OF WATER WELL	Fraction SW 1/4	SE 1/4 S	sw 1/4 s	ection Numb			Range Number	
	direction from near	est town or city street				T 11	<u> </u>	R 6 (E)W	
2 WATER W	245, Ft. Riley A	Army Base 5 Army DPW-Environmen	tal Div						
RR#, St. Addre	ass Boy# . 40	04 Pershing Court	tat Div.			Board of Agricul	turo Divis	ion of Water Pescurees	
City, State, ZIP Code :						Board of Agriculture, Division of Water Resources Application Number:			
	'ELL'S LOCATION K" IN SECTION BO								
т	N							3	
T								ping gpm	
N	W NE		•					nping gpm	
Mile M		Bore Hole Diam						to ft.	
- W		E WELL WATER	TO BE USED AS:			8 Air conditioning	_	njection well	
	W SE	1 Domestic		6 Oil field wa			(12)	Other (Specify below)	
		2 irrigation						Extraction well mo/day/yr samole was	
<u> </u>	X	submitted	irbacteriological sairi	pie subitiilled		Vater Well Disinfected		No √	
5 TYPE OF B	LANK CASING US	ED:	5 Wrought iron	8 Con	crete tile	CASING JOIN	TS: Glued	Clamped	
1 Steel	3 RMF	P (SR)	6 Asbestos-Cemen	t 9 Othe	er (specify be	elow)		ed	
2 PVC	4 ABS	-	7 Fiberglass					ded. ✓	
_								in. to ft.	
	above land surface EEN OR PERFORA		in., weight					o Sch. 40 SS	
1 Steel		inless steel	5 Fiberglass		MP(SR)	10 Asbes		nt	
2 Brass		vanized steel	6 Concrete tile	9 A	` '	12 None		1	
SCREEN OR P	ERFORATION OPE	ENINGS ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (open hole)	
1 Contin		3 Mill slot	6 Wire	wrapped		9 Drilled holes		(, , ,	
		4 Key punched	7 Torc						
SCREEN-PERF	FORATED INTERVA	ALS: From	.1.5.5 ft. to .	30.5	ft., F	From	ft.	to	
GRAV	EL PACK INTERVA	From ALS: From	13 ft to	32	π., r ff ff	-rom	π.	to ft.	
O/ V (V								to ft.	
6 GROUT MA	TERIAL: 1	leat cement :	2 Cement grout	3 Ben	tonite	4 Other			
Grout Intervals:						ft, From		. ft. to ft	
What is the nea	arest source of pos	sible contamination:			10 Liv	estock pens	14 Ab	andoned water well	
1 Septic tar		Lateral lines	7 Pit privy			11 Fuel storage		15 Oil well/Gas well	
2 Sewer line		Cess pool	8 Sewage lagoon			12 Fertilizer storage		16 Other (specify below)	
Direction from		Seepage pit	9 Feedyard			secticide storage nany feet?	,		
	TO	LITHOLOGIC	LOG	FROM	TO		GING IN	TERVALS	
0	4 Clay, lean	(CL), Dark Brow							
4 1	6 Sand, fine	(SP), Brownish C	Gray			Lat = 39.	103897		
	20 Sand, fine					Long = -9		3	
20 3	Sand, med	i. (SP), Gray				W65 8	ડ ર્સ		
						DPE21 POL Site 1245	;		
							1		
7 001 500		NEDIO OFFICE	ON. This was a "						
		NER'S CERTIFICATION				econstructed, or (3) pla			
						record is true to the b as completed on /ano/da			
under the busin			oCore, Inc.	TYOUCH TYE	by (sigr		10	1	
				clearly Please			ingwere en	nd ton three copies to Kanaas	
INSTRUCTION Department of	NS: Use typewriter or ba f Health and Environmen	all point pen. <u>PLEASE PR</u> nt, Bureau of Water, Topeka	<i>ESS FIRMLY</i> and <i>PRINT</i> (a., Kansas 66620-0001. Te	clearly. Please elephone: 913-29	fill in blanks, und 6-5545. Send o	derline or circle the correct a one to WATER WELL OWN	nswers. Se R and retain	nd top three copies to Kansas n one for your records.	