WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.				
1 LOCATION OF WATER WELL:		Fraction WW14 WE14 WE14 14		Section Number Township No.				
County: Gen	CW-11 T	WW 1/4 NE 1/4 N	9 dinastian		26	T // (5)	R 6 ØE □W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude:			
FROM J.C. GO 6 MIKS EAST ON I-TO TO					Longitude: (in decimal degrees)			
11. 10 - 1 11. 00 That I will as Cart Few Elevation:								
2 WATER WELL OWNER: PUCCELL SALAMA				Datum: WGS 84, NAD 83, NAD 27 Collection Method:				
2 WATER WELL OWNER: RUSSELL SINVING RR#, Street Address, Box #: 11805 Bolly Rd. City, State, ZIP Code : 11805				GPS unit (Make/Model:)				
City, State, ZIP Code JuncTion City, HI 6644/				Digital Man/Photo Tonographic Man T I and Survey				
3 LOCATE WELL	Junci	ion City, M	6647/	Est. A	ccuracy: \(<	3 m, 3-5 m, 3	5-15 m, <u></u> >15 m ·	
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L 60'		ft.			
SECTION BOX: Depth(s) Groundwater Encountered (1)					ft. (2) ft. (3) ft.			
SECTION BOX: N Depth(s) Groundwater Encountered (1)							ay/yr	
X	test data: Well wate	Well water was						
W NW NE E Bore Hole Diameter						to	ft.	
" - - -	WELL WATER	R TO BE USED AS: [BE USED AS: Public water supply Geothermal Injection well					
							Other (Specify below)	
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? Ves No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter								
Casing height above and surface								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Ga	Ivanized Steel	None used (open h	nole)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines	Sewage lagoon	ewage lagoon Fuel storage Abandoned water				er (specify below)		
Watertight sewer l	ines	it Feedyard	Fertilizer st		Oil well/ga			
Direction from well	LITHOLOG		FROM				CCNC DITERVALS	
1 1 1	G /	IIC LOO	1.KOM	ТО	LITTO, LC	o (cont.) or PLU	GGING INTERVALS	
1 19 19	IN FLOV							
18 43 600	46	(WATO)						
113 60 000	GHY Sh							
75 00 000	10, 77,							

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 7								
under the business name of Holl Com Will Dillag. by (signature) by Ligan Curolis								
INSTRUCTIONS: Use typew (white, blue, pink) to Kansas I	ritër or ball point pen	A. PLEASE PRESS FIRML.	Yand <i>PRINT</i> clea	arly. Plea	ise fill in blanks	and check the correct	answers. Send three copies	
Telephone 785-296-5522. Ser	nd one copy to WAT	TER WELL OWNER and	retain one for ye	our record	n, 1000 SW Jac ds. Include <u>fee</u>	of \$5.00 for each co	орека, капsas 66612-1367. onstructed well. Visit us at	
http://www.kdheks.gov/waterwe			·					
KSA 82a-1212								